



*Building essentials
for a better tomorrow™*

WATERWORKS

BLOCK PRICING



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DR14 AWWA C900 20 FT Blue	4"	1.27	1.29	1.30	1.32	1.34	1.35	1.37	1.38	1.40	1.42	1.43	1.45	1.46	1.48	1.50
	6"	2.38	2.41	2.44	2.48	2.51	2.54	2.58	2.61	2.64	2.68	2.71	2.74	2.77	2.81	2.84
	8"	4.11	4.16	4.22	4.28	4.34	4.39	4.45	4.51	4.56	4.62	4.68	4.74	4.79	4.85	4.91
	10"	6.21	6.30	6.38	6.47	6.56	6.64	6.73	6.81	6.90	6.99	7.07	7.16	7.25	7.33	7.42
	12"	8.80	8.92	9.05	9.17	9.29	9.41	9.54	9.66	9.78	9.90	10.02	10.15	10.27	10.39	10.51
DR18 AWWA C900 20 FT Blue	4"	0.98	1.00	1.01	1.02	1.03	1.05	1.06	1.07	1.08	1.10	1.11	1.12	1.13	1.15	1.16
	6"	1.88	1.91	1.93	1.96	1.99	2.01	2.04	2.06	2.09	2.12	2.14	2.17	2.19	2.22	2.25
	8"	3.25	3.30	3.34	3.39	3.44	3.48	3.53	3.57	3.62	3.66	3.71	3.75	3.80	3.84	3.89
	10"	4.92	4.99	5.06	5.12	5.19	5.26	5.33	5.40	5.47	5.53	5.60	5.67	5.74	5.81	5.88
	12"	6.97	7.06	7.16	7.26	7.35	7.45	7.55	7.64	7.74	7.84	7.94	8.03	8.13	8.23	8.32
DR25 AWWA C900 20 FT Blue	4"	0.74	0.75	0.76	0.77	0.78	0.79	0.79	0.80	0.81	0.82	0.83	0.84	0.85	0.86	0.87
	6"	1.38	1.40	1.42	1.44	1.46	1.47	1.49	1.51	1.53	1.55	1.57	1.59	1.61	1.63	1.65
	8"	2.38	2.42	2.45	2.48	2.51	2.55	2.58	2.61	2.65	2.68	2.71	2.75	2.78	2.81	2.85
	10"	3.60	3.65	3.70	3.75	3.80	3.85	3.90	3.95	4.00	4.05	4.10	4.15	4.20	4.25	4.30
	12"	5.10	5.18	5.25	5.32	5.39	5.46	5.53	5.60	5.67	5.74	5.81	5.88	5.96	6.03	6.10
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.23	0.23	0.23	0.24	0.24	0.24	0.24	0.25	0.25	0.25	0.26	0.26	0.26	0.26	0.27
	3"	0.44	0.44	0.45	0.46	0.46	0.47	0.47	0.48	0.49	0.49	0.50	0.50	0.51	0.51	0.52
	4"	0.71	0.72	0.73	0.74	0.74	0.75	0.76	0.77	0.78	0.79	0.80	0.81	0.82	0.83	0.84
	6"	1.50	1.52	1.54	1.56	1.58	1.60	1.62	1.64	1.66	1.69	1.71	1.73	1.75	1.77	1.79
	8"	2.54	2.58	2.61	2.65	2.68	2.72	2.75	2.79	2.82	2.86	2.89	2.93	2.96	3.00	3.04
	10"	3.95	4.01	4.06	4.12	4.17	4.23	4.28	4.34	4.39	4.45	4.50	4.56	4.61	4.67	4.72
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.36	0.37	0.37	0.38	0.38	0.39	0.39	0.40	0.40	0.41	0.41	0.42	0.42	0.43	0.43
	4"	0.58	0.58	0.59	0.60	0.61	0.61	0.62	0.63	0.64	0.65	0.65	0.66	0.67	0.68	0.68
	6"	1.22	1.24	1.26	1.27	1.29	1.31	1.32	1.34	1.36	1.38	1.39	1.41	1.43	1.44	1.46
	8"	2.08	2.11	2.14	2.17	2.19	2.22	2.25	2.28	2.31	2.34	2.37	2.40	2.43	2.45	2.48
	10"	3.23	3.28	3.32	3.37	3.41	3.46	3.50	3.55	3.59	3.64	3.68	3.73	3.77	3.82	3.86
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.41	0.41	0.42	0.42	0.43	0.43	0.44	0.44	0.45	0.46	0.46	0.47	0.47	0.48	0.48
	6"	0.83	0.85	0.86	0.87	0.88	0.89	0.90	0.91	0.93	0.94	0.95	0.96	0.97	0.98	1.00
	8"	1.47	1.49	1.51	1.53	1.55	1.57	1.59	1.61	1.63	1.65	1.68	1.70	1.72	1.74	1.76
	10"	2.33	2.37	2.40	2.43	2.46	2.50	2.53	2.56	2.59	2.63	2.66	2.69	2.72	2.76	2.79
	12"	3.34	3.39	3.44	3.48	3.53	3.58	3.62	3.67	3.72	3.76	3.81	3.86	3.90	3.95	3.99
SDR26 ASTM D3034 14 FT Green	4"	0.56	0.56	0.57	0.58	0.58	0.59	0.60	0.61	0.61	0.62	0.63	0.63	0.64	0.65	0.65
	6"	1.13	1.14	1.16	1.17	1.19	1.20	1.22	1.24	1.25	1.27	1.28	1.30	1.31	1.33	1.35
	8"	2.00	2.02	2.05	2.08	2.11	2.14	2.16	2.19	2.22	2.25	2.28	2.30	2.33	2.36	2.39
	10"	3.17	3.22	3.26	3.31	3.35	3.39	3.44	3.48	3.53	3.57	3.61	3.66	3.70	3.75	3.79
	12"	4.51	4.57	4.64	4.70	4.76	4.82	4.89	4.95	5.01	5.08	5.14	5.20	5.26	5.33	5.39
	15"	6.91	7.00	7.10	7.19	7.29	7.38	7.48	7.57	7.67	7.76	7.85	7.95	8.04	8.14	8.23



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
UB18 AWWA C909 20 FT Blue	6"	1.36	1.39	1.41	1.44	1.47	1.49	1.52	1.54	1.57	1.60	1.62	1.65	1.67	1.70	1.73
	8"	2.34	2.39	2.43	2.48	2.53	2.57	2.62	2.66	2.71	2.75	2.80	2.84	2.89	2.93	2.98
	10"	3.55	3.62	3.69	3.75	3.82	3.89	3.96	4.03	4.10	4.16	4.23	4.30	4.37	4.44	4.51
	12"	5.04	5.13	5.23	5.33	5.42	5.52	5.62	5.71	5.81	5.91	6.01	6.10	6.20	6.30	6.39
UB-21 ASTM F1483 20 FT Blue	6"	1.09	1.11	1.13	1.15	1.17	1.19	1.21	1.23	1.25	1.28	1.30	1.32	1.34	1.36	1.38
	8"	1.83	1.87	1.90	1.94	1.97	2.01	2.04	2.08	2.11	2.15	2.18	2.22	2.25	2.29	2.33
	10"	2.85	2.91	2.96	3.02	3.07	3.13	3.18	3.24	3.29	3.35	3.40	3.46	3.51	3.57	3.62
	12"	4.04	4.12	4.19	4.27	4.35	4.43	4.50	4.58	4.66	4.74	4.81	4.89	4.97	5.05	5.12
UB-25 AWWA C909	16"	6.41	6.54	6.67	6.80	6.93	7.06	7.19	7.32	7.45	7.58	7.71	7.84	7.97	8.10	8.23
DR18 AWWA C905 20 FT Blue	14"	9.77	9.90	10.03	10.15	10.28	10.41	10.53	10.66	10.79	10.91	11.04	11.17	11.29	11.42	11.55
	16"	12.38	12.55	12.73	12.90	13.07	13.25	13.42	13.60	13.77	13.95	14.12	14.29	14.47	14.64	14.82
	18"	16.92	17.14	17.36	17.58	17.80	18.02	18.24	18.46	18.68	18.90	19.12	19.34	19.56	19.78	20.00
	20"	19.25	19.52	19.79	20.06	20.33	20.60	20.88	21.15	21.42	21.69	21.96	22.23	22.50	22.77	23.04
	24"	27.68	28.07	28.46	28.85	29.24	29.63	30.02	30.41	30.80	31.19	31.58	31.97	32.36	32.75	33.14
DR25 AWWA C905 20 FT Blue	14"	7.50	7.60	7.69	7.79	7.89	7.99	8.08	8.18	8.28	8.38	8.47	8.57	8.67	8.77	8.86
	16"	9.01	9.14	9.26	9.39	9.52	9.64	9.77	9.90	10.03	10.15	10.28	10.41	10.53	10.66	10.79
	18"	12.32	12.48	12.64	12.80	12.96	13.12	13.28	13.44	13.60	13.76	13.92	14.08	14.24	14.40	14.56
	20"	14.01	14.21	14.40	14.60	14.80	15.00	15.19	15.39	15.59	15.78	15.98	16.18	16.38	16.57	16.77
	24"	20.23	20.52	20.80	21.09	21.37	21.66	21.94	22.23	22.51	22.80	23.08	23.37	23.65	23.94	24.22
PS46 ASTM F679 14 & 20 FT Green	18"	7.56	7.67	7.77	7.88	7.99	8.09	8.20	8.31	8.41	8.52	8.63	8.73	8.84	8.95	9.05
	21"	10.99	11.14	11.29	11.43	11.58	11.73	11.87	12.02	12.17	12.31	12.46	12.61	12.75	12.90	13.05
	24"	12.89	13.07	13.25	13.43	13.61	13.80	13.98	14.16	14.34	14.52	14.70	14.88	15.07	15.25	15.43
PS115 ASTM F679 14 FT Green	18"	10.09	10.23	10.37	10.51	10.66	10.80	10.94	11.08	11.23	11.37	11.51	11.65	11.79	11.94	12.08
	21"	14.03	14.22	14.41	14.59	14.78	14.97	15.15	15.34	15.53	15.72	15.90	16.09	16.28	16.46	16.65
	24"	17.20	17.45	17.69	17.93	18.17	18.42	18.66	18.90	19.14	19.39	19.63	19.87	20.11	20.35	20.60



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
DR14 AWWA C900 20 FT Blue	4"	1.51	1.53	1.54	1.56	1.58	1.59	1.61	1.62	1.64	1.65	1.67	1.69	1.70	1.72	1.73
	6"	2.87	2.91	2.94	2.97	3.01	3.04	3.07	3.10	3.14	3.17	3.20	3.24	3.27	3.30	3.34
	8"	4.96	5.02	5.08	5.13	5.19	5.25	5.31	5.36	5.42	5.48	5.53	5.59	5.65	5.71	5.76
	10"	7.50	7.59	7.68	7.76	7.85	7.94	8.02	8.11	8.19	8.28	8.37	8.45	8.54	8.63	8.71
	12"	10.64	10.76	10.88	11.00	11.12	11.25	11.37	11.49	11.61	11.74	11.86	11.98	12.10	12.23	12.35
DR18 AWWA C900 20 FT Blue	4"	1.17	1.19	1.20	1.21	1.22	1.24	1.25	1.26	1.27	1.29	1.30	1.31	1.32	1.34	1.35
	6"	2.27	2.30	2.33	2.35	2.38	2.40	2.43	2.46	2.48	2.51	2.53	2.56	2.59	2.61	2.64
	8"	3.93	3.98	4.02	4.07	4.11	4.16	4.20	4.25	4.29	4.34	4.38	4.43	4.47	4.52	4.57
	10"	5.94	6.01	6.08	6.15	6.22	6.29	6.35	6.42	6.49	6.56	6.63	6.70	6.76	6.83	6.90
	12"	8.42	8.52	8.61	8.71	8.81	8.90	9.00	9.10	9.19	9.29	9.39	9.48	9.53	9.68	9.77
DR25 AWWA C900 20 FT Blue	4"	0.88	0.89	0.90	0.91	0.91	0.92	0.93	0.94	0.95	0.96	0.97	0.98	0.99	1.00	1.01
	6"	1.67	1.69	1.70	1.72	1.74	1.76	1.78	1.80	1.82	1.84	1.86	1.88	1.90	1.92	1.93
	8"	2.88	2.91	2.95	2.98	3.01	3.04	3.08	3.11	3.14	3.18	3.21	3.24	3.28	3.31	3.34
	10"	4.35	4.40	4.45	4.50	4.55	4.60	4.65	4.70	4.75	4.80	4.85	4.90	4.95	5.00	5.05
	12"	6.17	6.24	6.31	6.38	6.45	6.52	6.59	6.66	6.74	6.81	6.88	6.95	7.02	7.09	7.16
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.27	0.27	0.27	0.28	0.28	0.28	0.29	0.29	0.29	0.29	0.30	0.30	0.30	0.30	0.31
	3"	0.53	0.53	0.54	0.54	0.55	0.55	0.56	0.57	0.57	0.58	0.58	0.59	0.59	0.60	0.61
	4"	0.85	0.86	0.87	0.88	0.89	0.90	0.91	0.92	0.93	0.94	0.94	0.95	0.96	0.97	0.98
	6"	1.81	1.83	1.85	1.87	1.89	1.91	1.94	1.96	1.98	2.00	2.02	2.04	2.06	2.08	2.10
	8"	3.07	3.11	3.14	3.18	3.21	3.25	3.28	3.32	3.35	3.39	3.42	3.46	3.49	3.53	3.56
	10"	4.78	4.83	4.89	4.94	5.00	5.05	5.11	5.16	5.22	5.27	5.33	5.38	5.44	5.49	5.55
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.43	0.44	0.44	0.45	0.45	0.46	0.46	0.47	0.47	0.48	0.48	0.49	0.49	0.50	0.50
	4"	0.69	0.70	0.71	0.72	0.72	0.73	0.74	0.75	0.75	0.76	0.77	0.78	0.79	0.79	0.80
	6"	1.48	1.49	1.51	1.53	1.55	1.56	1.58	1.60	1.61	1.63	1.65	1.66	1.68	1.70	1.71
	8"	2.51	2.54	2.57	2.60	2.63	2.66	2.69	2.71	2.74	2.77	2.80	2.83	2.86	2.89	2.92
	10"	3.90	3.95	3.99	4.04	4.08	4.13	4.17	4.22	4.26	4.31	4.35	4.40	4.44	4.49	4.53
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.49	0.49	0.50	0.50	0.51	0.51	0.52	0.52	0.53	0.53	0.54	0.54	0.55	0.55	0.56
	6"	1.01	1.02	1.03	1.04	1.05	1.06	1.08	1.09	1.10	1.11	1.12	1.13	1.15	1.16	1.17
	8"	1.78	1.80	1.82	1.84	1.86	1.88	1.90	1.92	1.94	1.96	1.99	2.01	2.03	2.05	2.07
	10"	2.82	2.85	2.89	2.92	2.95	2.98	3.02	3.05	3.08	3.11	3.15	3.18	3.21	3.24	3.27
	12"	4.04	4.09	4.13	4.18	4.23	4.27	4.32	4.37	4.41	4.46	4.51	4.55	4.60	4.65	4.69
SDR26 ASTM D3034 14 FT Green	4"	0.66	0.67	0.68	0.68	0.69	0.70	0.70	0.71	0.72	0.72	0.73	0.74	0.75	0.75	0.76
	6"	1.36	1.38	1.39	1.41	1.42	1.44	1.45	1.47	1.49	1.50	1.52	1.53	1.55	1.56	1.58
	8"	2.42	2.45	2.47	2.50	2.53	2.56	2.59	2.61	2.64	2.67	2.70	2.73	2.75	2.78	2.81
	10"	3.83	3.88	3.92	3.97	4.01	4.05	4.10	4.14	4.19	4.23	4.28	4.32	4.36	4.41	4.45
	12"	5.45	5.51	5.58	5.64	5.70	5.76	5.83	5.89	5.95	6.02	6.08	6.14	6.20	6.27	6.33
	15"	8.33	8.42	8.52	8.61	8.71	8.80	8.90	8.99	9.08	9.18	9.27	9.37	9.46	9.56	9.65



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
UB18 AWWA C909 20 FT Blue	6"	1.75	1.78	1.81	1.83	1.86	1.88	1.91	1.93	1.96	1.99	2.01	2.04	2.06	2.09	2.12
	8"	3.02	3.07	3.11	3.16	3.20	3.25	3.30	3.34	3.39	3.44	3.48	3.53	3.57	3.62	3.66
	10"	4.57	4.64	4.71	4.78	4.85	4.92	4.99	5.06	5.12	5.19	5.26	5.33	5.40	5.47	5.53
	12"	6.49	6.59	6.68	6.78	6.88	6.97	7.06	7.16	7.26	7.35	7.45	7.55	7.64	7.74	7.84
UB-21 ASTM F1483 20 FT Blue	6"	1.40	1.42	1.44	1.46	1.48	1.50	1.52	1.54	1.56	1.58	1.60	1.62	1.64	1.66	1.69
	8"	2.36	2.40	2.43	2.47	2.50	2.54	2.58	2.61	2.65	2.68	2.72	2.75	2.79	2.82	2.86
	10"	3.68	3.73	3.79	3.84	3.90	3.95	4.01	4.06	4.12	4.17	4.23	4.28	4.34	4.39	4.45
	12"	5.20	5.28	5.36	5.44	5.51	5.59	5.67	5.74	5.82	5.90	5.98	6.05	6.13	6.21	6.29
UB-25 AWWA C909	16"	8.36	8.49	8.62	8.75	8.88	9.01	9.14	9.26	9.39	9.52	9.64	9.77	9.90	10.03	10.15
DR18 AWWA C905 20 FT Blue	14"	10.91	11.04	11.17	11.29	11.42	11.55	11.68	11.80	11.93	12.06	12.18	12.31	12.44	12.56	12.69
	16"	14.99	15.17	15.34	15.51	15.69	15.86	16.04	16.21	16.39	16.56	16.73	16.91	17.08	17.26	17.43
	18"	18.90	19.12	19.34	19.56	19.78	20.00	20.22	20.44	20.66	20.88	21.10	21.32	21.54	21.75	21.97
	20"	23.32	23.59	23.86	24.13	24.40	24.67	24.94	25.21	25.48	25.76	26.03	26.30	26.57	26.84	27.11
	24"	33.53	33.92	34.31	34.70	35.09	35.47	35.86	36.25	36.64	37.03	37.42	37.81	38.20	38.59	38.98
DR25 AWWA C905 20 FT Blue	14"	8.38	8.47	8.57	8.67	8.77	8.86	8.96	9.06	9.16	9.25	9.35	9.45	9.55	9.64	9.74
	16"	10.91	11.04	11.17	11.29	11.42	11.55	11.68	11.80	11.93	12.06	12.18	12.31	12.44	12.56	12.69
	18"	13.76	13.92	14.08	14.24	14.40	14.56	14.72	14.88	15.04	15.20	15.36	15.52	15.68	15.84	16.00
	20"	16.97	17.17	17.36	17.56	17.76	17.95	18.15	18.35	18.55	18.74	18.94	19.14	19.34	19.53	19.73
	24"	24.50	24.79	25.07	25.36	25.64	25.93	26.21	26.50	26.78	27.07	27.35	27.64	27.92	28.21	28.49
PS46 ASTM F679 14 & 20 FT Green	18"	9.16	9.26	9.37	9.48	9.58	9.69	9.80	9.90	10.01	10.12	10.22	10.33	10.44	10.54	10.65
	21"	13.19	13.34	13.49	13.63	13.78	13.93	14.07	14.22	14.37	14.51	14.66	14.81	14.95	15.10	15.24
	24"	15.61	15.79	15.97	16.16	16.34	16.52	16.70	16.88	17.06	17.24	17.43	17.61	17.79	17.97	18.15
PS115 ASTM F679 14 FT Green	18"	12.22	12.36	12.50	12.65	12.79	12.93	13.07	13.21	13.36	13.50	13.64	13.78	13.92	14.07	14.21
	21"	16.84	17.03	17.21	17.40	17.59	17.77	17.96	18.15	18.34	18.52	18.71	18.90	19.08	19.27	19.46
	24"	20.84	21.08	21.32	21.57	21.81	22.05	22.29	22.54	22.78	23.02	23.26	23.51	23.75	23.99	24.23



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
DR14 AWWA C900 20 FT Blue	4"	1.75	1.77	1.78	1.80	1.82	1.84	1.85	1.89	1.90	1.92	1.93	1.95	1.97	1.98	2.00
	6"	3.37	3.40	3.43	3.47	3.52	3.56	3.59	3.62	3.66	3.69	3.72	3.75	3.79	3.82	3.85
	8"	5.82	5.88	5.93	5.99	6.05	6.11	6.17	6.22	6.28	6.34	6.39	6.45	6.51	6.57	6.62
	10"	8.80	8.88	8.97	9.06	9.23	9.32	9.41	9.49	9.58	9.67	9.75	9.84	9.92	10.01	10.10
	12"	12.47	12.59	12.71	12.84	13.01	13.14	13.26	13.38	13.50	13.63	13.75	13.87	13.99	14.12	14.24
DR18 AWWA C900 20 FT Blue	4"	1.36	1.37	1.39	1.40	1.42	1.43	1.44	1.46	1.48	1.50	1.51	1.53	1.54	1.56	1.57
	6"	2.67	2.69	2.72	2.74	2.78	2.81	2.84	2.86	2.89	2.93	2.97	2.99	3.02	3.05	3.07
	8"	4.61	4.66	4.70	4.75	4.80	4.84	4.89	4.93	4.98	5.02	5.07	5.11	5.16	5.20	5.25
	10"	6.97	7.04	7.11	7.17	7.31	7.38	7.45	7.52	7.58	7.65	7.72	7.79	7.86	7.93	7.99
	12"	9.87	9.97	10.06	10.16	10.29	10.39	10.49	10.59	10.68	10.78	10.88	10.97	11.07	11.17	11.26
DR25 AWWA C900 20 FT Blue	4"	1.02	1.02	1.03	1.04	1.05	1.05	1.06	1.07	1.08	1.10	1.11	1.12	1.13	1.14	1.15
	6"	1.95	1.97	1.99	2.01	2.04	2.06	2.08	2.10	2.12	2.14	2.16	2.18	2.19	2.21	2.23
	8"	3.38	3.41	3.44	3.47	3.51	3.54	3.58	3.61	3.64	3.68	3.71	3.74	3.78	3.81	3.84
	10"	5.10	5.15	5.20	5.25	5.30	5.35	5.40	5.45	5.50	5.55	5.60	5.65	5.70	5.75	5.80
	12"	7.23	7.30	7.37	7.44	7.50	7.57	7.64	7.71	7.78	7.85	7.92	7.99	8.06	8.13	8.20
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.31	0.31	0.31	0.32	0.32	0.32	0.33	0.33	0.33	0.34	0.34	0.34	0.34	0.35	0.35
	3"	0.61	0.62	0.62	0.63	0.64	0.64	0.65	0.65	0.66	0.66	0.67	0.68	0.68	0.69	0.69
	4"	0.99	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.10	1.11	1.11	1.12	1.13
	6"	2.12	2.14	2.16	2.19	2.20	2.23	2.25	2.27	2.29	2.31	2.33	2.35	2.37	2.39	2.41
	8"	3.60	3.64	3.67	3.71	3.74	3.78	3.80	3.84	3.87	3.91	3.94	3.98	4.01	4.05	4.08
	10"	5.60	5.66	5.71	5.77	5.81	5.86	5.92	5.97	6.02	6.08	6.13	6.18	6.27	6.30	6.35
	12"	7.92	7.99	8.07	8.15	8.18	8.26	8.33	8.41	8.49	8.56	8.64	8.71	8.79	8.86	8.94
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.51	0.51	0.52	0.52	0.52	0.53	0.53	0.54	0.54	0.55	0.55	0.56	0.56	0.57	0.57
	4"	0.81	0.82	0.82	0.83	0.84	0.85	0.86	0.86	0.87	0.88	0.89	0.90	0.90	0.91	0.92
	6"	1.73	1.75	1.77	1.78	1.81	1.83	1.85	1.86	1.88	1.90	1.91	1.93	1.95	1.96	1.98
	8"	2.95	2.97	3.00	3.03	3.08	3.11	3.14	3.17	3.19	3.22	3.25	3.28	3.31	3.34	3.36
	10"	4.58	4.62	4.67	4.71	4.78	4.83	4.87	4.91	4.96	5.00	5.05	5.09	5.13	5.18	5.22
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.56	0.57	0.57	0.58	0.59	0.60	0.60	0.61	0.61	0.62	0.62	0.63	0.63	0.64	0.64
	6"	1.18	1.19	1.20	1.21	1.23	1.24	1.26	1.27	1.28	1.30	1.32	1.33	1.34	1.35	1.37
	8"	2.09	2.11	2.13	2.15	2.21	2.23	2.25	2.27	2.30	2.32	2.34	2.36	2.38	2.41	2.45
	10"	3.31	3.34	3.37	3.40	3.43	3.50	3.53	3.56	3.60	3.63	3.67	3.70	3.74	3.77	3.84
	12"	4.74	4.78	4.83	4.88	4.97	5.02	5.07	5.12	5.17	5.22	5.26	5.31	5.36	5.41	5.51
SDR26 ASTM D3034 14 FT Green	4"	0.77	0.77	0.78	0.79	0.80	0.80	0.81	0.82	0.82	0.83	0.84	0.85	0.85	0.86	0.87
	6"	1.60	1.61	1.63	1.64	1.65	1.66	1.68	1.70	1.72	1.73	1.75	1.76	1.78	1.79	1.81
	8"	2.84	2.87	2.89	2.92	2.94	3.00	3.03	3.06	3.09	3.12	3.15	3.18	3.21	3.23	3.26
	10"	4.50	4.54	4.58	4.63	4.67	4.70	4.75	4.80	4.84	4.89	4.93	4.98	5.03	5.07	5.12
	12"	6.39	6.45	6.52	6.58	6.64	6.70	6.77	6.83	6.90	6.96	7.03	7.10	7.16	7.23	7.29
	15"	9.75	9.84	9.94	10.03	10.13	10.24	10.34	10.44	10.54	10.63	10.73	10.83	10.93	11.03	11.13



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
UB18 AWWA C909 20 FT Blue	6"	2.14	2.17	2.19	2.22	2.25	2.27	2.30	2.33	2.35	2.38	2.40	2.43	2.46	2.48	2.51
	8"	3.71	3.75	3.80	3.84	3.89	3.93	3.98	4.02	4.07	4.11	4.16	4.20	4.25	4.29	4.34
	10"	5.60	5.67	5.74	5.81	5.88	5.94	6.01	6.08	6.15	6.22	6.29	6.35	6.42	6.49	6.56
	12"	7.94	8.03	8.13	8.23	8.32	8.42	8.52	8.61	8.71	8.81	8.90	9.00	9.10	9.19	9.29
UB-21 ASTM F1483 20 FT Blue	6"	1.71	1.73	1.75	1.77	1.79	1.81	1.83	1.85	1.87	1.89	1.91	1.94	1.96	1.98	2.00
	8"	2.89	2.93	2.96	3.00	3.04	3.07	3.11	3.14	3.18	3.21	3.25	3.28	3.32	3.35	3.39
	10"	4.50	4.56	4.61	4.67	4.72	4.78	4.83	4.89	4.94	5.00	5.05	5.11	5.16	5.22	5.27
	12"	6.36	6.44	6.52	6.60	6.67	6.75	6.83	6.91	6.99	7.06	7.14	7.22	7.30	7.37	7.45
UB-25 AWWA C909	16"	10.28	10.41	10.53	10.66	10.79	10.91	11.04	11.17	11.29	11.42	11.55	11.68	11.80	11.93	12.06
DR18 AWWA C905 20 FT Blue	14"	12.82	12.94	13.07	13.20	13.33	13.45	13.58	13.71	13.83	13.96	14.09	14.21	14.34	14.47	14.59
	16"	17.61	17.78	17.96	18.13	18.30	18.48	18.65	18.83	19.00	19.18	19.35	19.52	19.70	19.87	20.05
	18"	22.19	22.41	22.63	22.85	23.07	23.29	23.51	23.73	23.95	24.17	24.39	24.61	24.83	25.05	25.27
	20"	27.38	27.65	27.93	28.20	28.47	28.74	29.01	29.28	29.55	29.82	30.09	30.37	30.64	30.91	31.18
	24"	39.37	39.76	40.15	40.54	40.93	41.32	41.71	42.10	42.49	42.88	43.27	43.66	44.05	44.44	44.83
DR25 AWWA C905 20 FT Blue	14"	9.84	9.94	10.03	10.13	10.23	10.32	10.42	10.52	10.62	10.71	10.81	10.91	11.01	11.10	11.20
	16"	12.82	12.94	13.07	13.20	13.33	13.45	13.58	13.71	13.83	13.96	14.09	14.21	14.34	14.47	14.59
	18"	16.16	16.32	16.48	16.64	16.80	16.96	17.12	17.28	17.44	17.60	17.76	17.92	18.08	18.24	18.40
	20"	19.93	20.13	20.32	20.52	20.72	20.91	21.11	21.31	21.51	21.70	21.90	22.10	22.30	22.49	22.69
	24"	28.78	29.06	29.35	29.63	29.92	30.20	30.49	30.77	31.06	31.34	31.63	31.91	32.20	32.48	32.77
PS46 ASTM F679 14 & 20 FT Green	18"	10.76	10.86	10.97	11.08	11.18	11.29	11.39	11.50	11.61	11.71	11.82	11.93	12.03	12.14	12.25
	21"	15.39	15.54	15.68	15.83	15.98	16.12	16.27	16.42	16.56	16.71	16.86	17.00	17.15	17.30	17.44
	24"	18.33	18.52	18.70	18.88	19.06	19.24	19.42	19.60	19.79	19.97	20.15	20.33	20.51	20.69	20.87
PS115 ASTM F679 14 FT Green	18"	14.35	14.49	14.64	14.78	14.92	15.06	15.20	15.35	15.49	15.63	15.77	15.91	16.06	16.20	16.34
	21"	19.65	19.83	20.02	20.21	20.39	20.58	20.77	20.95	21.14	21.33	21.52	21.70	21.89	22.08	22.26
	24"	24.47	24.72	24.96	25.20	25.44	25.69	25.93	26.17	26.41	26.66	26.90	27.14	27.38	27.62	27.87



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
DR14 AWWA C900 20 FT Blue	4"	2.01	2.03	2.05	2.06	2.08	2.09	2.11	2.14	2.16	2.18	2.19	2.21	2.22	2.24	2.26
	6"	3.89	3.92	3.95	3.99	4.02	4.05	4.08	4.12	4.15	4.19	4.22	4.25	4.29	4.32	4.35
	8"	6.68	6.74	6.80	6.85	6.91	6.97	7.02	7.08	7.14	7.20	7.25	7.31	7.37	7.42	7.48
	10"	10.18	10.27	10.36	10.44	10.53	10.61	10.70	10.79	10.87	10.96	11.05	11.13	11.22	11.31	11.39
	12"	14.36	14.49	14.61	14.73	14.85	14.98	15.10	15.22	15.34	15.47	15.59	15.71	15.84	15.96	16.08
DR18 AWWA C900 20 FT Blue	4"	1.58	1.60	1.61	1.62	1.63	1.65	1.66	1.67	1.68	1.70	1.71	1.72	1.74	1.75	1.76
	6"	3.10	3.13	3.15	3.18	3.20	3.23	3.26	3.28	3.31	3.34	3.36	3.39	3.41	3.44	3.47
	8"	5.29	5.34	5.38	5.43	5.47	5.52	5.56	5.60	5.65	5.69	5.74	5.78	5.83	5.87	5.92
	10"	8.06	8.13	8.20	8.27	8.34	8.40	8.47	8.54	8.61	8.68	8.75	8.81	8.88	8.95	9.02
	12"	11.36	11.46	11.56	11.65	11.75	11.85	11.94	12.04	12.14	12.24	12.33	12.43	12.53	12.62	12.72
DR25 AWWA C900 20 FT Blue	4"	1.16	1.17	1.18	1.18	1.19	1.20	1.21	1.22	1.23	1.24	1.25	1.26	1.27	1.28	1.29
	6"	2.25	2.27	2.29	2.31	2.33	2.35	2.37	2.39	2.41	2.43	2.44	2.46	2.48	2.50	2.52
	8"	3.87	3.91	3.94	3.97	4.01	4.04	4.07	4.11	4.14	4.17	4.21	4.24	4.27	4.30	4.34
	10"	5.85	5.90	5.95	6.00	6.05	6.10	6.15	6.20	6.25	6.30	6.35	6.40	6.45	6.50	6.55
	12"	8.27	8.34	8.41	8.49	8.56	8.63	8.70	8.77	8.84	8.91	8.98	9.05	9.12	9.19	9.26
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.35	0.35	0.36	0.36	0.36	0.36	0.37	0.37	0.37	0.37	0.38	0.38	0.38	0.38	0.39
	3"	0.70	0.70	0.71	0.72	0.72	0.73	0.73	0.74	0.74	0.75	0.76	0.76	0.77	0.77	0.78
	4"	1.14	1.15	1.16	1.18	1.19	1.20	1.21	1.22	1.23	1.24	1.25	1.26	1.26	1.27	1.28
	6"	2.43	2.45	2.47	2.49	2.51	2.53	2.55	2.57	2.59	2.61	2.63	2.65	2.67	2.69	2.71
	8"	4.12	4.15	4.18	4.22	4.25	4.29	4.32	4.36	4.39	4.43	4.46	4.50	4.53	4.57	4.60
	10"	6.40	6.45	6.51	6.56	6.61	6.67	6.72	6.78	6.83	6.88	6.94	6.99	7.04	7.10	7.15
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.57	0.58	0.58	0.59	0.59	0.60	0.60	0.61	0.62	0.62	0.63	0.63	0.64	0.64	0.64
	4"	0.93	0.93	0.94	0.95	0.96	0.96	0.97	0.98	0.99	1.00	1.00	1.01	1.02	1.03	1.03
	6"	2.00	2.01	2.03	2.05	2.06	2.08	2.09	2.11	2.13	2.15	2.16	2.18	2.20	2.21	2.23
	8"	3.39	3.42	3.45	3.48	3.50	3.53	3.56	3.59	3.62	3.65	3.67	3.70	3.73	3.76	3.79
	10"	5.27	5.31	5.35	5.40	5.44	5.48	5.53	5.57	5.62	5.66	5.70	5.75	5.79	5.84	5.88
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.65	0.66	0.66	0.67	0.67	0.68	0.68	0.69	0.69	0.70	0.70	0.71	0.71	0.72	0.72
	6"	1.38	1.39	1.40	1.42	1.43	1.44	1.45	1.46	1.48	1.49	1.50	1.51	1.53	1.54	1.55
	8"	2.47	2.49	2.52	2.54	2.56	2.58	2.60	2.63	2.65	2.67	2.69	2.72	2.74	2.76	2.78
	10"	3.88	3.91	3.94	3.98	4.01	4.05	4.08	4.12	4.15	4.19	4.22	4.26	4.29	4.32	4.36
	12"	5.56	5.61	5.66	5.71	5.76	5.81	5.86	5.91	5.96	6.01	6.06	6.11	6.16	6.21	6.26
SDR26 ASTM D3034 14 FT Green	4"	0.87	0.88	0.89	0.89	0.90	0.91	0.91	0.92	0.93	0.94	0.94	0.95	0.96	0.96	0.97
	6"	1.83	1.84	1.86	1.88	1.89	1.91	1.93	1.94	1.96	1.97	1.99	2.01	2.02	2.04	2.06
	8"	3.29	3.32	3.35	3.38	3.41	3.44	3.47	3.50	3.53	3.56	3.59	3.62	3.65	3.68	3.71
	10"	5.17	5.21	5.26	5.30	5.35	5.40	5.44	5.49	5.53	5.58	5.63	5.67	5.72	5.76	5.81
	12"	7.36	7.42	7.49	7.56	7.62	7.69	7.75	7.82	7.88	7.95	8.02	8.08	8.15	8.21	8.28
	15"	11.22	11.32	11.42	11.52	11.62	11.72	11.82	11.91	12.01	12.11	12.21	12.31	12.41	12.50	12.60



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
UB18 AWWA C909 20 FT Blue	6"	2.53	2.56	2.59	2.61	2.64	2.67	2.69	2.72	2.74	2.78	2.81	2.84	2.86	2.89	2.93
	8"	4.38	4.43	4.47	4.52	4.57	4.61	4.66	4.70	4.75	4.80	4.84	4.89	4.93	4.98	5.02
	10"	6.63	6.70	6.76	6.83	6.90	6.97	7.04	7.11	7.17	7.31	7.38	7.45	7.52	7.58	7.65
	12"	9.39	9.48	9.53	9.68	9.77	9.87	9.97	10.06	10.16	10.29	10.39	10.49	10.59	10.68	10.78
UB-21 ASTM F1483 20 FT Blue	6"	2.02	2.04	2.06	2.08	2.10	2.12	2.14	2.16	2.19	2.20	2.23	2.25	2.27	2.29	2.31
	8"	3.42	3.46	3.49	3.53	3.56	3.60	3.64	3.67	3.71	3.74	3.78	3.80	3.84	3.87	3.91
	10"	5.33	5.38	5.44	5.49	5.55	5.60	5.66	5.71	5.77	5.81	5.86	5.92	5.97	6.02	6.08
	12"	7.53	7.61	7.63	7.76	7.84	7.92	7.99	8.07	8.15	8.18	8.26	8.33	8.41	8.49	8.56
UB-25 AWWA C909	16"	12.18	12.31	12.44	12.56	12.69	12.82	12.94	13.07	13.20	13.33	13.45	13.58	13.71	13.83	13.96
DR18 AWWA C905 20 FT Blue	14"	14.72	14.85	14.97	15.10	15.23	15.36	15.48	15.61	15.74	15.86	15.99	16.12	16.24	16.37	16.50
	16"	20.22	20.40	20.57	20.74	20.92	21.09	21.27	21.44	21.62	21.79	21.96	22.14	22.31	22.49	22.66
	18"	25.49	25.71	25.93	26.15	26.37	26.59	26.81	27.03	27.25	27.47	27.69	27.91	28.13	28.35	28.57
	20"	31.45	31.72	31.99	32.26	32.53	32.81	33.08	33.35	33.62	33.89	34.16	34.43	34.70	34.97	35.25
	24"	45.22	45.61	46.00	46.39	46.78	47.17	47.56	47.95	48.34	48.73	49.12	49.51	49.90	50.29	50.68
DR25 AWWA C905 20 FT Blue	14"	11.30	11.40	11.49	11.59	11.69	11.79	11.88	11.98	12.08	12.18	12.27	12.37	12.47	12.57	12.66
	16"	14.72	14.85	14.97	15.10	15.23	15.36	15.48	15.61	15.74	15.86	15.99	16.12	16.24	16.37	16.50
	18"	18.56	18.72	18.88	19.04	19.20	19.36	19.51	19.67	19.83	19.99	20.15	20.31	20.47	20.63	20.79
	20"	22.89	23.08	23.28	23.48	23.68	23.87	24.07	24.27	24.47	24.66	24.86	25.06	25.25	25.45	25.65
	24"	33.05	33.34	33.62	33.91	34.19	34.48	34.76	35.05	35.33	35.62	35.90	36.19	36.47	36.76	37.04
PS46 ASTM F679 14 & 20 FT Green	18"	12.35	12.46	12.57	12.67	12.78	12.89	12.99	13.10	13.20	13.31	13.42	13.52	13.63	13.74	13.84
	21"	17.59	17.74	17.88	18.03	18.18	18.32	18.47	18.62	18.76	18.91	19.06	19.20	19.35	19.50	19.64
	24"	21.06	21.24	21.42	21.60	21.78	21.96	22.15	22.33	22.51	22.69	22.87	23.05	23.23	23.42	23.60
PS115 ASTM F679 14 FT Green	18"	16.48	16.62	16.77	16.91	17.05	17.19	17.33	17.48	17.62	17.76	17.90	18.05	18.19	18.33	18.47
	21"	22.45	22.64	22.83	23.01	23.20	23.39	23.57	23.76	23.95	24.14	24.32	24.51	24.70	24.88	25.07
	24"	28.11	28.35	28.59	28.84	29.08	29.32	29.56	29.81	30.05	30.29	30.53	30.77	31.02	31.26	31.50



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
DR14 AWWA C900 20 FT Blue	4"	2.27	2.29	2.30	2.32	2.34	2.35	2.37	2.38	2.40	2.42	2.43	2.45	2.47	2.48	2.50
	6"	4.39	4.42	4.45	4.49	4.52	4.55	4.59	4.62	4.65	4.69	4.72	4.75	4.78	4.82	4.85
	8"	7.54	7.60	7.65	7.71	7.77	7.82	7.88	7.94	8.00	8.05	8.11	8.17	8.22	8.28	8.34
	10"	11.48	11.56	11.65	11.74	11.82	11.91	12.00	12.08	12.17	12.25	12.34	12.43	12.51	12.60	12.69
	12"	16.20	16.33	16.45	16.57	16.70	16.82	16.94	17.06	17.19	17.31	17.43	17.55	17.68	17.80	17.92
DR18 AWWA C900 20 FT Blue	4"	1.77	1.79	1.80	1.81	1.83	1.84	1.85	1.86	1.88	1.89	1.90	1.91	1.93	1.94	1.95
	6"	3.49	3.52	3.55	3.57	3.60	3.63	3.65	3.68	3.70	3.73	3.76	3.78	3.81	3.84	3.86
	8"	6.06	6.11	6.15	6.20	6.24	6.29	6.33	6.38	6.42	6.47	6.52	6.56	6.61	6.65	6.70
	10"	9.09	9.16	9.22	9.29	9.36	9.43	9.50	9.57	9.63	9.70	9.77	9.84	9.91	9.98	10.04
	12"	12.82	12.92	13.01	13.11	13.21	13.30	13.40	13.50	13.60	13.69	13.79	13.89	13.98	14.08	14.18
DR25 AWWA C900 20 FT Blue	4"	1.30	1.31	1.32	1.33	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.42	1.43
	6"	2.54	2.56	2.58	2.60	2.62	2.64	2.66	2.68	2.69	2.71	2.73	2.75	2.77	2.79	2.81
	8"	4.37	4.40	4.44	4.47	4.50	4.54	4.57	4.60	4.64	4.67	4.70	4.74	4.77	4.80	4.83
	10"	6.60	6.65	6.70	6.75	6.80	6.85	6.90	6.95	7.00	7.05	7.10	7.15	7.20	7.25	7.30
	12"	9.33	9.40	9.48	9.55	9.62	9.69	9.76	9.83	9.90	9.97	10.04	10.11	10.18	10.25	10.32
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.39	0.39	0.40	0.40	0.40	0.40	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.43	0.43
	3"	0.78	0.79	0.80	0.80	0.81	0.81	0.82	0.82	0.83	0.84	0.84	0.85	0.85	0.86	0.86
	4"	1.29	1.30	1.31	1.32	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.41	1.42
	6"	2.73	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92	2.94	2.96	2.98	3.00	3.02
	8"	4.63	4.67	4.70	4.74	4.77	4.81	4.84	4.88	4.91	4.95	4.98	5.01	5.05	5.08	5.12
	10"	7.21	7.26	7.31	7.37	7.42	7.47	7.53	7.58	7.64	7.69	7.74	7.80	7.85	7.90	7.96
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.65	0.65	0.66	0.66	0.67	0.67	0.68	0.68	0.69	0.69	0.70	0.70	0.71	0.71	0.72
	4"	1.04	1.05	1.06	1.07	1.07	1.08	1.09	1.10	1.10	1.11	1.13	1.13	1.13	1.14	1.15
	6"	2.24	2.26	2.28	2.29	2.31	2.33	2.34	2.36	2.38	2.39	2.41	2.43	2.44	2.46	2.48
	8"	3.82	3.84	3.87	3.90	3.93	3.96	3.99	4.01	4.04	4.07	4.10	4.13	4.16	4.18	4.21
	10"	5.92	5.97	6.01	6.06	6.10	6.14	6.19	6.23	6.27	6.32	6.36	6.41	6.45	6.49	6.54
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.73	0.74	0.74	0.75	0.75	0.76	0.76	0.77	0.77	0.78	0.78	0.79	0.79	0.80	0.80
	6"	1.56	1.58	1.59	1.60	1.61	1.62	1.64	1.65	1.66	1.67	1.69	1.70	1.71	1.72	1.74
	8"	2.80	2.83	2.85	2.87	2.89	2.91	2.94	2.96	2.98	3.00	3.02	3.05	3.07	3.09	3.11
	10"	4.39	4.43	4.46	4.50	4.53	4.57	4.60	4.64	4.67	4.71	4.74	4.77	4.81	4.84	4.88
	12"	6.31	6.36	6.41	6.46	6.51	6.56	6.61	6.66	6.71	6.75	6.80	6.85	6.90	6.95	7.00
SDR26 ASTM D3034 14 FT Green	4"	0.98	0.98	0.99	1.00	1.01	1.01	1.02	1.03	1.03	1.04	1.05	1.05	1.06	1.07	1.08
	6"	2.07	2.09	2.10	2.12	2.14	2.15	2.17	2.19	2.20	2.22	2.24	2.25	2.27	2.28	2.30
	8"	3.73	3.76	3.79	3.82	3.85	3.88	3.91	3.94	3.97	4.00	4.03	4.06	4.09	4.12	4.15
	10"	5.86	5.90	5.95	6.00	6.04	6.09	6.13	6.18	6.23	6.27	6.32	6.36	6.41	6.46	6.50
	12"	8.34	8.41	8.48	8.54	8.61	8.67	8.74	8.80	8.87	8.94	9.00	9.07	9.13	9.20	9.26
	15"	12.70	12.80	12.90	13.00	13.10	13.19	13.29	13.39	13.49	13.58	13.69	13.78	13.88	13.98	14.08



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
UB18 AWWA C909 20 FT Blue	6"	2.97	2.99	3.02	3.05	3.07	3.10	3.13	3.15	3.18	3.20	3.23	3.26	3.28	3.31	3.34
	8"	5.07	5.11	5.16	5.20	5.25	5.29	5.34	5.38	5.43	5.47	5.52	5.56	5.60	5.65	5.69
	10"	7.72	7.79	7.86	7.93	7.99	8.06	8.13	8.20	8.27	8.34	8.40	8.47	8.54	8.61	8.68
	12"	10.88	10.97	11.07	11.17	11.26	11.36	11.46	11.56	11.65	11.75	11.85	11.94	12.04	12.14	12.24
UB-21 ASTM F1483 20 FT Blue	6"	2.33	2.35	2.37	2.39	2.41	2.43	2.45	2.47	2.49	2.51	2.53	2.55	2.57	2.59	2.61
	8"	3.94	3.98	4.01	4.05	4.08	4.12	4.15	4.18	4.22	4.25	4.29	4.32	4.36	4.39	4.43
	10"	6.13	6.18	6.27	6.30	6.35	6.40	6.45	6.51	6.56	6.61	6.67	6.72	6.78	6.83	6.88
	12"	8.64	8.71	8.79	8.86	8.94	9.02	9.09	9.17	9.24	9.32	9.39	9.47	9.55	9.62	9.70
UB-25 AWWA C909	16"	14.09	14.21	14.34	14.47	14.59	14.72	14.85	14.97	15.10	15.23	15.36	15.48	15.61	15.74	15.86
DR18 AWWA C905 20 FT Blue	14"	16.62	16.75	16.88	17.01	17.13	17.26	17.39	17.51	17.64	17.77	17.89	18.02	18.15	18.27	18.40
	16"	22.84	23.01	23.18	23.36	23.53	23.71	23.88	24.06	24.23	24.40	24.58	24.75	24.93	25.10	25.28
	18"	28.79	29.01	29.23	29.45	29.67	29.89	30.11	30.33	30.54	30.76	30.98	31.20	31.42	31.64	31.86
	20"	35.52	35.79	36.06	36.33	36.60	36.87	37.14	37.41	37.69	37.96	38.23	38.50	38.77	39.04	39.31
	24"	51.07	51.46	51.85	52.24	52.63	53.02	53.41	53.80	54.19	54.58	54.97	55.36	55.75	56.14	56.53
DR25 AWWA C905 20 FT Blue	14"	12.76	12.86	12.95	13.05	13.15	13.25	13.34	13.44	13.54	13.64	13.73	13.83	13.93	14.03	14.12
	16"	16.62	16.75	16.88	17.01	17.13	17.26	17.39	17.51	17.64	17.77	17.89	18.02	18.15	18.27	18.40
	18"	20.95	21.11	21.27	21.43	21.59	21.75	21.91	22.07	22.23	22.39	22.55	22.71	22.87	23.03	23.19
	20"	25.85	26.04	26.24	26.44	26.64	26.83	27.03	27.23	27.43	27.62	27.82	28.02	28.21	28.41	28.61
	24"	37.33	37.61	37.90	38.18	38.47	38.75	39.04	39.32	39.61	39.89	40.18	40.46	40.75	41.03	41.32
PS46 ASTM F679 14 & 20 FT Green	18"	13.95	14.06	14.16	14.27	14.38	14.48	14.59	14.70	14.80	14.91	15.02	15.12	15.23	15.33	15.44
	21"	19.79	19.94	20.08	20.23	20.38	20.52	20.67	20.82	20.96	21.11	21.25	21.40	21.55	21.69	21.84
	24"	23.78	23.96	24.14	24.32	24.51	24.69	24.87	25.05	25.23	25.41	25.59	25.78	25.96	26.14	26.32
PS115 ASTM F679 14 FT Green	18"	18.61	18.76	18.90	19.04	19.18	19.32	19.47	19.61	19.75	19.89	20.03	20.18	20.32	20.46	20.60
	21"	25.26	25.44	25.63	25.82	26.01	26.19	26.38	26.57	26.75	26.94	27.13	27.32	27.50	27.69	27.88
	24"	31.74	31.99	32.23	32.47	32.71	32.96	33.20	33.44	33.68	33.92	34.17	34.41	34.65	34.89	35.14



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
DR14 AWWA C900 20 FT Blue	4"	2.51	2.53	2.55	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.67	2.69	2.71	2.72	2.74
	6"	4.88	4.92	4.95	4.98	5.02	5.05	5.08	5.12	5.15	5.18	5.22	5.25	5.28	5.32	5.35
	8"	8.39	8.45	8.51	8.57	8.62	8.68	8.74	8.79	8.85	8.91	8.97	9.02	9.08	9.14	9.19
	10"	12.77	12.86	12.94	13.03	13.12	13.20	13.29	13.38	13.46	13.55	13.64	13.72	13.81	13.89	13.98
	12"	18.05	18.17	18.29	18.41	18.54	18.66	18.78	18.90	19.03	19.15	19.27	19.40	19.52	19.64	19.76
DR18 AWWA C900 20 FT Blue	4"	1.97	1.98	1.99	2.00	2.02	2.03	2.04	2.05	2.07	2.08	2.09	2.11	2.12	2.13	2.14
	6"	3.89	3.91	3.94	3.97	3.99	4.02	4.05	4.07	4.10	4.12	4.15	4.18	4.20	4.23	4.26
	8"	6.74	6.79	6.83	6.88	6.92	6.97	7.01	7.06	7.10	7.15	7.19	7.24	7.28	7.33	7.37
	10"	10.11	10.18	10.25	10.32	10.39	10.45	10.52	10.59	10.66	10.73	10.80	10.86	10.93	11.00	11.07
	12"	14.27	14.37	14.47	14.57	14.66	14.76	14.86	14.95	15.05	15.15	15.25	15.34	15.44	15.54	15.63
DR25 AWWA C900 20 FT Blue	4"	1.44	1.45	1.46	1.47	1.47	1.48	1.49	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.57
	6"	2.83	2.85	2.87	2.89	2.91	2.93	2.94	2.96	2.98	3.00	3.02	3.04	3.06	3.08	3.10
	8"	4.87	4.90	4.93	4.97	5.00	5.03	5.07	5.10	5.13	5.17	5.20	5.23	5.26	5.30	5.33
	10"	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75	7.80	7.85	7.90	7.95	8.00	8.05
	12"	10.39	10.47	10.54	10.61	10.68	10.75	10.82	10.89	10.96	11.03	11.10	11.17	11.24	11.31	11.38
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.43	0.43	0.44	0.44	0.44	0.44	0.45	0.45	0.45	0.45	0.46	0.46	0.46	0.47	0.47
	3"	0.87	0.88	0.88	0.89	0.89	0.90	0.91	0.91	0.92	0.92	0.93	0.93	0.94	0.95	0.95
	4"	1.43	1.44	1.45	1.46	1.47	1.48	1.49	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.56
	6"	3.04	3.06	3.08	3.10	3.12	3.14	3.16	3.18	3.20	3.22	3.24	3.27	3.29	3.31	3.33
	8"	5.15	5.19	5.22	5.26	5.29	5.33	5.36	5.39	5.43	5.46	5.50	5.53	5.57	5.60	5.64
	10"	8.01	8.07	8.12	8.17	8.23	8.28	8.33	8.39	8.44	8.50	8.55	8.60	8.66	8.71	8.77
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.72	0.72	0.73	0.73	0.74	0.74	0.75	0.75	0.76	0.76	0.77	0.77	0.78	0.78	0.79
	4"	1.16	1.17	1.17	1.18	1.19	1.20	1.20	1.21	1.22	1.23	1.23	1.24	1.25	1.26	1.27
	6"	2.49	2.51	2.53	2.54	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.68	2.69	2.71	2.73
	8"	4.24	4.27	4.30	4.33	4.35	4.38	4.41	4.44	4.47	4.49	4.52	4.55	4.58	4.61	4.64
	10"	6.58	6.63	6.67	6.71	6.76	6.80	6.85	6.89	6.93	6.98	7.02	7.06	7.11	7.15	7.20
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.81	0.82	0.82	0.83	0.83	0.84	0.84	0.85	0.85	0.86	0.86	0.87	0.87	0.88	0.88
	6"	1.75	1.76	1.77	1.78	1.80	1.81	1.82	1.83	1.85	1.86	1.87	1.88	1.90	1.91	1.92
	8"	3.13	3.16	3.18	3.20	3.22	3.24	3.27	3.29	3.31	3.33	3.36	3.38	3.40	3.42	3.44
	10"	4.91	4.95	4.98	5.02	5.05	5.09	5.12	5.16	5.19	5.22	5.26	5.29	5.33	5.36	5.40
	12"	7.05	7.10	7.15	7.20	7.25	7.30	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75
SDR26 ASTM D3034 14 FT Green	4"	1.08	1.09	1.10	1.10	1.11	1.12	1.13	1.13	1.14	1.15	1.15	1.16	1.17	1.17	1.18
	6"	2.32	2.33	2.35	2.37	2.38	2.40	2.42	2.43	2.45	2.46	2.48	2.50	2.51	2.53	2.55
	8"	4.18	4.20	4.23	4.26	4.29	4.32	4.35	4.38	4.41	4.44	4.47	4.50	4.53	4.56	4.59
	10"	6.55	6.59	6.64	6.69	6.73	6.78	6.83	6.87	6.92	6.96	7.01	7.06	7.10	7.15	7.19
	12"	9.33	9.40	9.46	9.53	9.59	9.66	9.72	9.79	9.86	9.92	9.99	10.05	10.12	10.18	10.25
	15"	14.18	14.28	14.37	14.47	14.57	14.67	14.77	14.87	14.97	15.06	15.16	15.26	15.36	15.46	15.56



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
UB18 AWWA C909 20 FT Blue	6"	3.36	3.39	3.41	3.44	3.47	3.49	3.52	3.55	3.57	3.60	3.63	3.65	3.68	3.70	3.73
	8"	5.74	5.78	5.83	5.87	5.92	6.06	6.11	6.15	6.20	6.24	6.29	6.33	6.38	6.42	6.47
	10"	8.75	8.81	8.88	8.95	9.02	9.09	9.16	9.22	9.29	9.36	9.43	9.50	9.57	9.63	9.70
	12"	12.33	12.43	12.53	12.62	12.72	12.82	12.92	13.01	13.11	13.21	13.30	13.40	13.50	13.60	13.69
UB-21 ASTM F1483 20 FT Blue	6"	2.63	2.65	2.67	2.69	2.71	2.73	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92
	8"	4.46	4.50	4.53	4.57	4.60	4.63	4.67	4.70	4.74	4.77	4.81	4.84	4.88	4.91	4.95
	10"	6.94	6.99	7.04	7.10	7.15	7.21	7.26	7.31	7.37	7.42	7.47	7.53	7.58	7.64	7.69
	12"	9.77	9.85	9.93	10.00	10.08	10.15	10.23	10.30	10.38	10.46	10.53	10.61	10.68	10.76	10.83
UB-25 AWWA C909	16"	15.99	16.12	16.24	16.37	16.50	16.62	16.75	16.88	17.01	17.13	17.26	17.39	17.51	17.64	17.77
DR18 AWWA C905 20 FT Blue	14"	18.53	18.66	18.78	18.91	19.04	19.16	19.29	19.42	19.54	19.67	19.80	19.92	20.05	20.18	20.31
	16"	25.45	25.63	25.80	25.97	26.15	26.32	26.50	26.67	26.85	27.02	27.19	27.37	27.54	27.72	27.89
	18"	32.08	32.30	32.52	32.74	32.96	33.18	33.40	33.62	33.84	34.06	34.28	34.50	34.72	34.94	35.16
	20"	39.58	39.85	40.13	40.40	40.67	40.94	41.21	41.48	41.75	42.02	42.29	42.57	42.84	43.11	43.38
	24"	56.92	57.31	57.70	58.09	58.48	58.87	59.25	59.64	60.03	60.42	60.81	61.20	61.59	61.98	62.37
DR25 AWWA C905 20 FT Blue	14"	14.22	14.32	14.42	14.51	14.61	14.71	14.81	14.90	15.00	15.10	15.19	15.29	15.39	15.49	15.58
	16"	18.53	18.66	18.78	18.91	19.04	19.16	19.29	19.42	19.54	19.67	19.80	19.92	20.05	20.18	20.31
	18"	23.35	23.51	23.67	23.83	23.99	24.15	24.31	24.47	24.63	24.79	24.95	25.11	25.27	25.43	25.59
	20"	28.81	29.00	29.20	29.40	29.60	29.79	29.99	30.19	30.38	30.58	30.78	30.98	31.17	31.37	31.57
	24"	41.60	41.89	42.17	42.46	42.74	43.03	43.31	43.60	43.88	44.17	44.45	44.74	45.02	45.31	45.59
PS46 ASTM F679 14 & 20 FT Green	18"	15.55	15.65	15.76	15.87	15.97	16.08	16.19	16.29	16.40	16.51	16.61	16.72	16.83	16.93	17.04
	21"	21.99	22.13	22.28	22.43	22.57	22.72	22.87	23.01	23.16	23.31	23.45	23.60	23.75	23.89	24.04
	24"	26.50	26.68	26.86	27.05	27.23	27.41	27.59	27.77	27.95	28.14	28.32	28.50	28.68	28.86	29.04
PS115 ASTM F679 14 FT Green	18"	20.75	20.89	21.03	21.17	21.31	21.46	21.60	21.74	21.88	22.02	22.17	22.31	22.45	22.59	22.73
	21"	28.06	28.25	28.44	28.63	28.81	29.00	29.19	29.37	29.56	29.75	29.94	30.12	30.31	30.50	30.68
	24"	35.38	35.62	35.86	36.11	36.35	36.59	36.83	37.07	37.32	37.56	37.80	38.04	38.29	38.53	38.77



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
DR14 AWWA C900 20 FT Blue	4"	2.76	2.77	2.79	2.81	2.82	2.84	2.85	2.87	2.89	2.90	2.92	2.94	2.95	2.97	2.99
	6"	5.38	5.42	5.45	5.48	5.52	5.55	5.58	5.62	5.65	5.68	5.72	5.75	5.78	5.82	5.85
	8"	9.25	9.30	9.36	9.42	9.48	9.53	9.59	9.65	9.70	9.76	9.82	9.88	9.93	9.99	10.05
	10"	14.07	14.15	14.24	14.33	14.42	14.50	14.59	14.68	14.77	14.85	14.94	15.03	15.11	15.20	15.29
	12"	19.88	20.01	20.13	20.25	20.38	20.50	20.62	20.74	20.87	20.99	21.11	21.24	21.36	21.48	21.61
DR18 AWWA C900 20 FT Blue	4"	2.16	2.17	2.18	2.20	2.21	2.22	2.24	2.25	2.26	2.27	2.29	2.30	2.31	2.33	2.34
	6"	4.29	4.31	4.34	4.37	4.39	4.42	4.45	4.47	4.50	4.53	4.55	4.58	4.61	4.63	4.66
	8"	7.42	7.46	7.51	7.56	7.60	7.65	7.69	7.74	7.79	7.83	7.88	7.92	7.97	8.02	8.06
	10"	11.14	11.21	11.28	11.35	11.42	11.48	11.55	11.62	11.69	11.76	11.83	11.90	11.97	12.04	12.11
	12"	15.73	15.83	15.92	16.02	16.12	16.21	16.31	16.41	16.51	16.60	16.70	16.80	16.90	16.99	17.09
DR25 AWWA C900 20 FT Blue	4"	1.58	1.59	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.68	1.69	1.70
	6"	3.12	3.14	3.16	3.18	3.20	3.22	3.24	3.26	3.28	3.30	3.32	3.34	3.36	3.38	3.40
	8"	5.36	5.39	5.42	5.45	5.48	5.51	5.54	5.57	5.60	5.63	5.68	5.71	5.74	5.77	5.80
	10"	8.10	8.15	8.20	8.25	8.30	8.35	8.40	8.45	8.50	8.55	8.60	8.65	8.70	8.75	8.80
	12"	11.45	11.52	11.59	11.66	11.73	11.80	11.87	11.94	12.01	12.08	12.15	12.22	12.31	12.38	12.45
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.47	0.47	0.48	0.48	0.48	0.48	0.49	0.49	0.49	0.49	0.50	0.50	0.50	0.51	0.51
	3"	0.96	0.96	0.97	0.97	0.98	0.98	0.99	1.00	1.00	1.01	1.01	1.02	1.03	1.03	1.04
	4"	1.57	1.58	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.69	1.70	1.71
	6"	3.35	3.37	3.39	3.41	3.43	3.45	3.47	3.50	3.52	3.54	3.56	3.58	3.60	3.62	3.64
	8"	5.68	5.71	5.75	5.78	5.81	5.85	5.88	5.92	5.95	5.99	6.02	6.06	6.09	6.13	6.16
	10"	8.82	8.88	8.93	8.99	9.04	9.10	9.15	9.20	9.26	9.31	9.37	9.42	9.47	9.53	9.58
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.79	0.79	0.80	0.80	0.81	0.81	0.82	0.82	0.83	0.83	0.84	0.84	0.85	0.85	0.86
	4"	1.27	1.28	1.29	1.30	1.30	1.31	1.32	1.33	1.34	1.34	1.35	1.36	1.37	1.37	1.38
	6"	2.75	2.76	2.78	2.80	2.82	2.83	2.85	2.87	2.88	2.90	2.92	2.93	2.95	2.97	2.99
	8"	4.67	4.70	4.73	4.76	4.78	4.81	4.84	4.87	4.90	4.93	4.96	4.99	5.01	5.04	5.07
	10"	7.25	7.29	7.33	7.38	7.42	7.47	7.51	7.56	7.60	7.65	7.69	7.74	7.78	7.83	7.87
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.89	0.90	0.90	0.91	0.91	0.92	0.92	0.93	0.93	0.94	0.94	0.95	0.95	0.96	0.96
	6"	1.93	1.94	1.96	1.97	1.98	1.99	2.01	2.02	2.03	2.04	2.05	2.07	2.08	2.09	2.10
	8"	3.46	3.48	3.51	3.53	3.55	3.57	3.59	3.62	3.64	3.66	3.68	3.70	3.73	3.75	3.77
	10"	5.43	5.47	5.50	5.54	5.57	5.61	5.64	5.67	5.71	5.74	5.78	5.81	5.84	5.88	5.91
	12"	7.80	7.85	7.90	7.95	8.00	8.05	8.09	8.14	8.19	8.24	8.29	8.34	8.39	8.44	8.49
SDR26 ASTM D3034 14 FT Green	4"	1.19	1.19	1.20	1.21	1.22	1.22	1.23	1.24	1.24	1.25	1.26	1.26	1.27	1.28	1.29
	6"	2.56	2.58	2.59	2.61	2.63	2.64	2.66	2.67	2.69	2.71	2.72	2.74	2.75	2.77	2.79
	8"	4.62	4.65	4.68	4.71	4.74	4.76	4.79	4.82	4.85	4.88	4.91	4.94	4.97	5.00	5.03
	10"	7.24	7.28	7.33	7.37	7.42	7.46	7.51	7.55	7.60	7.64	7.69	7.73	7.78	7.82	7.87
	12"	10.31	10.38	10.44	10.51	10.57	10.64	10.70	10.77	10.83	10.90	10.96	11.03	11.09	11.16	11.22
	15"	15.66	15.75	15.85	15.95	16.05	16.14	16.24	16.34	16.43	16.53	16.63	16.72	16.82	16.92	17.02



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
UB18 AWWA C909 20 FT Blue	6"	3.76	3.78	3.81	3.84	3.86	3.89	3.91	3.94	3.97	3.99	4.02	4.05	4.07	4.10	4.12
	8"	6.52	6.56	6.61	6.65	6.70	6.74	6.79	6.83	6.88	6.92	6.97	7.01	7.06	7.10	7.15
	10"	9.77	9.84	9.91	9.98	10.04	10.11	10.18	10.25	10.32	10.39	10.45	10.52	10.59	10.66	10.73
	12"	13.79	13.89	13.98	14.08	14.18	14.27	14.37	14.47	14.57	14.66	14.76	14.86	14.95	15.05	15.15
UB-21 ASTM F1483 20 FT Blue	6"	2.94	2.96	2.98	3.00	3.02	3.04	3.06	3.08	3.10	3.12	3.14	3.16	3.18	3.20	3.22
	8"	4.98	5.01	5.05	5.08	5.12	5.15	5.19	5.22	5.26	5.29	5.33	5.36	5.39	5.43	5.46
	10"	7.74	7.80	7.85	7.90	7.96	8.01	8.07	8.12	8.17	8.23	8.28	8.33	8.39	8.44	8.50
	12"	10.91	10.99	11.06	11.14	11.21	11.29	11.36	11.44	11.52	11.59	11.67	11.74	11.82	11.89	11.97
UB-25 AWWA C909	16"	17.89	18.02	18.15	18.27	18.40	18.53	18.66	18.78	18.91	19.04	19.16	19.29	19.42	19.54	19.67
DR18 AWWA C905 20 FT Blue	14"	20.43	20.56	20.69	20.81	20.94	21.07	21.19	21.32	21.45	21.57	21.70	21.83	21.95	22.08	22.21
	16"	28.07	28.24	28.41	28.59	28.76	28.94	29.11	29.29	29.46	29.63	29.81	29.98	30.16	30.33	30.51
	18"	35.38	35.60	35.82	36.04	36.26	36.48	36.70	36.92	37.14	37.36	37.58	37.80	38.02	38.24	38.46
	20"	43.65	43.92	44.19	44.46	44.73	45.01	45.28	45.55	45.82	46.09	46.36	46.63	46.90	47.17	47.45
	24"	62.76	63.15	63.54	63.93	64.32	64.71	65.10	65.49	65.88	66.27	66.66	67.05	67.44	67.83	68.22
DR25 AWWA C905 20 FT Blue	14"	15.68	15.78	15.88	15.97	16.07	16.17	16.27	16.36	16.46	16.56	16.66	16.75	16.85	16.95	17.05
	16"	20.43	20.56	20.69	20.81	20.94	21.07	21.19	21.32	21.45	21.57	21.70	21.83	21.95	22.08	22.21
	18"	25.75	25.91	26.07	26.23	26.39	26.55	26.71	26.87	27.03	27.19	27.35	27.51	27.67	27.83	27.99
	20"	31.77	31.96	32.16	32.36	32.56	32.75	32.95	33.15	33.34	33.54	33.74	33.94	34.13	34.33	34.53
	24"	45.88	46.16	46.45	46.73	47.02	47.30	47.59	47.87	48.15	48.44	48.72	49.01	49.29	49.58	49.86
PS46 ASTM F679 14 & 20 FT Green	18"	17.15	17.25	17.36	17.46	17.57	17.68	17.78	17.89	18.00	18.10	18.21	18.32	18.42	18.53	18.64
	21"	24.19	24.33	24.48	24.63	24.77	24.92	25.07	25.21	25.36	25.51	25.65	25.80	25.95	26.09	26.24
	24"	29.22	29.41	29.59	29.77	29.95	30.13	30.31	30.50	30.68	30.86	31.04	31.22	31.40	31.58	31.77
PS115 ASTM F679 14 FT Green	18"	22.88	23.02	23.16	23.30	23.44	23.59	23.73	23.87	24.01	24.16	24.30	24.44	24.58	24.72	24.87
	21"	30.87	31.06	31.24	31.43	31.62	31.81	31.99	32.18	32.37	32.55	32.74	32.93	33.12	33.30	33.49
	24"	39.01	39.26	39.50	39.74	39.98	40.23	40.47	40.71	40.95	41.19	41.44	41.68	41.92	42.16	42.41



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
DR14 AWWA C900 20 FT Blue	4"	3.00	3.02	3.04	3.05	3.07	3.08	3.10	3.12	3.13	3.15	3.16	3.18	3.20	3.21	3.23
	6"	5.88	5.92	5.95	5.98	6.02	6.05	6.08	6.12	6.15	6.18	6.21	6.25	6.28	6.31	6.35
	8"	10.10	10.16	10.22	10.27	10.33	10.39	10.45	10.50	10.56	10.62	10.67	10.73	10.79	10.84	10.90
	10"	15.38	15.46	15.55	15.64	15.72	15.81	15.90	15.98	16.07	16.16	16.25	16.33	16.42	16.51	16.59
	12"	21.73	21.85	21.98	22.10	22.22	22.34	22.47	22.59	22.71	22.84	22.96	23.08	23.21	23.33	23.45
DR18 AWWA C900 20 FT Blue	4"	2.35	2.37	2.38	2.39	2.40	2.42	2.43	2.44	2.46	2.47	2.48	2.50	2.51	2.52	2.53
	6"	4.69	4.71	4.74	4.77	4.79	4.82	4.85	4.88	4.90	4.93	4.96	4.98	5.01	5.04	5.06
	8"	8.11	8.16	8.20	8.25	8.29	8.34	8.39	8.43	8.48	8.52	8.57	8.62	8.66	8.71	8.75
	10"	12.17	12.24	12.31	12.38	12.45	12.52	12.59	12.66	12.73	12.80	12.86	12.93	13.00	13.07	13.14
	12"	17.19	17.28	17.38	17.48	17.58	17.67	17.77	17.87	17.96	18.06	18.16	18.25	18.35	18.45	18.55
DR25 AWWA C900 20 FT Blue	4"	1.71	1.72	1.73	1.74	1.75	1.76	1.77	1.77	1.78	1.79	1.80	1.81	1.82	1.83	1.84
	6"	3.42	3.44	3.46	3.48	3.50	3.52	3.54	3.56	3.58	3.60	3.62	3.64	3.66	3.68	3.70
	8"	5.83	5.86	5.89	5.92	5.95	5.98	6.01	6.04	6.07	6.10	6.13	6.16	6.19	6.22	6.25
	10"	8.85	8.90	8.95	9.00	9.05	9.10	9.15	9.20	9.25	9.30	9.35	9.40	9.45	9.50	9.55
	12"	12.52	12.59	12.66	12.73	12.80	12.87	12.94	13.01	13.08	13.15	13.22	13.29	13.36	13.43	13.50
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.51	0.51	0.52	0.52	0.52	0.52	0.53	0.53	0.53	0.54	0.54	0.54	0.55	0.55	0.55
	3"	1.04	1.05	1.05	1.06	1.07	1.07	1.08	1.08	1.09	1.10	1.10	1.11	1.11	1.12	1.13
	4"	1.72	1.73	1.74	1.75	1.76	1.77	1.78	1.79	1.80	1.81	1.82	1.83	1.84	1.85	1.86
	6"	3.65	3.68	3.70	3.72	3.74	3.76	3.79	3.81	3.83	3.85	3.87	3.89	3.91	3.93	3.95
	8"	6.20	6.23	6.27	6.30	6.34	6.37	6.41	6.44	6.48	6.51	6.55	6.58	6.62	6.65	6.69
	10"	9.64	9.69	9.75	9.80	9.85	9.91	9.96	10.02	10.07	10.12	10.18	10.23	10.29	10.34	10.39
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.86	0.87	0.87	0.88	0.88	0.89	0.89	0.90	0.90	0.91	0.91	0.92	0.92	0.93	0.93
	4"	1.39	1.40	1.41	1.41	1.42	1.43	1.44	1.44	1.45	1.46	1.47	1.48	1.48	1.49	1.50
	6"	3.00	3.02	3.04	3.05	3.07	3.09	3.10	3.12	3.14	3.15	3.17	3.19	3.21	3.22	3.24
	8"	5.10	5.13	5.16	5.19	5.22	5.25	5.27	5.30	5.33	5.36	5.39	5.42	5.45	5.48	5.51
	12"	11.14	11.21	11.27	11.33	11.40	11.46	11.52	11.58	11.65	11.71	11.77	11.84	11.90	11.96	12.03
SDR35 ASTM D3034 14 & 20 FT Green	4"	0.97	0.97	0.98	0.98	0.99	0.99	1.00	1.00	1.01	1.01	1.02	1.02	1.03	1.03	1.04
	6"	2.11	2.13	2.14	2.15	2.16	2.17	2.19	2.20	2.21	2.22	2.23	2.25	2.26	2.27	2.28
	8"	3.79	3.81	3.84	3.86	3.88	3.90	3.92	3.95	3.97	3.99	4.01	4.03	4.06	4.08	4.10
	10"	5.95	5.98	6.01	6.05	6.08	6.12	6.15	6.18	6.22	6.25	6.29	6.32	6.35	6.39	6.42
	12"	8.54	8.58	8.63	8.68	8.73	8.78	8.83	8.88	8.93	8.98	9.03	9.07	9.12	9.17	9.22
SDR26 ASTM D3034 14 FT Green	4"	1.29	1.30	1.31	1.31	1.32	1.33	1.33	1.34	1.35	1.36	1.36	1.37	1.38	1.38	1.39
	6"	2.80	2.82	2.83	2.85	2.87	2.88	2.90	2.91	2.93	2.95	2.96	2.98	2.99	3.01	3.03
	8"	5.05	5.08	5.11	5.14	5.17	5.20	5.23	5.26	5.29	5.32	5.34	5.37	5.40	5.43	5.46
	10"	7.91	7.96	8.00	8.05	8.09	8.14	8.18	8.23	8.27	8.32	8.36	8.41	8.45	8.50	8.54
	12"	11.29	11.35	11.42	11.48	11.55	11.61	11.68	11.74	11.81	11.87	11.94	12.00	12.07	12.13	12.20
	15"	17.11	17.21	17.31	17.40	17.50	17.60	17.69	17.79	17.89	17.99	18.08	18.18	18.28	18.37	18.47



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
UB18 AWWA C909 20 FT Blue	6"	4.15	4.18	4.20	4.23	4.26	4.29	4.31	4.34	4.37	4.39	4.42	4.45	4.47	4.50	4.53
	8"	7.19	7.24	7.28	7.33	7.37	7.42	7.46	7.51	7.56	7.60	7.65	7.69	7.74	7.79	7.83
	10"	10.80	10.86	10.93	11.00	11.07	11.14	11.21	11.28	11.35	11.42	11.48	11.55	11.62	11.69	11.76
	12"	15.25	15.34	15.44	15.54	15.63	15.73	15.83	15.92	16.02	16.12	16.21	16.31	16.41	16.51	16.60
UB-21 ASTM F1483 20 FT Blue	6"	3.24	3.27	3.29	3.31	3.33	3.35	3.37	3.39	3.41	3.43	3.45	3.47	3.50	3.52	3.54
	8"	5.50	5.53	5.57	5.60	5.64	5.68	5.71	5.75	5.78	5.81	5.85	5.88	5.92	5.95	5.99
	10"	8.55	8.60	8.66	8.71	8.77	8.82	8.88	8.93	8.99	9.04	9.10	9.15	9.20	9.26	9.31
	12"	12.05	12.12	12.20	12.27	12.35	12.43	12.50	12.58	12.66	12.73	12.81	12.88	12.96	13.04	13.11
UB-25 AWWA C909	16"	19.80	19.92	20.05	20.18	20.31	20.43	20.56	20.69	20.81	20.94	21.07	21.19	21.32	21.45	21.57
DR18 AWWA C905 20 FT Blue	14"	22.34	22.46	22.59	22.72	22.84	22.97	23.10	23.22	23.35	23.48	23.60	23.73	23.86	23.99	24.11
	16"	30.68	30.85	31.03	31.20	31.38	31.55	31.73	31.90	32.07	32.25	32.42	32.60	32.77	32.95	33.12
	18"	38.68	38.90	39.11	39.33	39.55	39.77	39.99	40.21	40.43	40.65	40.87	41.09	41.31	41.53	41.75
	20"	47.72	47.99	48.26	48.53	48.80	49.07	49.34	49.61	49.89	50.16	50.43	50.70	50.97	51.24	51.51
	24"	68.61	69.00	69.39	69.78	70.17	70.56	70.95	71.34	71.73	72.12	72.51	72.90	73.29	73.68	74.07
DR25 AWWA C905 20 FT Blue	14"	17.14	17.24	17.34	17.44	17.53	17.63	17.73	17.82	17.92	18.02	18.12	18.21	18.31	18.41	18.51
	16"	22.34	22.46	22.59	22.72	22.84	22.97	23.10	23.22	23.35	23.48	23.60	23.73	23.86	23.99	24.11
	18"	28.15	28.31	28.47	28.63	28.79	28.95	29.11	29.27	29.43	29.59	29.75	29.91	30.07	30.23	30.39
	20"	34.73	34.92	35.12	35.32	35.51	35.71	35.91	36.11	36.30	36.50	36.70	36.90	37.09	37.29	37.49
	24"	50.15	50.43	50.72	51.00	51.29	51.57	51.86	52.14	52.43	52.71	53.00	53.28	53.57	53.85	54.14
PS46 ASTM F679 14 & 20 FT Green	18"	18.74	18.85	18.96	19.06	19.17	19.27	19.38	19.49	19.59	19.70	19.81	19.91	20.02	20.13	20.23
	21"	26.39	26.53	26.68	26.83	26.97	27.12	27.26	27.41	27.56	27.70	27.85	28.00	28.14	28.29	28.44
	24"	31.95	32.13	32.31	32.49	32.67	32.86	33.04	33.22	33.40	33.58	33.76	33.94	34.13	34.31	34.49
PS115 ASTM F679 14 FT Green	18"	25.01	25.15	25.29	25.43	25.58	25.72	25.86	26.00	26.14	26.29	26.43	26.57	26.71	26.86	27.00
	21"	33.68	33.86	34.05	34.24	34.43	34.61	34.80	34.99	35.17	35.36	35.55	35.74	35.92	36.11	36.30
	24"	42.65	42.89	43.13	43.38	43.62	43.86	44.10	44.34	44.59	44.83	45.07	45.31	45.56	45.80	46.04



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135
DR14 AWWA C900 20 FT Blue	4"	3.24	3.26	3.28	3.29	3.31	3.32	3.34	3.36	3.37	3.39	3.40	3.42	3.44	3.45	3.47
	6"	6.38	6.41	6.45	6.48	6.51	6.54	6.58	6.61	6.64	6.68	6.71	6.74	6.78	6.81	6.84
	8"	10.96	11.02	11.07	11.13	11.19	11.24	11.30	11.36	11.41	11.47	11.53	11.59	11.64	11.70	11.76
	10"	16.68	16.77	16.85	16.94	17.03	17.12	17.20	17.29	17.38	17.46	17.55	17.64	17.72	17.81	17.90
	12"	23.57	23.70	23.82	23.94	24.07	24.19	24.31	24.44	24.56	24.68	24.80	24.93	25.05	25.17	25.30
DR18 AWWA C900 20 FT Blue	4"	2.55	2.56	2.57	2.59	2.60	2.61	2.63	2.64	2.65	2.66	2.68	2.69	2.70	2.72	2.73
	6"	5.09	5.12	5.15	5.17	5.20	5.23	5.25	5.28	5.31	5.33	5.36	5.39	5.42	5.44	5.47
	8"	8.80	8.85	8.89	8.94	8.98	9.03	9.08	9.12	9.17	9.21	9.26	9.31	9.35	9.40	9.44
	10"	13.21	13.28	13.35	13.42	13.49	13.55	13.62	13.69	13.76	13.83	13.90	13.97	14.04	14.11	14.18
	12"	18.64	18.74	18.84	18.93	19.03	19.13	19.22	19.32	19.42	19.52	19.61	19.71	19.81	19.90	20.00
DR25 AWWA C900 20 FT Blue	4"	1.85	1.86	1.86	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.95	1.96	1.97
	6"	3.72	3.74	3.76	3.78	3.80	3.82	3.84	3.86	3.88	3.90	3.92	3.94	3.96	3.98	4.00
	8"	6.28	6.31	6.34	6.37	6.40	6.43	6.46	6.49	6.52	6.55	6.58	6.61	6.64	6.67	6.70
	10"	9.60	9.65	9.70	9.75	9.80	9.85	9.90	9.95	10.00	10.05	10.10	10.15	10.20	10.25	10.30
	12"	13.57	13.64	13.71	13.78	13.85	13.92	13.99	14.06	14.13	14.20	14.27	14.34	14.41	14.48	14.55
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.55	0.56	0.56	0.56	0.57	0.57	0.57	0.58	0.58	0.58	0.58	0.59	0.59	0.59	0.60
	3"	1.13	1.14	1.14	1.15	1.16	1.16	1.17	1.17	1.18	1.19	1.19	1.20	1.20	1.21	1.22
	4"	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.96	1.97	1.98	1.99	2.00	2.01
	6"	3.97	4.00	4.02	4.04	4.06	4.08	4.10	4.12	4.14	4.16	4.18	4.21	4.23	4.25	4.27
	8"	6.72	6.76	6.79	6.83	6.86	6.90	6.93	6.97	7.00	7.04	7.07	7.11	7.14	7.18	7.21
	10"	10.45	10.50	10.56	10.61	10.66	10.72	10.77	10.83	10.88	10.93	10.99	11.04	11.10	11.15	11.20
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	0.94	0.94	0.95	0.95	0.96	0.96	0.97	0.97	0.98	0.98	0.99	0.99	1.00	1.00	1.01
	4"	1.51	1.52	1.52	1.53	1.54	1.55	1.56	1.56	1.57	1.58	1.59	1.60	1.60	1.61	1.62
	6"	3.26	3.27	3.29	3.31	3.32	3.34	3.36	3.38	3.39	3.41	3.43	3.44	3.46	3.48	3.49
	8"	5.54	5.56	5.59	5.62	5.65	5.68	5.71	5.74	5.77	5.80	5.83	5.85	5.88	5.91	5.94
	10"	8.59	8.63	8.68	8.72	8.77	8.81	8.86	8.90	8.95	8.99	9.04	9.08	9.13	9.17	9.22
SDR35 ASTM D3034 14 & 20 FT Green	4"	1.04	1.05	1.05	1.06	1.06	1.07	1.07	1.08	1.08	1.09	1.09	1.10	1.10	1.11	1.11
	6"	2.29	2.31	2.32	2.33	2.34	2.35	2.37	2.38	2.39	2.40	2.41	2.43	2.44	2.45	2.46
	8"	4.12	4.14	4.17	4.19	4.21	4.23	4.25	4.28	4.30	4.32	4.34	4.36	4.39	4.41	4.43
	10"	6.46	6.49	6.52	6.56	6.59	6.63	6.66	6.69	6.73	6.76	6.80	6.83	6.86	6.90	6.93
	12"	9.27	9.32	9.37	9.42	9.47	9.52	9.56	9.61	9.66	9.71	9.76	9.81	9.86	9.91	9.96
SDR26 ASTM D3034 14 FT Green	15"	13.76	13.84	13.91	13.98	14.05	14.12	14.20	14.27	14.34	14.41	14.48	14.56	14.63	14.70	14.77
	4"	1.40	1.40	1.41	1.42	1.43	1.43	1.44	1.45	1.45	1.46	1.47	1.47	1.48	1.49	1.50
	6"	3.04	3.06	3.07	3.09	3.11	3.12	3.14	3.15	3.17	3.19	3.20	3.22	3.23	3.25	3.27
	8"	5.49	5.52	5.55	5.58	5.61	5.63	5.66	5.69	5.72	5.75	5.78	5.81	5.84	5.87	5.90
	10"	8.59	8.63	8.68	8.72	8.77	8.81	8.86	8.90	8.95	8.99	9.04	9.08	9.13	9.17	9.22
	12"	12.26	12.33	12.39	12.46	12.52	12.59	12.65	12.72	12.78	12.85	12.91	12.98	13.04	13.11	13.17
	15"	18.57	18.66	18.76	18.86	18.96	19.05	19.15	19.25	19.34	19.44	19.54	19.63	19.73	19.83	19.93



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135
UB18 AWWA C909 20 FT Blue	6"	4.55	4.58	4.61	4.63	4.66	4.69	4.71	4.74	4.77	4.79	4.82	4.85	4.88	4.90	4.93
	8"	7.88	7.92	7.97	8.02	8.06	8.11	8.16	8.20	8.25	8.29	8.34	8.39	8.43	8.48	8.52
	10"	11.83	11.90	11.97	12.04	12.11	12.17	12.24	12.31	12.38	12.45	12.52	12.59	12.66	12.73	12.80
	12"	16.70	16.80	16.90	16.99	17.09	17.19	17.28	17.38	17.48	17.58	17.67	17.77	17.87	17.96	18.06
UB-21 ASTM F1483 20 FT Blue	6"	3.56	3.58	3.60	3.62	3.64	3.65	3.68	3.70	3.72	3.74	3.76	3.79	3.81	3.83	3.85
	8"	6.02	6.06	6.09	6.13	6.16	6.20	6.23	6.27	6.30	6.34	6.37	6.41	6.44	6.48	6.51
	10"	9.37	9.42	9.47	9.53	9.58	9.64	9.69	9.75	9.80	9.85	9.91	9.96	10.02	10.07	10.12
	12"	13.19	13.26	13.34	13.42	13.49	13.57	13.65	13.72	13.80	13.87	13.95	14.03	14.10	14.18	14.25
UB-25 AWWA C909	16"	21.70	21.83	21.95	22.08	22.21	22.34	22.46	22.59	22.72	22.84	22.97	23.10	23.22	23.35	23.48
DR18 AWWA C905 20 FT Blue	14"	24.24	24.37	24.49	24.62	24.75	24.87	25.00	25.13	25.25	25.38	25.51	25.64	25.76	25.89	26.02
	16"	33.30	33.47	33.64	33.82	33.99	34.17	34.34	34.52	34.69	34.86	35.04	35.21	35.39	35.56	35.74
	18"	41.97	42.19	42.41	42.63	42.85	43.07	43.29	43.51	43.73	43.95	44.17	44.39	44.61	44.83	45.05
	20"	51.78	52.05	52.33	52.60	52.87	53.14	53.41	53.68	53.95	54.22	54.49	54.77	55.04	55.31	55.58
	24"	74.46	74.85	75.24	75.63	76.02	76.41	76.80	77.19	77.58	77.97	78.36	78.75	79.14	79.53	79.92
DR25 AWWA C905 20 FT Blue	14"	18.60	18.70	18.80	18.90	18.99	19.09	19.19	19.29	19.38	19.48	19.58	19.68	19.77	19.87	19.97
	16"	24.24	24.37	24.49	24.62	24.75	24.87	25.00	25.13	25.25	25.38	25.51	25.64	25.76	25.89	26.02
	18"	30.55	30.71	30.87	31.03	31.19	31.35	31.51	31.67	31.83	31.99	32.15	32.31	32.47	32.63	32.79
	20"	37.69	37.88	38.08	38.28	38.47	38.67	38.87	39.07	39.26	39.46	39.66	39.86	40.05	40.25	40.45
	24"	54.42	54.71	54.99	55.28	55.56	55.85	56.13	56.42	56.70	56.99	57.27	57.56	57.84	58.13	58.41
PS46 ASTM F679 14 & 20 FT Green	18"	20.34	20.45	20.55	20.66	20.77	20.87	20.98	21.09	21.19	21.30	21.40	21.51	21.62	21.72	21.83
	21"	28.58	28.73	28.88	29.02	29.17	29.32	29.46	29.61	29.76	29.90	30.05	30.20	30.34	30.49	30.64
	24"	34.67	34.85	35.03	35.21	35.40	35.58	35.76	35.94	36.12	36.30	36.49	36.67	36.85	37.03	37.21
PS115 ASTM F679 14 FT Green	18"	27.14	27.28	27.42	27.57	27.71	27.85	27.99	28.13	28.28	28.42	28.56	28.70	28.84	28.99	29.13
	21"	36.48	36.67	36.86	37.04	37.23	37.42	37.61	37.79	37.98	38.17	38.35	38.54	38.73	38.92	39.10
	24"	46.28	46.53	46.77	47.01	47.25	47.49	47.74	47.98	48.22	48.46	48.71	48.95	49.19	49.43	49.68



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
DR14 AWWA C900 20 FT Blue	4"	3.48	3.50	3.52	3.53	3.55	3.56	3.58	3.60	3.61	3.63	3.64	3.66	3.68	3.69	3.71
	6"	6.87	6.91	6.94	6.97	7.01	7.04	7.07	7.11	7.14	7.17	7.20	7.24	7.27	7.30	7.34
	8"	11.81	11.87	11.93	11.98	12.04	12.10	12.16	12.21	12.27	12.33	12.38	12.44	12.50	12.55	12.61
	10"	17.99	18.07	18.16	18.25	18.33	18.42	18.51	18.59	18.68	18.77	18.86	18.94	19.03	19.12	19.20
	12"	25.42	25.54	25.67	25.79	25.91	26.03	26.16	26.28	26.40	26.53	26.65	26.77	26.90	27.02	27.14
DR18 AWWA C900 20 FT Blue	4"	2.74	2.76	2.77	2.78	2.79	2.81	2.82	2.83	2.85	2.86	2.87	2.89	2.90	2.91	2.92
	6"	5.50	5.52	5.55	5.58	5.60	5.63	5.66	5.69	5.71	5.74	5.77	5.79	5.82	5.85	5.87
	8"	9.49	9.54	9.58	9.63	9.67	9.72	9.77	9.81	9.86	9.90	9.95	10.00	10.04	10.09	10.13
	10"	14.24	14.31	14.38	14.45	14.52	14.59	14.66	14.73	14.80	14.87	14.93	15.00	15.07	15.14	15.21
	12"	20.10	20.19	20.29	20.39	20.49	20.58	20.68	20.78	20.87	20.97	21.07	21.16	21.26	21.36	21.46
DR25 AWWA C900 20 FT Blue	4"	1.98	1.99	2.00	2.01	2.02	2.03	2.04	2.04	2.05	2.06	2.07	2.08	2.09	2.10	2.11
	6"	4.02	4.04	4.06	4.08	4.10	4.12	4.14	4.16	4.18	4.20	4.22	4.24	4.26	4.28	4.30
	8"	6.73	6.76	6.79	6.82	6.85	6.88	6.91	6.94	6.97	7.00	7.03	7.06	7.09	7.12	7.15
	10"	10.35	10.40	10.45	10.50	10.55	10.60	10.65	10.70	10.75	10.80	10.85	10.90	10.95	11.00	11.05
	12"	14.62	14.69	14.76	14.83	14.90	14.97	15.04	15.11	15.18	15.25	15.32	15.39	15.46	15.53	15.60
RT-200 SDR21 ASTM D2241 20 FT Blue	2"	0.60	0.60	0.61	0.61	0.61	0.61	0.62	0.62	0.62	0.63	0.63	0.63	0.64	0.64	0.64
	3"	1.22	1.23	1.23	1.24	1.25	1.25	1.26	1.26	1.27	1.28	1.28	1.29	1.29	1.30	1.31
	4"	2.02	2.03	2.04	2.05	2.06	2.07	2.08	2.09	2.10	2.11	2.12	2.13	2.14	2.15	2.16
	6"	4.29	4.31	4.33	4.35	4.37	4.39	4.42	4.44	4.46	4.48	4.50	4.52	4.54	4.56	4.58
	8"	7.25	7.28	7.32	7.35	7.39	7.42	7.46	7.49	7.53	7.56	7.60	7.63	7.67	7.70	7.74
	10"	11.26	11.31	11.37	11.42	11.47	11.53	11.58	11.64	11.69	11.74	11.80	11.85	11.91	11.96	12.01
	12"	15.85	15.93	16.00	16.08	16.15	16.23	16.31	16.38	16.46	16.53	16.61	16.69	16.76	16.84	16.91
RT-160 SDR26 ASTM D2241 20 FT Blue	3"	1.01	1.02	1.02	1.03	1.03	1.04	1.04	1.05	1.05	1.06	1.06	1.07	1.07	1.08	1.08
	4"	1.63	1.64	1.64	1.65	1.66	1.67	1.68	1.68	1.69	1.70	1.71	1.72	1.72	1.73	1.74
	6"	3.51	3.53	3.55	3.56	3.58	3.60	3.61	3.63	3.65	3.66	3.68	3.70	3.72	3.73	3.75
	8"	5.97	6.00	6.03	6.06	6.09	6.12	6.14	6.17	6.20	6.23	6.26	6.29	6.32	6.35	6.38
	10"	9.26	9.31	9.35	9.40	9.44	9.49	9.53	9.58	9.62	9.67	9.71	9.76	9.80	9.85	9.89
SDR35 ASTM D3034 14 & 20 FT Green	4"	1.12	1.12	1.13	1.13	1.14	1.14	1.15	1.15	1.16	1.16	1.17	1.17	1.18	1.18	1.19
	6"	2.47	2.49	2.50	2.51	2.52	2.53	2.55	2.56	2.57	2.58	2.59	2.61	2.62	2.63	2.64
	8"	4.45	4.47	4.50	4.52	4.54	4.56	4.58	4.61	4.63	4.65	4.67	4.69	4.72	4.74	4.76
	10"	6.97	7.00	7.03	7.07	7.10	7.14	7.17	7.20	7.24	7.27	7.31	7.34	7.37	7.41	7.44
	12"	10.01	10.05	10.10	10.15	10.20	10.25	10.30	10.35	10.40	10.45	10.50	10.54	10.59	10.64	10.69
SDR26 ASTM D3034 14 FT Green	4"	1.50	1.51	1.52	1.52	1.53	1.54	1.54	1.55	1.56	1.57	1.57	1.58	1.59	1.59	1.60
	6"	3.28	3.30	3.31	3.33	3.35	3.36	3.38	3.39	3.41	3.43	3.44	3.46	3.47	3.49	3.51
	8"	5.92	5.95	5.98	6.01	6.04	6.07	6.10	6.13	6.16	6.19	6.21	6.24	6.27	6.30	6.33
	10"	9.26	9.31	9.35	9.40	9.44	9.49	9.53	9.58	9.62	9.67	9.71	9.76	9.80	9.85	9.89
	12"	13.24	13.30	13.37	13.43	13.50	13.56	13.63	13.69	13.76	13.82	13.89	13.95	14.02	14.08	14.15
	15"	20.02	20.12	20.22	20.31	20.41	20.51	20.60	20.70	20.80	20.90	20.99	21.09	21.19	21.28	21.38



Waterworks Block Pricing

UNIT: \$/FT

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
UB18 AWWA C909 20 FT Blue	6"	4.96	4.98	5.01	5.04	5.06	5.09	5.12	5.15	5.17	5.20	5.23	5.25	5.28	5.31	5.33
	8"	8.57	8.62	8.66	8.71	8.75	8.80	8.85	8.89	8.94	8.98	9.03	9.08	9.12	9.17	9.21
	10"	12.86	12.93	13.00	13.07	13.14	13.21	13.28	13.35	13.42	13.49	13.55	13.62	13.69	13.76	13.83
	12"	18.16	18.25	18.35	18.45	18.55	18.64	18.74	18.84	18.93	19.03	19.13	19.22	19.32	19.42	19.52
UB-21 ASTM F1483 20 FT Blue	6"	3.87	3.89	3.91	3.93	3.95	3.97	4.00	4.02	4.04	4.06	4.08	4.10	4.12	4.14	4.16
	8"	6.55	6.58	6.62	6.65	6.69	6.72	6.76	6.79	6.83	6.86	6.90	6.93	6.97	7.00	7.04
	10"	10.18	10.23	10.29	10.34	10.39	10.45	10.50	10.56	10.61	10.66	10.72	10.77	10.83	10.88	10.93
	12"	14.33	14.41	14.48	14.56	14.63	14.71	14.79	14.86	14.94	15.01	15.09	15.17	15.24	15.32	15.39
UB-25 AWWA C909	16"	23.60	23.73	23.86	23.99	24.11	24.24	24.37	24.49	24.62	24.75	24.87	25.00	25.13	25.25	25.38
DR18 AWWA C905 20 FT Blue	14"	26.14	26.27	26.40	26.52	26.65	26.78	26.90	27.03	27.16	27.28	27.41	27.54	27.67	27.79	27.92
	16"	35.91	36.08	36.26	36.43	36.61	36.78	36.96	37.13	37.30	37.48	37.65	37.83	38.00	38.18	38.35
	18"	45.27	45.49	45.71	45.93	46.15	46.37	46.59	46.81	47.03	47.25	47.47	47.68	47.90	48.12	48.34
	20"	55.85	56.12	56.39	56.66	56.93	57.21	57.48	57.75	58.02	58.29	58.56	58.83	59.10	59.37	59.65
	24"	80.31	80.70	81.09	81.48	81.87	82.26	82.64	83.03	83.42	83.81	84.20	84.59	84.98	85.37	85.76
DR25 AWWA C905 20 FT Blue	14"	20.07	20.16	20.26	20.36	20.45	20.55	20.65	20.75	20.84	20.94	21.04	21.14	21.23	21.33	21.43
	16"	26.14	26.27	26.40	26.52	26.65	26.78	26.90	27.03	27.16	27.28	27.41	27.54	27.67	27.79	27.92
	18"	32.95	33.11	33.27	33.43	33.59	33.75	33.91	34.07	34.23	34.39	34.55	34.71	34.87	35.03	35.19
	20"	40.64	40.84	41.04	41.24	41.43	41.63	41.83	42.03	42.22	42.42	42.62	42.81	43.01	43.21	43.41
	24"	58.70	58.98	59.27	59.55	59.84	60.12	60.41	60.69	60.98	61.26	61.55	61.83	62.12	62.40	62.69
PS46 ASTM F679 14 & 20 FT Green	18"	21.94	22.04	22.15	22.26	22.36	22.47	22.58	22.68	22.79	22.90	23.00	23.11	23.22	23.32	23.43
	21"	30.78	30.93	31.08	31.22	31.37	31.52	31.66	31.81	31.96	32.10	32.25	32.40	32.54	32.69	32.84
	24"	37.39	37.57	37.76	37.94	38.12	38.30	38.48	38.66	38.85	39.03	39.21	39.39	39.57	39.75	39.93
PS115 ASTM F679 14 FT Green	18"	29.27	29.41	29.55	29.70	29.84	29.98	30.12	30.27	30.41	30.55	30.69	30.83	30.98	31.12	31.26
	21"	39.29	39.48	39.66	39.85	40.04	40.23	40.41	40.60	40.79	40.97	41.16	41.35	41.54	41.72	41.91
	24"	49.92	50.16	50.40	50.64	50.89	51.13	51.37	51.61	51.86	52.10	52.34	52.58	52.83	53.07	53.31