



*Building essentials  
for a better tomorrow™*

# SOLVENT WELD

BLOCK PRICING



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	3.07	3.26	3.46	3.65	3.84	4.03	4.22	4.42	4.61	4.80	4.99	5.18	5.38	5.57	5.76
	0.75"	4.11	4.37	4.63	4.88	5.14	5.40	5.65	5.91	6.17	6.43	6.68	6.94	7.20	7.45	7.71
	1"	6.13	6.51	6.89	7.28	7.66	8.04	8.43	8.81	9.19	9.58	9.96	10.34	10.72	11.11	11.49
	1.25"	8.27	8.79	9.31	9.82	10.34	10.86	11.37	11.89	12.41	12.93	13.44	13.96	14.48	14.99	15.51
	1.5"	9.89	10.51	11.12	11.74	12.36	12.98	13.60	14.21	14.83	15.45	16.07	16.69	17.30	17.92	18.54
	2"	13.36	14.20	15.03	15.87	16.70	17.54	18.37	19.21	20.04	20.88	21.71	22.55	23.38	24.22	25.05
	2.5"	21.01	22.32	23.63	24.95	26.26	27.57	28.89	30.20	31.51	32.83	34.14	35.45	36.76	38.08	39.39
	3"	27.49	29.21	30.92	32.64	34.36	36.08	37.80	39.51	41.23	42.95	44.67	46.39	48.10	49.82	51.54
	4"	40.32	42.84	45.36	47.88	50.40	52.92	55.44	57.96	60.48	63.00	65.52	68.04	70.56	73.08	75.60
	6"	71.36	75.82	80.28	84.74	89.20	93.66	98.12	102.58	107.04	111.50	115.96	120.42	124.88	129.34	133.80
	8"	110.56	117.47	124.38	131.29	138.20	145.11	152.02	158.93	165.84	172.75	179.66	186.57	193.48	200.39	207.30
	10"	153.12	162.69	172.26	181.83	191.40	200.97	210.54	220.11	229.68	239.25	248.82	258.39	267.96	277.53	287.10
	12"	204.64	217.43	230.22	243.01	255.80	268.59	281.38	294.17	306.96	319.75	332.54	345.33	358.12	370.91	383.70
	14"	312.83	332.38	351.93	371.48	391.04	410.59	430.14	449.69	469.24	488.80	508.35	527.90	547.45	567.00	586.55
16"	414.41	440.31	466.21	492.12	518.02	543.92	569.82	595.72	621.62	647.52	673.42	699.32	725.22	751.12	777.02	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	4.70	5.00	5.29	5.59	5.88	6.17	6.47	6.76	7.06	7.35	7.64	7.94	8.23	8.53	8.82
	0.75"	6.47	6.87	7.28	7.68	8.09	8.49	8.90	9.30	9.71	10.11	10.51	10.92	11.32	11.73	12.13
	1"	9.47	10.06	10.65	11.24	11.83	12.42	13.02	13.61	14.20	14.79	15.38	15.97	16.56	17.16	17.75
	1.25"	14.16	15.05	15.93	16.82	17.70	18.59	19.47	20.36	21.24	22.13	23.01	23.90	24.78	25.67	26.55
	1.5"	17.20	18.28	19.36	20.43	21.51	22.58	23.66	24.73	25.81	26.88	27.96	29.03	30.11	31.18	32.26
	2"	23.27	24.72	26.18	27.63	29.09	30.54	31.99	33.45	34.90	36.36	37.81	39.27	40.72	42.17	43.63
	2.5"	35.59	37.81	40.04	42.26	44.49	46.71	48.93	51.16	53.38	55.61	57.83	60.06	62.28	64.50	66.73
	3"	47.63	50.60	53.58	56.56	59.53	62.51	65.49	68.46	71.44	74.42	77.39	80.37	83.35	86.32	89.30
	4"	69.88	74.25	78.62	82.98	87.35	91.72	96.09	100.45	104.82	109.19	113.56	117.92	122.29	126.66	131.03
	6"	134.14	142.53	150.91	159.30	167.68	176.06	184.45	192.83	201.22	209.60	217.98	226.37	234.75	243.14	251.52
	8"	205.38	218.22	231.05	243.89	256.72	269.56	282.40	295.23	308.07	320.91	333.74	346.58	359.41	372.25	385.09
	10"	316.58	336.36	356.15	375.94	395.72	415.51	435.29	455.08	474.87	494.65	514.44	534.22	554.01	573.80	593.58
12"	435.58	462.81	490.03	517.26	544.48	571.70	598.93	626.15	653.38	680.60	707.82	735.05	762.27	789.50	816.72	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	15.00
	2"	10.00	10.63	11.25	11.88	12.50	13.13	13.75	14.38	15.00	15.63	16.25	16.88	17.50	18.13	18.75
	3"	20.00	21.25	22.50	23.75	25.00	26.25	27.50	28.75	30.00	31.25	32.50	33.75	35.00	36.25	37.50
	4"	28.00	29.75	31.50	33.25	35.00	36.75	38.50	40.25	42.00	43.75	45.50	47.25	49.00	50.75	52.50
	6"	52.00	55.25	58.50	61.75	65.00	68.25	71.50	74.75	78.00	81.25	84.50	87.75	91.00	94.25	97.50



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	10.68	11.35	12.02	12.68	13.35	14.02	14.69	15.35	16.02	16.69	17.36	18.03	18.69	19.36	20.03
	2"	14.29	15.18	16.07	16.97	17.86	18.75	19.65	20.54	21.43	22.33	23.22	24.11	25.00	25.90	26.79
	3"	28.07	29.83	31.58	33.34	35.09	36.84	38.60	40.35	42.11	43.86	45.62	47.37	49.13	50.88	52.64
	4"	40.88	43.44	45.99	48.55	51.10	53.66	56.21	58.77	61.32	63.88	66.43	68.99	71.54	74.10	76.65
	6"	117.40	124.73	132.07	139.41	146.74	154.08	161.42	168.76	176.09	183.43	190.77	198.10	205.44	212.78	220.12
SCH 30/DWV	3"	16.32	17.34	18.36	19.38	20.40	21.42	22.44	23.46	24.48	25.50	26.52	27.54	28.56	29.58	30.60
ASTM D2729 10 FT BE White	3"	10.61	11.28	11.94	12.60	13.27	13.93	14.59	15.26	15.92	16.58	17.25	17.91	18.57	19.24	19.90
	4"	14.80	15.73	16.66	17.58	18.51	19.43	20.36	21.28	22.21	23.13	24.06	24.98	25.91	26.83	27.76
	6"	29.44	31.28	33.12	34.96	36.80	38.64	40.48	42.32	44.16	46.00	47.84	49.68	51.52	53.36	55.20
ASTM D3034 10/20 FT BE Green	3"	16.96	18.02	19.08	20.14	21.20	22.26	23.32	24.38	25.44	26.50	27.56	28.62	29.68	30.74	31.80
	4"	20.61	21.90	23.18	24.47	25.76	27.05	28.34	29.62	30.91	32.20	33.49	34.78	36.06	37.35	38.64
	6"	47.10	50.04	52.99	55.93	58.88	61.82	64.76	67.71	70.65	73.60	76.54	79.48	82.43	85.37	88.31
CL-63 ASTM D2241 20 FT BE	6"	27.68	29.41	31.14	32.87	34.60	36.33	38.06	39.79	41.52	43.25	44.98	46.71	48.44	50.17	51.90
	8"	46.59	49.50	52.42	55.33	58.24	61.15	64.06	66.98	69.89	72.80	75.71	78.62	81.54	84.45	87.36
	10"	72.32	76.84	81.36	85.88	90.40	94.92	99.44	103.96	108.48	113.00	117.52	122.04	126.56	131.08	135.60
CL-100 ASTM D2241 20 FT BE White	3"	11.81	12.55	13.28	14.02	14.76	15.50	16.24	16.97	17.71	18.45	19.19	19.93	20.66	21.40	22.14
	4"	19.31	20.52	21.73	22.93	24.14	25.35	26.55	27.76	28.97	30.18	31.38	32.59	33.80	35.00	36.21
	5"	29.30	31.13	32.96	34.79	36.62	38.45	40.28	42.11	43.94	45.78	47.61	49.44	51.27	53.10	54.93
	6"	42.56	45.22	47.88	50.54	53.20	55.86	58.52	61.18	63.84	66.50	69.16	71.82	74.48	77.14	79.80
	8"	72.00	76.50	81.00	85.50	90.00	94.50	99.00	103.50	108.00	112.50	117.00	121.50	126.00	130.50	135.00
	10"	107.20	113.90	120.60	127.30	134.00	140.70	147.40	154.10	160.80	167.50	174.20	180.90	187.60	194.30	201.00
	12"	150.24	159.63	169.02	178.41	187.80	197.19	206.58	215.97	225.36	234.75	244.14	253.53	262.92	272.31	281.70
CL-125 ASTM D2241 20 FT BE White	1.25"	3.79	4.03	4.27	4.50	4.74	4.98	5.21	5.45	5.69	5.93	6.16	6.40	6.64	6.87	7.11
	1.5"	4.37	4.64	4.91	5.19	5.46	5.73	6.01	6.28	6.55	6.83	7.10	7.37	7.64	7.92	8.19
	2"	6.62	7.04	7.45	7.87	8.28	8.69	9.11	9.52	9.94	10.35	10.76	11.18	11.59	12.01	12.42
	2.5"	9.60	10.20	10.80	11.40	12.00	12.60	13.20	13.80	14.40	15.00	15.60	16.20	16.80	17.40	18.00
	3"	14.58	15.49	16.40	17.31	18.22	19.13	20.04	20.95	21.86	22.78	23.69	24.60	25.51	26.42	27.33
	4"	24.69	26.23	27.77	29.32	30.86	32.40	33.95	35.49	37.03	38.58	40.12	41.66	43.20	44.75	46.29
	5"	36.19	38.45	40.72	42.98	45.24	47.50	49.76	52.03	54.29	56.55	58.81	61.07	63.34	65.60	67.86
	6"	53.76	57.12	60.48	63.84	67.20	70.56	73.92	77.28	80.64	84.00	87.36	90.72	94.08	97.44	100.80
	8"	86.24	91.63	97.02	102.41	107.80	113.19	118.58	123.97	129.36	134.75	140.14	145.53	150.92	156.31	161.70
	10"	134.72	143.14	151.56	159.98	168.40	176.82	185.24	193.66	202.08	210.50	218.92	227.34	235.76	244.18	252.60
12"	179.20	190.40	201.60	212.80	224.00	235.20	246.40	257.60	268.80	280.00	291.20	302.40	313.60	324.80	336.00	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
CL-160 ASTM D2241 20 FT BE White	1.25"	4.08	4.34	4.59	4.85	5.10	5.36	5.61	5.87	6.12	6.38	6.63	6.89	7.14	7.40	7.65
	1.5"	5.34	5.68	6.01	6.35	6.68	7.01	7.35	7.68	8.02	8.35	8.68	9.02	9.35	9.69	10.02
	2"	8.32	8.84	9.36	9.88	10.40	10.92	11.44	11.96	12.48	13.00	13.52	14.04	14.56	15.08	15.60
	2.5"	11.97	12.72	13.46	14.21	14.96	15.71	16.46	17.20	17.95	18.70	19.45	20.20	20.94	21.69	22.44
	3"	18.18	19.31	20.45	21.58	22.72	23.86	24.99	26.13	27.26	28.40	29.54	30.67	31.81	32.94	34.08
	4"	30.40	32.30	34.20	36.10	38.00	39.90	41.80	43.70	45.60	47.50	49.40	51.30	53.20	55.10	57.00
	6"	65.60	69.70	73.80	77.90	82.00	86.10	90.20	94.30	98.40	102.50	106.60	110.70	114.80	118.90	123.00
CL-200 ASTM D2241 20 FT BE White	0.75"	2.38	2.53	2.68	2.83	2.98	3.13	3.28	3.43	3.58	3.73	3.87	4.02	4.17	4.32	4.47
	1"	3.17	3.37	3.56	3.76	3.96	4.16	4.36	4.55	4.75	4.95	5.15	5.35	5.54	5.74	5.94
	1.25"	4.96	5.27	5.58	5.89	6.20	6.51	6.82	7.13	7.44	7.75	8.06	8.37	8.68	8.99	9.30
	1.5"	6.48	6.89	7.29	7.70	8.10	8.51	8.91	9.32	9.72	10.13	10.53	10.94	11.34	11.75	12.15
	2"	9.81	10.42	11.03	11.65	12.26	12.87	13.49	14.10	14.71	15.33	15.94	16.55	17.16	17.78	18.39
	2.5"	14.70	15.62	16.54	17.46	18.38	19.30	20.22	21.14	22.06	22.98	23.89	24.81	25.73	26.65	27.57
	3"	21.97	23.34	24.71	26.09	27.46	28.83	30.21	31.58	32.95	34.33	35.70	37.07	38.44	39.82	41.19
	4"	36.67	38.96	41.26	43.55	45.84	48.13	50.42	52.72	55.01	57.30	59.59	61.88	64.18	66.47	68.76
	6"	79.20	84.15	89.10	94.05	99.00	103.95	108.90	113.85	118.80	123.75	128.70	133.65	138.60	143.55	148.50
8"	137.44	146.03	154.62	163.21	171.80	180.39	188.98	197.57	206.16	214.75	223.34	231.93	240.52	249.11	257.70	
CL-315 ASTM D2241 20 FT BE White	0.5"	1.90	2.02	2.14	2.26	2.38	2.50	2.62	2.74	2.86	2.98	3.09	3.21	3.33	3.45	3.57
	1.5"	10.05	10.68	11.30	11.93	12.56	13.19	13.82	14.44	15.07	15.70	16.33	16.96	17.58	18.21	18.84
	2"	15.36	16.32	17.28	18.24	19.20	20.16	21.12	22.08	23.04	24.00	24.96	25.92	26.88	27.84	28.80
	2.5"	21.81	23.17	24.53	25.90	27.26	28.62	29.99	31.35	32.71	34.08	35.44	36.80	38.16	39.53	40.89
	3"	32.70	34.75	36.79	38.84	40.88	42.92	44.97	47.01	49.06	51.10	53.14	55.19	57.23	59.28	61.32
Eagle-Loc SCH 40 ASTM F480	4"	56.20	59.71	63.23	66.74	70.25	73.76	77.28	80.79	84.30	87.81	91.33	94.84	98.35	101.86	105.38
	4.5"	65.25	69.33	73.41	77.48	81.56	85.64	89.72	93.80	97.87	101.95	106.03	110.11	114.19	118.26	122.34
	6"	100.00	106.25	112.50	118.75	125.00	131.25	137.50	143.75	150.00	156.25	162.50	168.75	175.00	181.25	187.50
Eagle-Loc SDR21 ASTM F480	5"	78.56	83.47	88.38	93.29	98.20	103.11	108.02	112.93	117.84	122.75	127.66	132.57	137.48	142.39	147.30
	6"	112.22	119.23	126.25	133.26	140.27	147.29	154.30	161.32	168.33	175.34	182.36	189.37	196.38	203.40	210.41
Eagle-Loc SDR17 ASTM F480	4.5"	75.41	80.13	84.84	89.55	94.27	98.98	103.69	108.41	113.12	117.84	122.55	127.26	131.98	136.69	141.40
	5"	95.81	101.80	107.78	113.77	119.76	125.75	131.74	137.72	143.71	149.70	155.69	161.68	167.66	173.65	179.64
	6"	136.07	144.57	153.08	161.58	170.08	178.59	187.09	195.60	204.10	212.61	221.11	229.61	238.12	246.62	255.13



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	40.32	42.84	45.36	47.88	50.40	52.92	55.44	57.96	60.48	63.00	65.52	68.04	70.56	73.08	75.60
	4.5"	46.72	49.64	52.56	55.48	58.40	61.32	64.24	67.16	70.08	73.00	75.92	78.84	81.76	84.68	87.60
	5"	54.40	57.80	61.20	64.60	68.00	71.40	74.80	78.20	81.60	85.00	88.40	91.80	95.20	98.60	102.00
	6"	85.29	90.62	95.95	101.28	106.61	111.94	117.27	122.60	127.93	133.26	138.59	143.92	149.25	154.58	159.92
	8"	110.56	117.47	124.38	131.29	138.20	145.11	152.02	158.93	165.84	172.75	179.66	186.57	193.48	200.39	207.30
	10"	153.12	162.69	172.26	181.83	191.40	200.97	210.54	220.11	229.68	239.25	248.82	258.39	267.96	277.53	287.10
Well Casing CL-125	4"	24.69	26.23	27.77	29.32	30.86	32.40	33.95	35.49	37.03	38.58	40.12	41.66	43.20	44.75	46.29
	6"	53.38	56.71	60.05	63.38	66.72	70.06	73.39	76.73	80.06	83.40	86.74	90.07	93.41	96.74	100.08
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	30.40	32.30	34.20	36.10	38.00	39.90	41.80	43.70	45.60	47.50	49.40	51.30	53.20	55.10	57.00
	4.5"	36.16	38.42	40.68	42.94	45.20	47.46	49.72	51.98	54.24	56.50	58.76	61.02	63.28	65.54	67.80
	5"	46.27	49.16	52.06	54.95	57.84	60.73	63.62	66.52	69.41	72.30	75.19	78.08	80.98	83.87	86.76
	6"	65.60	69.70	73.80	77.90	82.00	86.10	90.20	94.30	98.40	102.50	106.60	110.70	114.80	118.90	123.00
	8"	110.56	117.47	124.38	131.29	138.20	145.11	152.02	158.93	165.84	172.75	179.66	186.57	193.48	200.39	207.30
	10"	176.00	187.00	198.00	209.00	220.00	231.00	242.00	253.00	264.00	275.00	286.00	297.00	308.00	319.00	330.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	240.00	255.00	270.00	285.00	300.00	315.00	330.00	345.00	360.00	375.00	390.00	405.00	420.00	435.00	450.00
	4"	36.67	38.96	41.26	43.55	45.84	48.13	50.42	52.72	55.01	57.30	59.59	61.88	64.18	66.47	68.76
	4.5"	43.84	46.58	49.32	52.06	54.80	57.54	60.28	63.02	65.76	68.50	71.24	73.98	76.72	79.46	82.20
	5"	56.00	59.50	63.00	66.50	70.00	73.50	77.00	80.50	84.00	87.50	91.00	94.50	98.00	101.50	105.00
	6"	80.16	85.17	90.18	95.19	100.20	105.21	110.22	115.23	120.24	125.25	130.26	135.27	140.28	145.29	150.30
	8"	134.40	142.80	151.20	159.60	168.00	176.40	184.80	193.20	201.60	210.00	218.40	226.80	235.20	243.60	252.00
	10"	216.00	229.50	243.00	256.50	270.00	283.50	297.00	310.50	324.00	337.50	351.00	364.50	378.00	391.50	405.00
Well Casing CL-250 ASTM F480 ASTM D2241	12"	296.00	314.50	333.00	351.50	370.00	388.50	407.00	425.50	444.00	462.50	481.00	499.50	518.00	536.50	555.00
	4.5"	53.76	57.12	60.48	63.84	67.20	70.56	73.92	77.28	80.64	84.00	87.36	90.72	94.08	97.44	100.80
	5"	68.80	73.10	77.40	81.70	86.00	90.30	94.60	98.90	103.20	107.50	111.80	116.10	120.40	124.70	129.00
Drop Pipe SCH 80 Threaded ASTM D1785	6"	96.64	102.68	108.72	114.76	120.80	126.84	132.88	138.92	144.96	151.00	157.04	163.08	169.12	175.16	181.20
	1"	11.20	11.90	12.60	13.30	14.00	14.70	15.40	16.10	16.80	17.50	18.20	18.90	19.60	20.30	21.00
	1.25"	14.40	15.30	16.20	17.10	18.00	18.90	19.80	20.70	21.60	22.50	23.40	24.30	25.20	26.10	27.00
	1.5"	21.60	22.95	24.30	25.65	27.00	28.35	29.70	31.05	32.40	33.75	35.10	36.45	37.80	39.15	40.50
Drop Pipe SCH 120 Threaded ASTM D1785	2"	29.79	31.65	33.51	35.37	37.23	39.10	40.96	42.82	44.68	46.54	48.40	50.27	52.13	53.99	55.85
	1"	15.37	16.33	17.29	18.25	19.21	20.17	21.13	22.09	23.05	24.01	24.97	25.93	26.89	27.85	28.81
	1.25"	22.06	23.44	24.82	26.20	27.58	28.95	30.33	31.71	33.09	34.47	35.85	37.23	38.61	39.99	41.36
	1.5"	25.60	27.20	28.80	30.40	32.00	33.60	35.20	36.80	38.40	40.00	41.60	43.20	44.80	46.40	48.00



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	5.95	6.14	6.34	6.53	6.72	6.91	7.10	7.30	7.49	7.68	7.87	8.06	8.26	8.45	8.64
	0.75"	7.97	8.22	8.48	8.74	9.00	9.25	9.51	9.77	10.02	10.28	10.54	10.79	11.05	11.31	11.57
	1"	11.87	12.26	12.64	13.02	13.41	13.79	14.17	14.55	14.94	15.32	15.70	16.09	16.47	16.85	17.24
	1.25"	16.03	16.54	17.06	17.58	18.10	18.61	19.13	19.65	20.16	20.68	21.20	21.71	22.23	22.75	23.27
	1.5"	19.16	19.78	20.39	21.01	21.63	22.25	22.87	23.48	24.10	24.72	25.34	25.96	26.57	27.19	27.81
	2"	25.89	26.72	27.56	28.39	29.23	30.06	30.90	31.73	32.57	33.40	34.24	35.07	35.91	36.74	37.58
	2.5"	40.70	42.02	43.33	44.64	45.96	47.27	48.58	49.89	51.21	52.52	53.83	55.15	56.46	57.77	59.09
	3"	53.26	54.98	56.69	58.41	60.13	61.85	63.57	65.28	67.00	68.72	70.44	72.16	73.87	75.59	77.31
	4"	78.12	80.64	83.16	85.68	88.20	90.72	93.24	95.76	98.28	100.80	103.32	105.84	108.36	110.88	113.40
	6"	138.26	142.72	147.18	151.64	156.10	160.56	165.02	169.48	173.94	178.40	182.86	187.32	191.78	196.24	200.70
	8"	214.21	221.12	228.03	234.94	241.85	248.76	255.67	262.58	269.49	276.40	283.31	290.22	297.13	304.04	310.95
	10"	296.67	306.24	315.81	325.38	334.95	344.52	354.09	363.66	373.23	382.80	392.37	401.94	411.51	421.08	430.65
	12"	396.49	409.28	422.07	434.86	447.65	460.44	473.23	486.02	498.81	511.60	524.39	537.18	549.97	562.76	575.55
14"	606.11	625.66	645.21	664.76	684.31	703.86	723.42	742.97	762.52	782.07	801.62	821.18	840.73	860.28	879.83	
16"	802.92	828.83	854.73	880.63	906.53	932.43	958.33	984.23	1010.13	1036.03	1061.93	1087.83	1113.73	1139.64	1165.54	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	9.11	9.41	9.70	10.00	10.29	10.58	10.88	11.17	11.47	11.76	12.05	12.35	12.64	12.94	13.23
	0.75"	12.54	12.94	13.35	13.75	14.15	14.56	14.96	15.37	15.77	16.18	16.58	16.98	17.39	17.79	18.20
	1"	18.34	18.93	19.52	20.11	20.71	21.30	21.89	22.48	23.07	23.66	24.26	24.85	25.44	26.03	26.62
	1.25"	27.44	28.32	29.21	30.09	30.98	31.86	32.75	33.63	34.52	35.40	36.29	37.17	38.06	38.94	39.83
	1.5"	33.33	34.41	35.48	36.56	37.64	38.71	39.79	40.86	41.94	43.01	44.09	45.16	46.24	47.31	48.39
	2"	45.08	46.54	47.99	49.45	50.90	52.35	53.81	55.26	56.72	58.17	59.63	61.08	62.53	63.99	65.44
	2.5"	68.95	71.18	73.40	75.63	77.85	80.07	82.30	84.52	86.75	88.97	91.20	93.42	95.64	97.87	100.09
	3"	92.28	95.25	98.23	101.21	104.18	107.16	110.14	113.11	116.09	119.07	122.04	125.02	128.00	130.97	133.95
	4"	135.39	139.76	144.13	148.50	152.86	157.23	161.60	165.97	170.33	174.70	179.07	183.44	187.80	192.17	196.54
	6"	259.90	268.29	276.67	285.06	293.44	301.82	310.21	318.59	326.98	335.36	343.74	352.13	360.51	368.90	377.28
	8"	397.92	410.76	423.59	436.43	449.27	462.10	474.94	487.78	500.61	513.45	526.28	539.12	551.96	564.79	577.63
	10"	613.37	633.16	652.94	672.73	692.51	712.30	732.09	751.87	771.66	791.44	811.23	831.02	850.80	870.59	890.37
12"	843.94	871.17	898.39	925.62	952.84	980.06	1007.29	1034.51	1061.74	1088.96	1116.18	1143.41	1170.63	1197.86	1225.08	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	15.50	16.00	16.50	17.00	17.50	18.00	18.50	19.00	19.50	20.00	20.50	21.00	21.50	22.00	22.50
	2"	19.38	20.00	20.63	21.25	21.88	22.50	23.13	23.75	24.38	25.00	25.63	26.25	26.88	27.50	28.13
	3"	38.75	40.00	41.25	42.50	43.75	45.00	46.25	47.50	48.75	50.00	51.25	52.50	53.75	55.00	56.25
	4"	54.25	56.00	57.75	59.50	61.25	63.00	64.75	66.50	68.25	70.00	71.75	73.50	75.25	77.00	78.75
	6"	100.75	104.00	107.25	110.50	113.75	117.00	120.25	123.50	126.75	130.00	133.25	136.50	139.75	143.00	146.25





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	20.70	21.36	22.03	22.70	23.37	24.03	24.70	25.37	26.04	26.70	27.37	28.04	28.71	29.37	30.04
	2"	27.68	28.58	29.47	30.36	31.26	32.15	33.04	33.93	34.83	35.72	36.61	37.51	38.40	39.29	40.19
	3"	54.39	56.14	57.90	59.65	61.41	63.16	64.92	66.67	68.43	70.18	71.93	73.69	75.44	77.20	78.95
	4"	79.21	81.76	84.32	86.87	89.43	91.98	94.54	97.09	99.65	102.20	104.76	107.31	109.87	112.42	114.98
	6"	227.45	234.79	242.13	249.46	256.80	264.14	271.48	278.81	286.15	293.49	300.83	308.16	315.50	322.84	330.17
SCH 30/DWV	3"	31.62	32.64	33.66	34.68	35.70	36.72	37.74	38.76	39.78	40.80	41.82	42.84	43.86	44.88	45.90
ASTM D2729 10 FT BE White	3"	20.56	21.23	21.89	22.55	23.22	23.88	24.54	25.21	25.87	26.53	27.20	27.86	28.52	29.19	29.85
	4"	28.68	29.61	30.53	31.46	32.39	33.31	34.24	35.16	36.09	37.01	37.94	38.86	39.79	40.71	41.64
	6"	57.04	58.88	60.72	62.56	64.40	66.24	68.08	69.92	71.76	73.60	75.44	77.28	79.12	80.96	82.80
ASTM D3034 10/20 FT BE Green	3"	32.86	33.92	34.98	36.04	37.10	38.16	39.22	40.28	41.34	42.40	43.46	44.52	45.58	46.64	47.70
	4"	39.93	41.22	42.50	43.79	45.08	46.37	47.66	48.94	50.23	51.52	52.81	54.10	55.38	56.67	57.96
	6"	91.26	94.20	97.15	100.09	103.03	105.98	108.92	111.86	114.81	117.75	120.70	123.64	126.58	129.53	132.47
CL-63 ASTM D2241 20 FT BE	6"	53.63	55.36	57.09	58.82	60.55	62.28	64.01	65.74	67.47	69.20	70.93	72.66	74.39	76.12	77.85
	8"	90.27	93.18	96.10	99.01	101.92	104.83	107.74	110.66	113.57	116.48	119.39	122.30	125.22	128.13	131.04
	10"	140.12	144.64	149.16	153.68	158.20	162.72	167.24	171.76	176.28	180.80	185.32	189.84	194.36	198.88	203.40
CL-100 ASTM D2241 20 FT BE White	3"	22.88	23.62	24.35	25.09	25.83	26.57	27.31	28.04	28.78	29.52	30.26	31.00	31.73	32.47	33.21
	4"	37.42	38.62	39.83	41.04	42.25	43.45	44.66	45.87	47.07	48.28	49.49	50.69	51.90	53.11	54.32
	5"	56.76	58.59	60.42	62.25	64.09	65.92	67.75	69.58	71.41	73.24	75.07	76.90	78.73	80.56	82.40
	6"	82.46	85.12	87.78	90.44	93.10	95.76	98.42	101.08	103.74	106.40	109.06	111.72	114.38	117.04	119.70
	8"	139.50	144.00	148.50	153.00	157.50	162.00	166.50	171.00	175.50	180.00	184.50	189.00	193.50	198.00	202.50
	10"	207.70	214.40	221.10	227.80	234.50	241.20	247.90	254.60	261.30	268.00	274.70	281.40	288.10	294.80	301.50
	12"	291.09	300.48	309.87	319.26	328.65	338.04	347.43	356.82	366.21	375.60	384.99	394.38	403.77	413.16	422.55
CL-125 ASTM D2241 20 FT BE White	1.25"	7.35	7.58	7.82	8.06	8.30	8.53	8.77	9.01	9.24	9.48	9.72	9.95	10.19	10.43	10.67
	1.5"	8.46	8.74	9.01	9.28	9.56	9.83	10.10	10.37	10.65	10.92	11.19	11.47	11.74	12.01	12.29
	2"	12.83	13.25	13.66	14.08	14.49	14.90	15.32	15.73	16.15	16.56	16.97	17.39	17.80	18.22	18.63
	2.5"	18.60	19.20	19.80	20.40	21.00	21.60	22.20	22.80	23.40	24.00	24.60	25.20	25.80	26.40	27.00
	3"	28.24	29.15	30.06	30.97	31.89	32.80	33.71	34.62	35.53	36.44	37.35	38.26	39.17	40.08	41.00
	4"	47.83	49.38	50.92	52.46	54.01	55.55	57.09	58.63	60.18	61.72	63.26	64.81	66.35	67.89	69.44
	5"	70.12	72.38	74.65	76.91	79.17	81.43	83.69	85.96	88.22	90.48	92.74	95.00	97.27	99.53	101.79
	6"	104.16	107.52	110.88	114.24	117.60	120.96	124.32	127.68	131.04	134.40	137.76	141.12	144.48	147.84	151.20
	8"	167.09	172.48	177.87	183.26	188.65	194.04	199.43	204.82	210.21	215.60	220.99	226.38	231.77	237.16	242.55
	10"	261.02	269.44	277.86	286.28	294.70	303.12	311.54	319.96	328.38	336.80	345.22	353.64	362.06	370.48	378.90
12"	347.20	358.40	369.60	380.80	392.00	403.20	414.40	425.60	436.80	448.00	459.20	470.40	481.60	492.80	504.00	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
CL-160 ASTM D2241 20 FT BE White	1.25"	7.91	8.16	8.42	8.67	8.93	9.18	9.44	9.69	9.95	10.20	10.46	10.71	10.97	11.22	11.48
	1.5"	10.35	10.69	11.02	11.36	11.69	12.02	12.36	12.69	13.03	13.36	13.69	14.03	14.36	14.70	15.03
	2"	16.12	16.64	17.16	17.68	18.20	18.72	19.24	19.76	20.28	20.80	21.32	21.84	22.36	22.88	23.40
	2.5"	23.19	23.94	24.68	25.43	26.18	26.93	27.68	28.42	29.17	29.92	30.67	31.42	32.16	32.91	33.66
	3"	35.22	36.35	37.49	38.62	39.76	40.90	42.03	43.17	44.30	45.44	46.58	47.71	48.85	49.98	51.12
	4"	58.90	60.80	62.70	64.60	66.50	68.40	70.30	72.20	74.10	76.00	77.90	79.80	81.70	83.60	85.50
	6"	127.10	131.20	135.30	139.40	143.50	147.60	151.70	155.80	159.90	164.00	168.10	172.20	176.30	180.40	184.50
	8"	213.90	220.80	227.70	234.60	241.50	248.40	255.30	262.20	269.10	276.00	282.90	289.80	296.70	303.60	310.50
CL-200 ASTM D2241 20 FT BE White	0.75"	4.62	4.77	4.92	5.07	5.22	5.36	5.51	5.66	5.81	5.96	6.11	6.26	6.41	6.56	6.71
	1"	6.14	6.34	6.53	6.73	6.93	7.13	7.33	7.52	7.72	7.92	8.12	8.32	8.51	8.71	8.91
	1.25"	9.61	9.92	10.23	10.54	10.85	11.16	11.47	11.78	12.09	12.40	12.71	13.02	13.33	13.64	13.95
	1.5"	12.56	12.96	13.37	13.77	14.18	14.58	14.99	15.39	15.80	16.20	16.61	17.01	17.42	17.82	18.23
	2"	19.00	19.62	20.23	20.84	21.46	22.07	22.68	23.29	23.91	24.52	25.13	25.75	26.36	26.97	27.59
	2.5"	28.49	29.41	30.33	31.25	32.17	33.08	34.00	34.92	35.84	36.76	37.68	38.60	39.52	40.44	41.36
	3"	42.56	43.94	45.31	46.68	48.06	49.43	50.80	52.17	53.55	54.92	56.29	57.67	59.04	60.41	61.79
	4"	71.05	73.34	75.64	77.93	80.22	82.51	84.80	87.10	89.39	91.68	93.97	96.26	98.56	100.85	103.14
	6"	153.45	158.40	163.35	168.30	173.25	178.20	183.15	188.10	193.05	198.00	202.95	207.90	212.85	217.80	222.75
8"	266.29	274.88	283.47	292.06	300.65	309.24	317.83	326.42	335.01	343.60	352.19	360.78	369.37	377.96	386.55	
CL-315 ASTM D2241 20 FT BE White	0.5"	3.69	3.81	3.93	4.05	4.17	4.28	4.40	4.52	4.64	4.76	4.88	5.00	5.12	5.24	5.36
	1.5"	19.47	20.10	20.72	21.35	21.98	22.61	23.24	23.86	24.49	25.12	25.75	26.38	27.00	27.63	28.26
	2"	29.76	30.72	31.68	32.64	33.60	34.56	35.52	36.48	37.44	38.40	39.36	40.32	41.28	42.24	43.20
	2.5"	42.25	43.62	44.98	46.34	47.71	49.07	50.43	51.79	53.16	54.52	55.88	57.25	58.61	59.97	61.34
	3"	63.36	65.41	67.45	69.50	71.54	73.58	75.63	77.67	79.72	81.76	83.80	85.85	87.89	89.94	91.98
	4"	105.56	108.96	112.37	115.77	119.18	122.58	125.99	129.39	132.80	136.20	139.61	143.01	146.42	149.82	153.23
Eagle-Loc SCH 40 ASTM F480	4"	108.89	112.40	115.91	119.43	122.94	126.45	129.96	133.48	136.99	140.50	144.01	147.53	151.04	154.55	158.06
	4.5"	126.42	130.50	134.58	138.66	142.73	146.81	150.89	154.97	159.05	163.12	167.20	171.28	175.36	179.44	183.51
	6"	193.75	200.00	206.25	212.50	218.75	225.00	231.25	237.50	243.75	250.00	256.25	262.50	268.75	275.00	281.25
Eagle-Loc SDR21 ASTM F480	5"	152.21	157.12	162.03	166.94	171.85	176.76	181.67	186.58	191.49	196.40	201.31	206.22	211.13	216.04	220.95
	6"	217.42	224.44	231.45	238.47	245.48	252.49	259.51	266.52	273.53	280.55	287.56	294.58	301.59	308.60	315.62
Eagle-Loc SDR17 ASTM F480	4.5"	146.12	150.83	155.54	160.26	164.97	169.68	174.40	179.11	183.82	188.54	193.25	197.96	202.68	207.39	212.10
	5"	185.63	191.62	197.60	203.59	209.58	215.57	221.56	227.54	233.53	239.52	245.51	251.50	257.48	263.47	269.46
	6"	263.63	272.13	280.64	289.14	297.65	306.15	314.66	323.16	331.66	340.17	348.67	357.18	365.68	374.18	382.69





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	78.12	80.64	83.16	85.68	88.20	90.72	93.24	95.76	98.28	100.80	103.32	105.84	108.36	110.88	113.40
	4.5"	90.52	93.44	96.36	99.28	102.20	105.12	108.04	110.96	113.88	116.80	119.72	122.64	125.56	128.48	131.40
	5"	105.40	108.80	112.20	115.60	119.00	122.40	125.80	129.20	132.60	136.00	139.40	142.80	146.20	149.60	153.00
	6"	138.26	142.72	147.18	151.64	156.10	160.56	165.02	169.48	173.94	178.40	182.86	187.32	191.78	196.24	200.70
	8"	214.21	221.12	228.03	234.94	241.85	248.76	255.67	262.58	269.49	276.40	283.31	290.22	297.13	304.04	310.95
	10"	296.67	306.24	315.81	325.38	334.95	344.52	354.09	363.66	373.23	382.80	392.37	401.94	411.51	421.08	430.65
Well Casing CL-125	4"	47.83	49.38	50.92	52.46	54.01	55.55	57.09	58.63	60.18	61.72	63.26	64.81	66.35	67.89	69.44
	6"	103.42	106.75	110.09	113.42	116.76	120.10	123.43	126.77	130.10	133.44	136.78	140.11	143.45	146.78	150.12
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	58.90	60.80	62.70	64.60	66.50	68.40	70.30	72.20	74.10	76.00	77.90	79.80	81.70	83.60	85.50
	4.5"	70.06	72.32	74.58	76.84	79.10	81.36	83.62	85.88	88.14	90.40	92.66	94.92	97.18	99.44	101.70
	5"	89.65	92.54	95.44	98.33	101.22	104.11	107.00	109.90	112.79	115.68	118.57	121.46	124.36	127.25	130.14
	6"	127.10	131.20	135.30	139.40	143.50	147.60	151.70	155.80	159.90	164.00	168.10	172.20	176.30	180.40	184.50
	8"	214.21	221.12	228.03	234.94	241.85	248.76	255.67	262.58	269.49	276.40	283.31	290.22	297.13	304.04	310.95
	10"	341.00	352.00	363.00	374.00	385.00	396.00	407.00	418.00	429.00	440.00	451.00	462.00	473.00	484.00	495.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	465.00	480.00	495.00	510.00	525.00	540.00	555.00	570.00	585.00	600.00	615.00	630.00	645.00	660.00	675.00
	4"	71.05	73.34	75.64	77.93	80.22	82.51	84.80	87.10	89.39	91.68	93.97	96.26	98.56	100.85	103.14
	4.5"	84.94	87.68	90.42	93.16	95.90	98.64	101.38	104.12	106.86	109.60	112.34	115.08	117.82	120.56	123.30
	5"	108.50	112.00	115.50	119.00	122.50	126.00	129.50	133.00	136.50	140.00	143.50	147.00	150.50	154.00	157.50
	6"	155.31	160.32	165.33	170.34	175.35	180.36	185.37	190.38	195.39	200.40	205.41	210.42	215.43	220.44	225.45
	8"	260.40	268.80	277.20	285.60	294.00	302.40	310.80	319.20	327.60	336.00	344.40	352.80	361.20	369.60	378.00
	10"	418.50	432.00	445.50	459.00	472.50	486.00	499.50	513.00	526.50	540.00	553.50	567.00	580.50	594.00	607.50
Well Casing CL-250 ASTM F480 ASTM D2241	12"	573.50	592.00	610.50	629.00	647.50	666.00	684.50	703.00	721.50	740.00	758.50	777.00	795.50	814.00	832.50
	4.5"	104.16	107.52	110.88	114.24	117.60	120.96	124.32	127.68	131.04	134.40	137.76	141.12	144.48	147.84	151.20
	5"	133.30	137.60	141.90	146.20	150.50	154.80	159.10	163.40	167.70	172.00	176.30	180.60	184.90	189.20	193.50
Drop Pipe SCH 80 Threaded ASTM D1785	6"	187.24	193.28	199.32	205.36	211.40	217.44	223.48	229.52	235.56	241.60	247.64	253.68	259.72	265.76	271.80
	1"	21.70	22.40	23.10	23.80	24.50	25.20	25.90	26.60	27.30	28.00	28.70	29.40	30.10	30.80	31.50
	1.25"	27.90	28.80	29.70	30.60	31.50	32.40	33.30	34.20	35.10	36.00	36.90	37.80	38.70	39.60	40.50
	1.5"	41.85	43.20	44.55	45.90	47.25	48.60	49.95	51.30	52.65	54.00	55.35	56.70	58.05	59.40	60.75
Drop Pipe SCH 120 Threaded ASTM D1785	2"	57.71	59.57	61.44	63.30	65.16	67.02	68.88	70.74	72.61	74.47	76.33	78.19	80.05	81.91	83.78
	1"	29.77	30.73	31.69	32.65	33.61	34.57	35.53	36.50	37.46	38.42	39.38	40.34	41.30	42.26	43.22
	1.25"	42.74	44.12	45.50	46.88	48.26	49.64	51.02	52.39	53.77	55.15	56.53	57.91	59.29	60.67	62.05
	1.5"	49.60	51.20	52.80	54.40	56.00	57.60	59.20	60.80	62.40	64.00	65.60	67.20	68.80	70.40	72.00



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	8.83	9.02	9.22	9.41	9.60	9.79	9.98	10.18	10.37	10.56	10.75	10.94	11.14	11.33	11.52
	0.75"	11.82	12.08	12.34	12.59	12.85	13.11	13.36	13.62	13.88	14.14	14.39	14.65	14.91	15.16	15.42
	1"	17.62	18.00	18.38	18.77	19.15	19.53	19.92	20.30	20.68	21.07	21.45	21.83	22.21	22.60	22.98
	1.25"	23.78	24.30	24.82	25.33	25.85	26.37	26.88	27.40	27.92	28.44	28.95	29.47	29.99	30.50	31.02
	1.5"	28.43	29.05	29.66	30.28	30.90	31.52	32.14	32.75	33.37	33.99	34.61	35.23	35.84	36.46	37.08
	2"	38.41	39.25	40.08	40.92	41.75	42.59	43.42	44.26	45.09	45.93	46.76	47.60	48.43	49.27	50.10
	2.5"	60.40	61.71	63.02	64.34	65.65	66.96	68.28	69.59	70.90	72.22	73.53	74.84	76.15	77.47	78.78
	3"	79.03	80.75	82.46	84.18	85.90	87.62	89.34	91.05	92.77	94.49	96.21	97.93	99.64	101.36	103.08
	4"	115.92	118.44	120.96	123.48	126.00	128.52	131.04	133.56	136.08	138.60	141.12	143.64	146.16	148.68	151.20
	6"	205.16	209.62	214.08	218.54	223.00	227.46	231.92	236.38	240.84	245.30	249.76	254.22	258.68	263.14	267.60
	8"	317.86	324.77	331.68	338.59	345.50	352.41	359.32	366.23	373.14	380.05	386.96	393.87	400.78	407.69	414.60
	10"	440.22	449.79	459.36	468.93	478.50	488.07	497.64	507.21	516.78	526.35	535.92	545.49	555.06	564.63	574.20
	12"	588.34	601.13	613.92	626.71	639.50	652.29	665.08	677.87	690.66	703.45	716.24	729.03	741.82	754.61	767.40
	14"	899.38	918.93	938.49	958.04	977.59	997.14	1016.69	1036.25	1055.80	1075.35	1094.90	1114.45	1134.00	1153.56	1173.11
16"	1191.44	1217.34	1243.24	1269.14	1295.04	1320.94	1346.84	1372.74	1398.64	1424.54	1450.44	1476.35	1502.25	1528.15	1554.05	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	13.52	13.82	14.11	14.41	14.70	14.99	15.29	15.58	15.88	16.17	16.46	16.76	17.05	17.35	17.64
	0.75"	18.60	19.01	19.41	19.82	20.22	20.62	21.03	21.43	21.84	22.24	22.65	23.05	23.46	23.86	24.26
	1"	27.21	27.81	28.40	28.99	29.58	30.17	30.76	31.35	31.95	32.54	33.13	33.72	34.31	34.90	35.50
	1.25"	40.71	41.60	42.48	43.37	44.26	45.14	46.03	46.91	47.80	48.68	49.57	50.45	51.34	52.22	53.11
	1.5"	49.46	50.54	51.61	52.69	53.77	54.84	55.92	56.99	58.07	59.14	60.22	61.29	62.37	63.44	64.52
	2"	66.90	68.35	69.81	71.26	72.72	74.17	75.62	77.08	78.53	79.99	81.44	82.90	84.35	85.80	87.26
	2.5"	102.32	104.54	106.77	108.99	111.22	113.44	115.66	117.89	120.11	122.34	124.56	126.79	129.01	131.23	133.46
	3"	136.93	139.90	142.88	145.86	148.84	151.81	154.79	157.77	160.74	163.72	166.70	169.67	172.65	175.63	178.60
	4"	200.91	205.27	209.64	214.01	218.38	222.74	227.11	231.48	235.85	240.21	244.58	248.95	253.32	257.68	262.05
	6"	385.66	394.05	402.43	410.82	419.20	427.58	435.97	444.35	452.74	461.12	469.50	477.89	486.27	494.66	503.04
	8"	590.47	603.30	616.14	628.97	641.81	654.65	667.48	680.32	693.15	705.99	718.83	731.66	744.50	757.34	770.17
	10"	910.16	929.95	949.73	969.52	989.31	1009.09	1028.88	1048.66	1068.45	1088.24	1108.02	1127.81	1147.59	1167.38	1187.17
12"	1252.30	1279.53	1306.75	1333.98	1361.20	1388.42	1415.65	1442.87	1470.10	1497.32	1524.54	1551.77	1578.99	1606.22	1633.44	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	23.00	23.50	24.00	24.50	25.00	25.50	26.00	26.50	27.00	27.50	28.00	28.50	29.00	29.50	30.00
	2"	28.75	29.38	30.00	30.63	31.25	31.88	32.50	33.13	33.75	34.38	35.00	35.63	36.25	36.88	37.50
	3"	57.50	58.75	60.00	61.25	62.50	63.75	65.00	66.25	67.50	68.75	70.00	71.25	72.50	73.75	75.00
	4"	80.50	82.25	84.00	85.75	87.50	89.25	91.00	92.75	94.50	96.25	98.00	99.75	101.50	103.25	105.00
	6"	149.50	152.75	156.00	159.25	162.50	165.75	169.00	172.25	175.50	178.75	182.00	185.25	188.50	191.75	195.00



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	30.71	31.38	32.04	32.71	33.38	34.05	34.72	35.38	36.05	36.72	37.39	38.05	38.72	39.39	40.06
	2"	41.08	41.97	42.86	43.76	44.65	45.54	46.44	47.33	48.22	49.12	50.01	50.90	51.79	52.69	53.58
	3"	80.71	82.46	84.22	85.97	87.73	89.48	91.23	92.99	94.74	96.50	98.25	100.01	101.76	103.52	105.27
	4"	117.53	120.09	122.64	125.20	127.75	130.31	132.86	135.42	137.97	140.53	143.08	145.64	148.19	150.75	153.30
	6"	439.17	448.72	458.27	467.81	477.36	486.91	496.45	506.00	515.55	525.10	534.64	544.19	553.74	563.28	572.83
SCH 30/DWV	3"	46.92	47.94	48.96	49.98	51.00	52.02	53.04	54.06	55.08	56.10	57.12	58.14	59.16	60.18	61.20
ASTM D2729 10 FT BE White	3"	26.73	27.31	27.89	28.47	29.05	29.63	30.21	30.79	31.37	31.96	32.54	33.12	33.70	34.28	34.86
	4"	36.98	37.79	38.59	39.40	40.20	41.00	41.81	42.61	43.42	44.22	45.02	45.83	46.63	47.44	48.24
	6"	73.69	75.29	76.90	78.50	80.10	81.70	83.30	84.91	86.51	88.11	89.71	91.31	92.92	94.52	96.12
ASTM D3034 10/20 FT BE Green	3"	48.76	49.82	50.88	51.94	53.00	54.06	55.12	56.18	57.24	58.30	59.36	60.42	61.48	62.54	63.60
	4"	55.20	56.40	57.60	58.80	60.00	61.20	62.40	63.60	64.80	66.00	67.20	68.40	69.60	70.80	72.00
	6"	125.30	128.03	130.75	133.48	136.20	138.92	141.65	144.37	147.10	149.82	152.54	155.27	157.99	160.72	163.44
CL-63 ASTM D2241 20 FT BE	6"	79.58	81.31	83.04	84.77	86.50	88.23	89.96	91.69	93.42	95.15	96.88	98.61	100.34	102.07	103.80
	8"	133.95	136.86	139.78	142.69	145.60	148.51	151.42	154.34	157.25	160.16	163.07	165.98	168.90	171.81	174.72
	10"	207.92	212.44	216.96	221.48	226.00	230.52	235.04	239.56	244.08	248.60	253.12	257.64	262.16	266.68	271.20
CL-100 ASTM D2241 20 FT BE White	3"	33.95	34.69	35.42	36.16	36.90	37.64	38.38	39.11	39.85	40.59	41.33	42.07	42.80	43.54	44.28
	4"	55.52	56.73	57.94	59.14	60.35	61.56	62.76	63.97	65.18	66.39	67.59	68.80	70.01	71.21	72.42
	5"	84.23	86.06	87.89	89.72	91.55	93.38	95.21	97.04	98.87	100.71	102.54	104.37	106.20	108.03	109.86
	6"	122.36	125.02	127.68	130.34	133.00	135.66	138.32	140.98	143.64	146.30	148.96	151.62	154.28	156.94	159.60
	8"	207.00	211.50	216.00	220.50	225.00	229.50	234.00	238.50	243.00	247.50	252.00	256.50	261.00	265.50	270.00
	10"	308.20	314.90	321.60	328.30	335.00	341.70	348.40	355.10	361.80	368.50	375.20	381.90	388.60	395.30	402.00
	12"	431.94	441.33	450.72	460.11	469.50	478.89	488.28	497.67	507.06	516.45	525.84	535.23	544.62	554.01	563.40
CL-125 ASTM D2241 20 FT BE White	1.25"	10.90	11.14	11.38	11.61	11.85	12.09	12.32	12.56	12.80	13.04	13.27	13.51	13.75	13.98	14.22
	1.5"	12.56	12.83	13.10	13.38	13.65	13.92	14.20	14.47	14.74	15.02	15.29	15.56	15.83	16.11	16.38
	2"	19.04	19.46	19.87	20.29	20.70	21.11	21.53	21.94	22.36	22.77	23.18	23.60	24.01	24.43	24.84
	2.5"	27.60	28.20	28.80	29.40	30.00	30.60	31.20	31.80	32.40	33.00	33.60	34.20	34.80	35.40	36.00
	3"	41.91	42.82	43.73	44.64	45.55	46.46	47.37	48.28	49.19	50.11	51.02	51.93	52.84	53.75	54.66
	4"	70.98	72.52	74.06	75.61	77.15	78.69	80.24	81.78	83.32	84.87	86.41	87.95	89.49	91.04	92.58
	5"	104.05	106.31	108.58	110.84	113.10	115.36	117.62	119.89	122.15	124.41	126.67	128.93	131.20	133.46	135.72
	6"	154.56	157.92	161.28	164.64	168.00	171.36	174.72	178.08	181.44	184.80	188.16	191.52	194.88	198.24	201.60
	8"	247.94	253.33	258.72	264.11	269.50	274.89	280.28	285.67	291.06	296.45	301.84	307.23	312.62	318.01	323.40
	10"	387.32	395.74	404.16	412.58	421.00	429.42	437.84	446.26	454.68	463.10	471.52	479.94	488.36	496.78	505.20
12"	515.20	526.40	537.60	548.80	560.00	571.20	582.40	593.60	604.80	616.00	627.20	638.40	649.60	660.80	672.00	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	
CL-160 ASTM D2241 20 FT BE White	1.25"	11.73	11.99	12.24	12.50	12.75	13.01	13.26	13.52	13.77	14.03	14.28	14.54	14.79	15.05	15.30	
	1.5"	15.36	15.70	16.03	16.37	16.70	17.03	17.37	17.70	18.04	18.37	18.70	19.04	19.37	19.71	20.04	
	2"	23.92	24.44	24.96	25.48	26.00	26.52	27.04	27.56	28.08	28.60	29.12	29.64	30.16	30.68	31.20	
	2.5"	34.41	35.16	35.90	36.65	37.40	38.15	38.90	39.64	40.39	41.14	41.89	42.64	43.38	44.13	44.88	
	3"	52.26	53.39	54.53	55.66	56.80	57.94	59.07	59.07	60.21	61.34	62.48	63.62	64.75	65.89	67.02	68.16
	4"	87.40	89.30	91.20	93.10	95.00	96.90	98.80	100.70	102.60	104.50	106.40	108.30	110.20	112.10	114.00	
	6"	188.60	192.70	196.80	200.90	205.00	209.10	213.20	217.30	221.40	225.50	229.60	233.70	237.80	241.90	246.00	
8"	317.40	324.30	331.20	338.10	345.00	351.90	358.80	365.70	372.60	379.50	386.40	393.30	400.20	407.10	414.00		
CL-200 ASTM D2241 20 FT BE White	0.75"	6.85	7.00	7.15	7.30	7.45	7.60	7.75	7.90	8.05	8.20	8.34	8.49	8.64	8.79	8.94	
	1"	9.11	9.31	9.50	9.70	9.90	10.10	10.30	10.49	10.69	10.89	11.09	11.29	11.48	11.68	11.88	
	1.25"	14.26	14.57	14.88	15.19	15.50	15.81	16.12	16.43	16.74	17.05	17.36	17.67	17.98	18.29	18.60	
	1.5"	18.63	19.04	19.44	19.85	20.25	20.66	21.06	21.47	21.87	22.28	22.68	23.09	23.49	23.90	24.30	
	2"	28.20	28.81	29.42	30.04	30.65	31.26	31.88	32.49	33.10	33.72	34.33	34.94	35.55	36.17	36.78	
	2.5"	42.27	43.19	44.11	45.03	45.95	46.87	47.79	48.71	49.63	50.55	51.46	52.38	53.30	54.22	55.14	
	3"	63.16	64.53	65.90	67.28	68.65	70.02	71.40	72.77	74.14	75.52	76.89	78.26	79.63	81.01	82.38	
	4"	105.43	107.72	110.02	112.31	114.60	116.89	119.18	121.48	123.77	126.06	128.35	130.64	132.94	135.23	137.52	
6"	227.70	232.65	237.60	242.55	247.50	252.45	257.40	262.35	267.30	272.25	277.20	282.15	287.10	292.05	297.00		
8"	395.14	403.73	412.32	420.91	429.50	438.09	446.68	455.27	463.86	472.45	481.04	489.63	498.22	506.81	515.40		
CL-315 ASTM D2241 20 FT BE White	0.5"	5.47	5.59	5.71	5.83	5.95	6.07	6.19	6.31	6.43	6.55	6.66	6.78	6.90	7.02	7.14	
	1.5"	28.89	29.52	30.14	30.77	31.40	32.03	32.66	33.28	33.91	34.54	35.17	35.80	36.42	37.05	37.68	
	2"	44.16	45.12	46.08	47.04	48.00	48.96	49.92	50.88	51.84	52.80	53.76	54.72	55.68	56.64	57.60	
	2.5"	62.70	64.06	65.42	66.79	68.15	69.51	70.88	72.24	73.60	74.97	76.33	77.69	79.05	80.42	81.78	
	3"	94.02	96.07	98.11	100.16	102.20	104.24	106.29	108.33	110.38	112.42	114.46	116.51	118.55	120.60	122.64	
4"	156.63	160.04	163.44	166.85	170.25	173.66	177.06	180.47	183.87	187.28	190.68	194.09	197.49	200.90	204.30		
Eagle-Loc SCH 40 ASTM F480	4"	161.58	165.09	168.60	172.11	175.63	179.14	182.65	186.16	189.68	193.19	196.70	200.21	203.73	207.24	210.75	
	4.5"	187.59	191.67	195.75	199.83	203.91	207.98	212.06	216.14	220.22	224.30	228.37	232.45	236.53	240.61	244.69	
Eagle-Loc SDR21 ASTM F480	6"	287.50	293.75	300.00	306.25	312.51	318.76	325.01	331.26	337.51	343.76	350.01	356.26	362.51	368.76	375.01	
	5"	225.86	230.77	235.68	240.59	245.51	250.42	255.33	260.24	265.15	270.06	274.97	279.88	284.79	289.70	294.61	
Eagle-Loc SDR17 ASTM F480	6"	322.63	329.64	336.66	343.67	350.69	357.70	364.71	371.73	378.74	385.75	392.77	399.78	406.79	413.81	420.82	
	4.5"	216.82	221.53	226.24	230.96	235.67	240.38	245.10	249.81	254.52	259.24	263.95	268.66	273.38	278.09	282.80	
Eagle-Loc SDR17 ASTM F480	5"	275.45	281.44	287.42	293.41	299.40	305.39	311.38	317.36	323.35	329.34	335.33	341.32	347.30	353.29	359.28	
	6"	391.19	399.70	408.20	416.71	425.21	433.71	442.22	450.72	459.23	467.73	476.24	484.74	493.24	501.75	510.25	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	115.92	118.44	120.96	123.48	126.00	128.52	131.04	133.56	136.08	138.60	141.12	143.64	146.16	148.68	151.20
	4.5"	134.32	137.24	140.16	143.08	146.00	148.92	151.84	154.76	157.68	160.60	163.52	166.44	169.36	172.28	175.20
	5"	156.40	159.80	163.20	166.60	170.00	173.40	176.80	180.20	183.60	187.00	190.40	193.80	197.20	200.60	204.00
	6"	205.16	209.62	214.08	218.54	223.00	227.46	231.92	236.38	240.84	245.30	249.76	254.22	258.68	263.14	267.60
	8"	317.86	324.77	331.68	338.59	345.50	352.41	359.32	366.23	373.14	380.05	386.96	393.87	400.78	407.69	414.60
	10"	440.22	449.79	459.36	468.93	478.50	488.07	497.64	507.21	516.78	526.35	535.92	545.49	555.06	564.63	574.20
Well Casing CL-125	4"	70.98	72.52	74.06	75.61	77.15	78.69	80.24	81.78	83.32	84.87	86.41	87.95	89.49	91.04	92.58
	6"	153.46	156.79	160.13	163.46	166.80	170.14	173.47	176.81	180.14	183.48	186.82	190.15	193.49	196.82	200.16
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	87.40	89.30	91.20	93.10	95.00	96.90	98.80	100.70	102.60	104.50	106.40	108.30	110.20	112.10	114.00
	4.5"	103.96	106.22	108.48	110.74	113.00	115.26	117.52	119.78	122.04	124.30	126.56	128.82	131.08	133.34	135.60
	5"	133.03	135.92	138.82	141.71	144.60	147.49	150.38	153.28	156.17	159.06	161.95	164.84	167.74	170.63	173.52
	6"	188.60	192.70	196.80	200.90	205.00	209.10	213.20	217.30	221.40	225.50	229.60	233.70	237.80	241.90	246.00
	8"	317.86	324.77	331.68	338.59	345.50	352.41	359.32	366.23	373.14	380.05	386.96	393.87	400.78	407.69	414.60
	10"	506.00	517.00	528.00	539.00	550.00	561.00	572.00	583.00	594.00	605.00	616.00	627.00	638.00	649.00	660.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	690.00	705.00	720.00	735.00	750.00	765.00	780.00	795.00	810.00	825.00	840.00	855.00	870.00	885.00	900.00
	4"	105.43	107.72	110.02	112.31	114.60	116.89	119.18	121.48	123.77	126.06	128.35	130.64	132.94	135.23	137.52
	4.5"	126.04	128.78	131.52	134.26	137.00	139.74	142.48	145.22	147.96	150.70	153.44	156.18	158.92	161.66	164.40
	5"	161.00	164.50	168.00	171.50	175.00	178.50	182.00	185.50	189.00	192.50	196.00	199.50	203.00	206.50	210.00
	6"	230.46	235.47	240.48	245.49	250.50	255.51	260.52	265.53	270.54	275.55	280.56	285.57	290.58	295.59	300.60
	8"	386.40	394.80	403.20	411.60	420.00	428.40	436.80	445.20	453.60	462.00	470.40	478.80	487.20	495.60	504.00
	10"	621.00	634.50	648.00	661.50	675.00	688.50	702.00	715.50	729.00	742.50	756.00	769.50	783.00	796.50	810.00
Well Casing CL-250 ASTM F480 ASTM D2241	12"	851.00	869.50	888.00	906.50	925.00	943.50	962.00	980.50	999.00	1017.50	1036.00	1054.50	1073.00	1091.50	1110.00
	4.5"	154.56	157.92	161.28	164.64	168.00	171.36	174.72	178.08	181.44	184.80	188.16	191.52	194.88	198.24	201.60
	5"	197.80	202.10	206.40	210.70	215.00	219.30	223.60	227.90	232.20	236.50	240.80	245.10	249.40	253.70	258.00
Drop Pipe SCH 80 Threaded ASTM D1785	6"	277.84	283.88	289.92	295.96	302.00	308.04	314.08	320.12	326.16	332.20	338.24	344.28	350.32	356.36	362.40
	1"	32.20	32.90	33.60	34.30	35.00	35.70	36.40	37.10	37.80	38.50	39.20	39.90	40.60	41.30	42.00
	1.25"	41.40	42.30	43.20	44.10	45.00	45.90	46.80	47.70	48.60	49.50	50.40	51.30	52.20	53.10	54.00
	1.5"	62.10	63.45	64.80	66.15	67.50	68.85	70.20	71.55	72.90	74.25	75.60	76.95	78.30	79.65	81.00
Drop Pipe SCH 120 Threaded ASTM D1785	2"	85.64	87.50	89.36	91.22	93.09	94.95	96.81	98.67	100.53	102.39	104.26	106.12	107.98	109.84	111.70
	1"	44.18	45.14	46.10	47.06	48.02	48.98	49.94	50.90	51.86	52.82	53.78	54.74	55.70	56.66	57.62
	1.25"	63.42	64.80	66.18	67.56	68.94	70.32	71.70	73.08	74.46	75.83	77.21	78.59	79.97	81.35	82.73
Drop Pipe SCH 120 Threaded ASTM D1785	1.5"	73.60	75.20	76.80	78.40	80.00	81.60	83.20	84.80	86.40	88.00	89.60	91.20	92.80	94.40	96.00





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	11.71	11.90	12.10	12.29	12.48	12.67	12.86	13.06	13.25	13.44	13.63	13.82	14.02	14.21	14.40
	0.75"	15.68	15.93	16.19	16.45	16.71	16.96	17.22	17.48	17.73	17.99	18.25	18.50	18.76	19.02	19.28
	1"	23.36	23.75	24.13	24.51	24.90	25.28	25.66	26.04	26.43	26.81	27.19	27.58	27.96	28.34	28.73
	1.25"	31.54	32.05	32.57	33.09	33.61	34.12	34.64	35.16	35.67	36.19	36.71	37.22	37.74	38.26	38.78
	1.5"	37.70	38.32	38.93	39.55	40.17	40.79	41.41	42.02	42.64	43.26	43.88	44.50	45.11	45.73	46.35
	2"	50.94	51.77	52.61	53.44	54.28	55.11	55.95	56.78	57.62	58.45	59.29	60.12	60.96	61.79	62.63
	2.5"	80.09	81.41	82.72	84.03	85.35	86.66	87.97	89.28	90.60	91.91	93.22	94.54	95.85	97.16	98.48
	3"	104.80	106.52	108.23	109.95	111.67	113.39	115.11	116.82	118.54	120.26	121.98	123.70	125.41	127.13	128.85
	4"	153.72	156.24	158.76	161.28	163.80	166.32	168.84	171.36	173.88	176.40	178.92	181.44	183.96	186.48	189.00
	6"	272.06	276.52	280.98	285.44	289.90	294.36	298.82	303.28	307.74	312.20	316.66	321.12	325.58	330.04	334.50
	8"	421.51	428.42	435.33	442.24	449.15	456.06	462.97	469.88	476.79	483.70	490.61	497.52	504.43	511.34	518.25
	10"	583.77	593.34	602.91	612.48	622.05	631.62	641.19	650.76	660.33	669.90	679.47	689.04	698.61	708.18	717.75
	12"	780.19	792.98	805.77	818.56	831.35	844.14	856.93	869.72	882.51	895.30	908.09	920.88	933.67	946.46	959.25
	14"	1192.66	1212.21	1231.76	1251.32	1270.87	1290.42	1309.97	1329.52	1349.07	1368.63	1388.18	1407.73	1427.28	1446.83	1466.39
16"	1579.95	1605.85	1631.75	1657.65	1683.55	1709.45	1735.35	1761.25	1787.16	1813.06	1838.96	1864.86	1890.76	1916.66	1942.56	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	17.93	18.23	18.52	18.82	19.11	19.40	19.70	19.99	20.29	20.58	20.87	21.17	21.46	21.76	22.05
	0.75"	24.67	25.07	25.48	25.88	26.29	26.69	27.09	27.50	27.90	28.31	28.71	29.12	29.52	29.93	30.33
	1"	36.09	36.68	37.27	37.86	38.45	39.05	39.64	40.23	40.82	41.41	42.00	42.60	43.19	43.78	44.37
	1.25"	53.99	54.88	55.76	56.65	57.53	58.42	59.30	60.19	61.07	61.96	62.84	63.73	64.61	65.50	66.38
	1.5"	65.59	66.67	67.74	68.82	69.89	70.97	72.05	73.12	74.20	75.27	76.35	77.42	78.50	79.57	80.65
	2"	88.71	90.17	91.62	93.08	94.53	95.98	97.44	98.89	100.35	101.80	103.26	104.71	106.16	107.62	109.07
	2.5"	135.68	137.91	140.13	142.36	144.58	146.80	149.03	151.25	153.48	155.70	157.93	160.15	162.37	164.60	166.82
	3"	181.58	184.56	187.53	190.51	193.49	196.46	199.44	202.42	205.39	208.37	211.35	214.32	217.30	220.28	223.25
	4"	266.42	270.79	275.15	279.52	283.89	288.26	292.62	296.99	301.36	305.73	310.09	314.46	318.83	323.20	327.56
	6"	511.42	519.81	528.19	536.58	544.96	553.34	561.73	570.11	578.50	586.88	595.26	603.65	612.03	620.42	628.80
	8"	783.01	795.84	808.68	821.52	834.35	847.19	860.03	872.86	885.70	898.53	911.37	924.21	937.04	949.88	962.72
	10"	1206.95	1226.74	1246.52	1266.31	1286.10	1305.88	1325.67	1345.45	1365.24	1385.03	1404.81	1424.60	1444.39	1464.17	1483.96
12"	1660.66	1687.89	1715.11	1742.34	1769.56	1796.78	1824.01	1851.23	1878.46	1905.68	1932.90	1960.13	1987.35	2014.58	2041.80	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	30.50	31.00	31.50	32.00	32.50	33.00	33.50	34.00	34.50	35.00	35.50	36.00	36.50	37.00	37.50
	2"	38.13	38.75	39.38	40.00	40.63	41.25	41.88	42.50	43.13	43.75	44.38	45.00	45.63	46.25	46.88
	3"	76.25	77.50	78.75	80.00	81.25	82.50	83.75	85.00	86.25	87.50	88.75	90.00	91.25	92.50	93.75
	4"	106.75	108.50	110.25	112.00	113.75	115.50	117.25	119.00	120.75	122.50	124.25	126.00	127.75	129.50	131.25
	6"	198.25	201.50	204.75	208.00	211.25	214.50	217.75	221.00	224.25	227.50	230.75	234.00	237.25	240.50	243.75





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	40.72	41.39	42.06	42.73	43.39	44.06	44.73	45.40	46.06	46.73	47.40	48.07	48.73	49.40	50.07
	2"	54.47	55.37	56.26	57.15	58.05	58.94	59.83	60.72	61.62	62.51	63.40	64.30	65.19	66.08	66.98
	3"	107.02	108.78	110.53	112.29	114.04	115.80	117.55	119.31	121.06	122.82	124.57	126.32	128.08	129.83	131.59
	4"	155.86	158.41	160.97	163.52	166.08	168.63	171.19	173.74	176.30	178.85	181.41	183.96	186.52	189.07	191.63
	6"	582.38	591.93	601.47	611.02	620.57	630.12	639.66	649.21	658.76	668.30	677.85	687.40	696.95	706.49	716.04
SCH 30/DWV	3"	62.22	63.24	64.26	65.28	66.30	67.32	68.34	69.36	70.38	71.40	72.42	73.44	74.46	75.48	76.50
ASTM D2729 10 FT BE White	3"	35.44	36.02	36.60	37.18	37.77	38.35	38.93	39.51	40.09	40.67	41.25	41.83	42.41	42.99	43.58
	4"	49.04	49.85	50.65	51.46	52.26	53.06	53.87	54.67	55.48	56.28	57.08	57.89	58.69	59.50	60.30
	6"	97.72	99.32	100.93	102.53	104.13	105.73	107.33	108.94	110.54	112.14	113.74	115.34	116.95	118.55	120.15
ASTM D3034 10/20 FT BE Green	3"	64.66	65.72	66.78	67.84	68.90	69.96	71.02	72.08	73.14	74.20	75.26	76.32	77.38	78.44	79.50
	4"	73.20	74.40	75.60	76.80	78.00	79.20	80.40	81.60	82.80	84.00	85.20	86.40	87.60	88.80	90.00
	6"	166.16	168.89	171.61	174.34	177.06	179.78	182.51	185.23	187.96	190.68	193.40	196.13	198.85	201.58	204.30
CL-63 ASTM D2241 20 FT BE	6"	105.53	107.26	108.99	110.72	112.45	114.18	115.91	117.64	119.37	121.10	122.83	124.56	126.29	128.02	129.75
	8"	177.63	180.54	183.46	186.37	189.28	192.19	195.10	198.02	200.93	203.84	206.75	209.66	212.58	215.49	218.40
	10"	275.72	280.24	284.76	289.28	293.80	298.32	302.84	307.36	311.88	316.40	320.92	325.44	329.96	334.48	339.00
CL-100 ASTM D2241 20 FT BE White	3"	45.02	45.76	46.49	47.23	47.97	48.71	49.45	50.18	50.92	51.66	52.40	53.14	53.87	54.61	55.35
	4"	73.63	74.83	76.04	77.25	78.46	79.66	80.87	82.08	83.28	84.49	85.70	86.90	88.11	89.32	90.53
	5"	111.69	113.52	115.35	117.18	119.02	120.85	122.68	124.51	126.34	128.17	130.00	131.83	133.66	135.49	137.33
	6"	162.26	164.92	167.58	170.24	172.90	175.56	178.22	180.88	183.54	186.20	188.86	191.52	194.18	196.84	199.50
	8"	274.50	279.00	283.50	288.00	292.50	297.00	301.50	306.00	310.50	315.00	319.50	324.00	328.50	333.00	337.50
	10"	408.70	415.40	422.10	428.80	435.50	442.20	448.90	455.60	462.30	469.00	475.70	482.40	489.10	495.80	502.50
	12"	572.79	582.18	591.57	600.96	610.35	619.74	629.13	638.52	647.91	657.30	666.69	676.08	685.47	694.86	704.25
CL-125 ASTM D2241 20 FT BE White	1.25"	14.46	14.69	14.93	15.17	15.41	15.64	15.88	16.12	16.35	16.59	16.83	17.06	17.30	17.54	17.78
	1.5"	16.65	16.93	17.20	17.47	17.75	18.02	18.29	18.56	18.84	19.11	19.38	19.66	19.93	20.20	20.48
	2"	25.25	25.67	26.08	26.50	26.91	27.32	27.74	28.15	28.57	28.98	29.39	29.81	30.22	30.64	31.05
	2.5"	36.60	37.20	37.80	38.40	39.00	39.60	40.20	40.80	41.40	42.00	42.60	43.20	43.80	44.40	45.00
	3"	55.57	56.48	57.39	58.30	59.22	60.13	61.04	61.95	62.86	63.77	64.68	65.59	66.50	67.41	68.33
	4"	94.12	95.67	97.21	98.75	100.30	101.84	103.38	104.92	106.47	108.01	109.55	111.10	112.64	114.18	115.73
	5"	137.98	140.24	142.51	144.77	147.03	149.29	151.55	153.82	156.08	158.34	160.60	162.86	165.13	167.39	169.65
	6"	204.96	208.32	211.68	215.04	218.40	221.76	225.12	228.48	231.84	235.20	238.56	241.92	245.28	248.64	252.00
	8"	328.79	334.18	339.57	344.96	350.35	355.74	361.13	366.52	371.91	377.30	382.69	388.08	393.47	398.86	404.25
	10"	513.62	522.04	530.46	538.88	547.30	555.72	564.14	572.56	580.98	589.40	597.82	606.24	614.66	623.08	631.50
12"	683.20	694.40	705.60	716.80	728.00	739.20	750.40	761.60	772.80	784.00	795.20	806.40	817.60	828.80	840.00	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
CL-160 ASTM D2241 20 FT BE White	1.25"	15.56	15.81	16.07	16.32	16.58	16.83	17.09	17.34	17.60	17.85	18.11	18.36	18.62	18.87	19.13
	1.5"	20.37	20.71	21.04	21.38	21.71	22.04	22.38	22.71	23.05	23.38	23.71	24.05	24.38	24.72	25.05
	2"	31.72	32.24	32.76	33.28	33.80	34.32	34.84	35.36	35.88	36.40	36.92	37.44	37.96	38.48	39.00
	2.5"	45.63	46.38	47.12	47.87	48.62	49.37	50.12	50.86	51.61	52.36	53.11	53.86	54.60	55.35	56.10
	3"	69.30	70.43	71.57	72.70	73.84	74.98	76.11	77.25	78.38	79.52	80.66	81.79	82.93	84.06	85.20
	4"	115.90	117.80	119.70	121.60	123.50	125.40	127.30	129.20	131.10	133.00	134.90	136.80	138.70	140.60	142.50
	6"	250.10	254.20	258.30	262.40	266.50	270.60	274.70	278.80	282.90	287.00	291.10	295.20	299.30	303.40	307.50
	8"	420.90	427.80	434.70	441.60	448.50	455.40	462.30	469.20	476.10	483.00	489.90	496.80	503.70	510.60	517.50
CL-200 ASTM D2241 20 FT BE White	0.75"	9.09	9.24	9.39	9.54	9.69	9.83	9.98	10.13	10.28	10.43	10.58	10.73	10.88	11.03	11.18
	1"	12.08	12.28	12.47	12.67	12.87	13.07	13.27	13.46	13.66	13.86	14.06	14.26	14.45	14.65	14.85
	1.25"	18.91	19.22	19.53	19.84	20.15	20.46	20.77	21.08	21.39	21.70	22.01	22.32	22.63	22.94	23.25
	1.5"	24.71	25.11	25.52	25.92	26.33	26.73	27.14	27.54	27.95	28.35	28.76	29.16	29.57	29.97	30.38
	2"	37.39	38.01	38.62	39.23	39.85	40.46	41.07	41.68	42.30	42.91	43.52	44.14	44.75	45.36	45.98
	2.5"	56.06	56.98	57.90	58.82	59.74	60.65	61.57	62.49	63.41	64.33	65.25	66.17	67.09	68.01	68.93
	3"	83.75	85.13	86.50	87.87	89.25	90.62	91.99	93.36	94.74	96.11	97.48	98.86	100.23	101.60	102.98
	4"	139.81	142.10	144.40	146.69	148.98	151.27	153.56	155.86	158.15	160.44	162.73	165.02	167.32	169.61	171.90
	6"	301.95	306.90	311.85	316.80	321.75	326.70	331.65	336.60	341.55	346.50	351.45	356.40	361.35	366.30	371.25
8"	523.99	532.58	541.17	549.76	558.35	566.94	575.53	584.12	592.71	601.30	609.89	618.48	627.07	635.66	644.25	
CL-315 ASTM D2241 20 FT BE White	0.5"	7.26	7.38	7.50	7.62	7.74	7.85	7.97	8.09	8.21	8.33	8.45	8.57	8.69	8.81	8.93
	1.5"	38.31	38.94	39.56	40.19	40.82	41.45	42.08	42.70	43.33	43.96	44.59	45.22	45.84	46.47	47.10
	2"	58.56	59.52	60.48	61.44	62.40	63.36	64.32	65.28	66.24	67.20	68.16	69.12	70.08	71.04	72.00
	2.5"	83.14	84.51	85.87	87.23	88.60	89.96	91.32	92.68	94.05	95.41	96.77	98.14	99.50	100.86	102.23
	3"	124.68	126.73	128.77	130.82	132.86	134.90	136.95	138.99	141.04	143.08	145.12	147.17	149.21	151.26	153.30
	4"	207.71	211.11	214.52	217.92	221.33	224.73	228.14	231.54	234.95	238.35	241.76	245.16	248.57	251.97	255.38
Eagle-Loc SCH 40 ASTM F480	4"	214.26	217.78	221.29	224.80	228.31	231.83	235.34	238.85	242.36	245.88	249.39	252.90	256.41	259.93	263.44
	4.5"	248.76	252.84	256.92	261.00	265.08	269.15	273.23	277.31	281.39	285.47	289.55	293.62	297.70	301.78	305.86
	6"	381.26	387.51	393.76	400.01	406.26	412.51	418.76	425.01	431.26	437.51	443.76	450.01	456.26	462.51	468.76
Eagle-Loc SDR21 ASTM F480	5"	299.52	304.43	309.34	314.25	319.16	324.07	328.98	333.89	338.80	343.71	348.62	353.53	358.44	363.35	368.26
	6"	427.84	434.85	441.86	448.88	455.89	462.90	469.92	476.93	483.95	490.96	497.97	504.99	512.00	519.01	526.03
Eagle-Loc SDR17 ASTM F480	4.5"	287.52	292.23	296.94	301.66	306.37	311.08	315.80	320.51	325.22	329.94	334.65	339.36	344.08	348.79	353.51
	5"	365.27	371.26	377.24	383.23	389.22	395.21	401.20	407.18	413.17	419.16	425.15	431.14	437.12	443.11	449.10
	6"	518.76	527.26	535.76	544.27	552.77	561.28	569.78	578.29	586.79	595.29	603.80	612.30	620.81	629.31	637.82



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	153.72	156.24	158.76	161.28	163.80	166.32	168.84	171.36	173.88	176.40	178.92	181.44	183.96	186.48	189.00
	4.5"	178.12	181.04	183.96	186.88	189.80	192.72	195.64	198.56	201.48	204.40	207.32	210.24	213.16	216.08	219.00
	5"	207.40	210.80	214.20	217.60	221.00	224.40	227.80	231.20	234.60	238.00	241.40	244.80	248.20	251.60	255.00
	6"	272.06	276.52	280.98	285.44	289.90	294.36	298.82	303.28	307.74	312.20	316.66	321.12	325.58	330.04	334.50
	8"	421.51	428.42	435.33	442.24	449.15	456.06	462.97	469.88	476.79	483.70	490.61	497.52	504.43	511.34	518.25
	10"	583.77	593.34	602.91	612.48	622.05	631.62	641.19	650.76	660.33	669.90	679.47	689.04	698.61	708.18	717.75
Well Casing CL-125	4"	94.12	95.67	97.21	98.75	100.30	101.84	103.38	104.92	106.47	108.01	109.55	111.10	112.64	114.18	115.73
	6"	203.50	206.83	210.17	213.50	216.84	220.18	223.51	226.85	230.18	233.52	236.86	240.19	243.53	246.86	250.20
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	115.90	117.80	119.70	121.60	123.50	125.40	127.30	129.20	131.10	133.00	134.90	136.80	138.70	140.60	142.50
	4.5"	137.86	140.12	142.38	144.64	146.90	149.16	151.42	153.68	155.94	158.20	160.46	162.72	164.98	167.24	169.50
	5"	176.41	179.30	182.20	185.09	187.98	190.87	193.76	196.66	199.55	202.44	205.33	208.22	211.12	214.01	216.90
	6"	250.10	254.20	258.30	262.40	266.50	270.60	274.70	278.80	282.90	287.00	291.10	295.20	299.30	303.40	307.50
	8"	421.51	428.42	435.33	442.24	449.15	456.06	462.97	469.88	476.79	483.70	490.61	497.52	504.43	511.34	518.25
	10"	671.00	682.00	693.00	704.00	715.00	726.00	737.00	748.00	759.00	770.00	781.00	792.00	803.00	814.00	825.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	915.00	930.00	945.00	960.00	975.00	990.00	1005.00	1020.00	1035.00	1050.00	1065.00	1080.00	1095.00	1110.00	1125.00
	4"	139.81	142.10	144.40	146.69	148.98	151.27	153.56	155.86	158.15	160.44	162.73	165.02	167.32	169.61	171.90
	4.5"	167.14	169.88	172.62	175.36	178.10	180.84	183.58	186.32	189.06	191.80	194.54	197.28	200.02	202.76	205.50
	5"	213.50	217.00	220.50	224.00	227.50	231.00	234.50	238.00	241.50	245.00	248.50	252.00	255.50	259.00	262.50
	6"	305.61	310.62	315.63	320.64	325.65	330.66	335.67	340.68	345.69	350.70	355.71	360.72	365.73	370.74	375.75
	8"	512.40	520.80	529.20	537.60	546.00	554.40	562.80	571.20	579.60	588.00	596.40	604.80	613.20	621.60	630.00
	10"	823.50	837.00	850.50	864.00	877.50	891.00	904.50	918.00	931.50	945.00	958.50	972.00	985.50	999.00	1012.50
Well Casing CL-250 ASTM F480 ASTM D2241	12"	1128.50	1147.00	1165.50	1184.00	1202.50	1221.00	1239.50	1258.00	1276.50	1295.00	1313.50	1332.00	1350.50	1369.00	1387.50
	4.5"	204.96	208.32	211.68	215.04	218.40	221.76	225.12	228.48	231.84	235.20	238.56	241.92	245.28	248.64	252.00
	5"	262.30	266.60	270.90	275.20	279.50	283.80	288.10	292.40	296.70	301.00	305.30	309.60	313.90	318.20	322.50
Drop Pipe SCH 80 Threaded ASTM D1785	6"	368.44	374.48	380.52	386.56	392.60	398.64	404.68	410.72	416.76	422.80	428.84	434.88	440.92	446.96	453.00
	1"	42.70	43.40	44.10	44.80	45.50	46.20	46.90	47.60	48.30	49.00	49.70	50.40	51.10	51.80	52.50
	1.25"	54.90	55.80	56.70	57.60	58.50	59.40	60.30	61.20	62.10	63.00	63.90	64.80	65.70	66.60	67.50
	1.5"	82.35	83.70	85.05	86.40	87.75	89.10	90.45	91.80	93.15	94.50	95.85	97.20	98.55	99.90	101.25
Drop Pipe SCH 120 Threaded ASTM D1785	2"	113.56	115.43	117.29	119.15	121.01	122.87	124.73	126.60	128.46	130.32	132.18	134.04	135.90	137.77	139.63
	1"	58.58	59.54	60.51	61.47	62.43	63.39	64.35	65.31	66.27	67.23	68.19	69.15	70.11	71.07	72.03
	1.25"	84.11	85.49	86.86	88.24	89.62	91.00	92.38	93.76	95.14	96.52	97.89	99.27	100.65	102.03	103.41
	1.5"	97.60	99.20	100.80	102.40	104.00	105.60	107.20	108.80	110.40	112.00	113.60	115.20	116.80	118.40	120.00



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	14.59	14.78	14.98	15.17	15.36	15.55	15.74	15.94	16.13	16.32	16.51	16.70	16.90	17.09	17.28
	0.75"	19.53	19.79	20.05	20.30	20.56	20.82	21.07	21.33	21.59	21.85	22.10	22.36	22.62	22.87	23.13
	1"	29.11	29.49	29.87	30.26	30.64	31.02	31.41	31.79	32.17	32.56	32.94	33.32	33.70	34.09	34.47
	1.25"	39.29	39.81	40.33	40.84	41.36	41.88	42.39	42.91	43.43	43.95	44.46	44.98	45.50	46.01	46.53
	1.5"	46.97	47.59	48.20	48.82	49.44	50.06	50.68	51.29	51.91	52.53	53.15	53.77	54.38	55.00	55.62
	2"	63.46	64.30	65.13	65.97	66.80	67.64	68.47	69.31	70.14	70.98	71.81	72.65	73.48	74.32	75.15
	2.5"	99.79	101.10	102.41	103.73	105.04	106.35	107.67	108.98	110.29	111.61	112.92	114.23	115.54	116.86	118.17
	3"	130.57	132.29	134.00	135.72	137.44	139.16	140.88	142.59	144.31	146.03	147.75	149.47	151.18	152.90	154.62
	4"	191.52	194.04	196.56	199.08	201.60	204.12	206.64	209.16	211.68	214.20	216.72	219.24	221.76	224.28	226.80
	6"	338.96	343.42	347.88	352.34	356.80	361.26	365.72	370.18	374.64	379.10	383.56	388.02	392.48	396.94	401.40
	8"	525.16	532.07	538.98	545.89	552.80	559.71	566.62	573.53	580.44	587.35	594.26	601.17	608.08	614.99	621.90
	10"	727.32	736.89	746.46	756.03	765.60	775.17	784.74	794.31	803.88	813.45	823.02	832.59	842.16	851.73	861.30
	12"	972.04	984.83	997.62	1010.41	1023.20	1035.99	1048.78	1061.57	1074.36	1087.15	1099.94	1112.73	1125.52	1138.31	1151.10
	14"	1485.94	1505.49	1525.04	1544.59	1564.14	1583.70	1603.25	1622.80	1642.35	1661.90	1681.45	1701.01	1720.56	1740.11	1759.66
16"	1968.46	1994.36	2020.26	2046.16	2072.06	2097.96	2123.87	2149.77	2175.67	2201.57	2227.47	2253.37	2279.27	2305.17	2331.07	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	22.34	22.64	22.93	23.23	23.52	23.81	24.11	24.40	24.70	24.99	25.28	25.58	25.87	26.17	26.46
	0.75"	30.73	31.14	31.54	31.95	32.35	32.76	33.16	33.57	33.97	34.37	34.78	35.18	35.59	35.99	36.40
	1"	44.96	45.55	46.14	46.74	47.33	47.92	48.51	49.10	49.69	50.29	50.88	51.47	52.06	52.65	53.24
	1.25"	67.27	68.15	69.04	69.92	70.81	71.69	72.58	73.46	74.35	75.23	76.12	77.00	77.89	78.77	79.66
	1.5"	81.72	82.80	83.87	84.95	86.02	87.10	88.17	89.25	90.33	91.40	92.48	93.55	94.63	95.70	96.78
	2"	110.53	111.98	113.44	114.89	116.34	117.80	119.25	120.71	122.16	123.62	125.07	126.52	127.98	129.43	130.89
	2.5"	169.05	171.27	173.50	175.72	177.94	180.17	182.39	184.62	186.84	189.07	191.29	193.51	195.74	197.96	200.19
	3"	226.23	229.21	232.18	235.16	238.14	241.11	244.09	247.07	250.04	253.02	256.00	258.97	261.95	264.93	267.90
	4"	331.93	336.30	340.67	345.03	349.40	353.77	358.14	362.50	366.87	371.24	375.61	379.97	384.34	388.71	393.08
	6"	637.18	645.57	653.95	662.34	670.72	679.10	687.49	695.87	704.26	712.64	721.02	729.41	737.79	746.18	754.56
	8"	975.55	988.39	1001.22	1014.06	1026.90	1039.73	1052.57	1065.40	1078.24	1091.08	1103.91	1116.75	1129.59	1142.42	1155.26
	10"	1503.74	1523.53	1543.32	1563.10	1582.89	1602.67	1622.46	1642.25	1662.03	1681.82	1701.60	1721.39	1741.18	1760.96	1780.75
12"	2069.02	2096.25	2123.47	2150.70	2177.92	2205.14	2232.37	2259.59	2286.82	2314.04	2341.26	2368.49	2395.71	2422.94	2450.16	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	38.00	38.50	39.00	39.50	40.00	40.50	41.00	41.50	42.00	42.50	43.00	43.50	44.00	44.50	45.00
	2"	47.50	48.13	48.75	49.38	50.00	50.63	51.25	51.88	52.50	53.13	53.75	54.38	55.00	55.63	56.25
	3"	95.00	96.25	97.50	98.75	100.00	101.25	102.50	103.75	105.00	106.25	107.50	108.75	110.00	111.25	112.50
	4"	133.00	134.75	136.50	138.25	140.00	141.75	143.50	145.25	147.00	148.75	150.50	152.25	154.00	155.75	157.50
	6"	247.00	250.25	253.50	256.75	260.00	263.25	266.50	269.75	273.00	276.25	279.50	282.75	286.00	289.25	292.50



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	50.74	51.41	52.07	52.74	53.41	54.08	54.74	55.41	56.08	56.75	57.41	58.08	58.75	59.42	60.08
	2"	67.87	68.76	69.65	70.55	71.44	72.33	73.23	74.12	75.01	75.91	76.80	77.69	78.58	79.48	80.37
	3"	133.34	135.10	136.85	138.61	140.36	142.11	143.87	145.62	147.38	149.13	150.89	152.64	154.40	156.15	157.91
	4"	194.18	196.74	199.29	201.85	204.40	206.96	209.51	212.07	214.62	217.18	219.73	222.29	224.84	227.40	229.95
	6"	725.59	735.13	744.68	754.23	763.78	773.32	782.87	792.42	801.96	811.51	821.06	830.61	840.15	849.70	859.25
SCH 30/DWV	3"	77.52	78.54	79.56	80.58	81.60	82.62	83.64	84.66	85.68	86.70	87.72	88.74	89.76	90.78	91.80
ASTM D2729 10 FT BE White	3"	44.16	44.74	45.32	45.90	46.48	47.06	47.64	48.22	48.80	49.39	49.97	50.55	51.13	51.71	52.29
	4"	61.10	61.91	62.71	63.52	64.32	65.12	65.93	66.73	67.54	68.34	69.14	69.95	70.75	71.56	72.36
	6"	121.75	123.35	124.96	126.56	128.16	129.76	131.36	132.97	134.57	136.17	137.77	139.37	140.98	142.58	144.18
ASTM D3034 10/20 FT BE Green	3"	80.56	81.62	82.68	83.74	84.80	85.86	86.92	87.98	89.04	90.10	91.16	92.22	93.28	94.34	95.40
	4"	91.20	92.40	93.60	94.80	96.00	97.20	98.40	99.60	100.80	102.00	103.20	104.40	105.60	106.80	108.00
	6"	207.02	209.75	212.47	215.20	217.92	220.64	223.37	226.09	228.82	231.54	234.26	236.99	239.71	242.44	245.16
CL-63 ASTM D2241 20 FT BE	6"	131.48	133.21	134.94	136.67	138.40	140.13	141.86	143.59	145.32	147.05	148.78	150.51	152.24	153.97	155.70
	8"	221.31	224.22	227.14	230.05	232.96	235.87	238.78	241.70	244.61	247.52	250.43	253.34	256.26	259.17	262.08
	10"	343.52	348.04	352.56	357.08	361.60	366.12	370.64	375.16	379.68	384.20	388.72	393.24	397.76	402.28	406.80
CL-100 ASTM D2241 20 FT BE White	3"	56.09	56.83	57.56	58.30	59.04	59.78	60.52	61.25	61.99	62.73	63.47	64.21	64.94	65.68	66.42
	4"	91.73	92.94	94.15	95.35	96.56	97.77	98.97	100.18	101.39	102.60	103.80	105.01	106.22	107.42	108.63
	5"	139.16	140.99	142.82	144.65	146.48	148.31	150.14	151.97	153.80	155.64	157.47	159.30	161.13	162.96	164.79
	6"	202.16	204.82	207.48	210.14	212.80	215.46	218.12	220.78	223.44	226.10	228.76	231.42	234.08	236.74	239.40
	8"	342.00	346.50	351.00	355.50	360.00	364.50	369.00	373.50	378.00	382.50	387.00	391.50	396.00	400.50	405.00
	10"	509.20	515.90	522.60	529.30	536.00	542.70	549.40	556.10	562.80	569.50	576.20	582.90	589.60	596.30	603.00
	12"	713.64	723.03	732.42	741.81	751.20	760.59	769.98	779.37	788.76	798.15	807.54	816.93	826.32	835.71	845.10
CL-125 ASTM D2241 20 FT BE White	1.25"	18.01	18.25	18.49	18.72	18.96	19.20	19.43	19.67	19.91	20.15	20.38	20.62	20.86	21.09	21.33
	1.5"	20.75	21.02	21.29	21.57	21.84	22.11	22.39	22.66	22.93	23.21	23.48	23.75	24.02	24.30	24.57
	2"	31.46	31.88	32.29	32.71	33.12	33.53	33.95	34.36	34.78	35.19	35.60	36.02	36.43	36.85	37.26
	2.5"	45.60	46.20	46.80	47.40	48.00	48.60	49.20	49.80	50.40	51.00	51.60	52.20	52.80	53.40	54.00
	3"	69.24	70.15	71.06	71.97	72.88	73.79	74.70	75.61	76.52	77.44	78.35	79.26	80.17	81.08	81.99
	4"	117.27	118.81	120.35	121.90	123.44	124.98	126.53	128.07	129.61	131.16	132.70	134.24	135.78	137.33	138.87
	5"	171.91	174.17	176.44	178.70	180.96	183.22	185.48	187.75	190.01	192.27	194.53	196.79	199.06	201.32	203.58
	6"	255.36	258.72	262.08	265.44	268.80	272.16	275.52	278.88	282.24	285.60	288.96	292.32	295.68	299.04	302.40
	8"	409.64	415.03	420.42	425.81	431.20	436.59	441.98	447.37	452.76	458.15	463.54	468.93	474.32	479.71	485.10
	10"	639.92	648.34	656.76	665.18	673.60	682.02	690.44	698.86	707.28	715.70	724.12	732.54	740.96	749.38	757.80
12"	851.20	862.40	873.60	884.80	896.00	907.20	918.40	929.60	940.80	952.00	963.20	974.40	985.60	996.80	1008.00	





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
CL-160 ASTM D2241 20 FT BE White	1.25"	19.38	19.64	19.89	20.15	20.40	20.66	20.91	21.17	21.42	21.68	21.93	22.19	22.44	22.70	22.95
	1.5"	25.38	25.72	26.05	26.39	26.72	27.05	27.39	27.72	28.06	28.39	28.72	29.06	29.39	29.73	30.06
	2"	39.52	40.04	40.56	41.08	41.60	42.12	42.64	43.16	43.68	44.20	44.72	45.24	45.76	46.28	46.80
	2.5"	56.85	57.60	58.34	59.09	59.84	60.59	61.34	62.08	62.83	63.58	64.33	65.08	65.82	66.57	67.32
	3"	86.34	87.47	88.61	89.74	90.88	92.02	93.15	94.29	95.42	96.56	97.70	98.83	99.97	101.10	102.24
	4"	144.40	146.30	148.20	150.10	152.00	153.90	155.80	157.70	159.60	161.50	163.40	165.30	167.20	169.10	171.00
	6"	311.60	315.70	319.80	323.90	328.00	332.10	336.20	340.30	344.40	348.50	352.60	356.70	360.80	364.90	369.00
	8"	524.40	531.30	538.20	545.10	552.00	558.90	565.80	572.70	579.60	586.50	593.40	600.30	607.20	614.10	621.00
CL-200 ASTM D2241 20 FT BE White	0.75"	11.32	11.47	11.62	11.77	11.92	12.07	12.22	12.37	12.52	12.67	12.81	12.96	13.11	13.26	13.41
	1"	15.05	15.25	15.44	15.64	15.84	16.04	16.24	16.43	16.63	16.83	17.03	17.23	17.42	17.62	17.82
	1.25"	23.56	23.87	24.18	24.49	24.80	25.11	25.42	25.73	26.04	26.35	26.66	26.97	27.28	27.59	27.90
	1.5"	30.78	31.19	31.59	32.00	32.40	32.81	33.21	33.62	34.02	34.43	34.83	35.24	35.64	36.05	36.45
	2"	46.59	47.20	47.81	48.43	49.04	49.65	50.27	50.88	51.49	52.11	52.72	53.33	53.94	54.56	55.17
	2.5"	69.84	70.76	71.68	72.60	73.52	74.44	75.36	76.28	77.20	78.12	79.03	79.95	80.87	81.79	82.71
	3"	104.35	105.72	107.09	108.47	109.84	111.21	112.59	113.96	115.33	116.71	118.08	119.45	120.82	122.20	123.57
	4"	174.19	176.48	178.78	181.07	183.36	185.65	187.94	190.24	192.53	194.82	197.11	199.40	201.70	203.99	206.28
	6"	376.20	381.15	386.10	391.05	396.00	400.95	405.90	410.85	415.80	420.75	425.70	430.65	435.60	440.55	445.50
8"	652.84	661.43	670.02	678.61	687.20	695.79	704.38	712.97	721.56	730.15	738.74	747.33	755.92	764.51	773.10	
CL-315 ASTM D2241 20 FT BE White	0.5"	9.04	9.16	9.28	9.40	9.52	9.64	9.76	9.88	10.00	10.12	10.23	10.35	10.47	10.59	10.71
	1.5"	47.73	48.36	48.98	49.61	50.24	50.87	51.50	52.12	52.75	53.38	54.01	54.64	55.26	55.89	56.52
	2"	72.96	73.92	74.88	75.84	76.80	77.76	78.72	79.68	80.64	81.60	82.56	83.52	84.48	85.44	86.40
	2.5"	103.59	104.95	106.31	107.68	109.04	110.40	111.77	113.13	114.49	115.86	117.22	118.58	119.94	121.31	122.67
	3"	155.34	157.39	159.43	161.48	163.52	165.56	167.61	169.65	171.70	173.74	175.78	177.83	179.87	181.92	183.96
	4"	258.78	262.19	265.59	269.00	272.40	275.81	279.21	282.62	286.02	289.43	292.83	296.24	299.64	303.05	306.45
Eagle-Loc SCH 40 ASTM F480	4"	266.95	270.46	273.98	277.49	281.00	284.51	288.03	291.54	295.05	298.56	302.08	305.59	309.10	312.61	316.13
	4.5"	309.94	314.01	318.09	322.17	326.25	330.33	334.40	338.48	342.56	346.64	350.72	354.79	358.87	362.95	367.03
	6"	475.01	481.26	487.51	493.76	500.01	506.26	512.51	518.76	525.01	531.26	537.51	543.76	550.01	556.26	562.51
Eagle-Loc SDR21 ASTM F480	5"	373.17	378.08	382.99	387.90	392.81	397.72	402.63	407.54	412.45	417.36	422.27	427.18	432.09	437.00	441.91
	6"	533.04	540.05	547.07	554.08	561.10	568.11	575.12	582.14	589.15	596.16	603.18	610.19	617.21	624.22	631.23
Eagle-Loc SDR17 ASTM F480	4.5"	358.22	362.93	367.65	372.36	377.07	381.79	386.50	391.21	395.93	400.64	405.35	410.07	414.78	419.49	424.21
	5"	455.09	461.08	467.06	473.05	479.04	485.03	491.02	497.00	502.99	508.98	514.97	520.96	526.94	532.93	538.92
	6"	646.32	654.82	663.33	671.83	680.34	688.84	697.34	705.85	714.35	722.86	731.36	739.87	748.37	756.87	765.38





# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	191.52	194.04	196.56	199.08	201.60	204.12	206.64	209.16	211.68	214.20	216.72	219.24	221.76	224.28	226.80
	4.5"	221.92	224.84	227.76	230.68	233.60	236.52	239.44	242.36	245.28	248.20	251.12	254.04	256.96	259.88	262.80
	5"	258.40	261.80	265.20	268.60	272.00	275.40	278.80	282.20	285.60	289.00	292.40	295.80	299.20	302.60	306.00
	6"	338.96	343.42	347.88	352.34	356.80	361.26	365.72	370.18	374.64	379.10	383.56	388.02	392.48	396.94	401.40
	8"	525.16	532.07	538.98	545.89	552.80	559.71	566.62	573.53	580.44	587.35	594.26	601.17	608.08	614.99	621.90
	10"	727.32	736.89	746.46	756.03	765.60	775.17	784.74	794.31	803.88	813.45	823.02	832.59	842.16	851.73	861.30
Well Casing CL-125	4"	117.27	118.81	120.35	121.90	123.44	124.98	126.53	128.07	129.61	131.16	132.70	134.24	135.78	137.33	138.87
	6"	253.54	256.87	260.21	263.54	266.88	270.22	273.55	276.89	280.22	283.56	286.90	290.23	293.57	296.90	300.24
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	144.40	146.30	148.20	150.10	152.00	153.90	155.80	157.70	159.60	161.50	163.40	165.30	167.20	169.10	171.00
	4.5"	171.76	174.02	176.28	178.54	180.80	183.06	185.32	187.58	189.84	192.10	194.36	196.62	198.88	201.14	203.40
	5"	219.79	222.68	225.58	228.47	231.36	234.25	237.14	240.04	242.93	245.82	248.71	251.60	254.50	257.39	260.28
	6"	311.60	315.70	319.80	323.90	328.00	332.10	336.20	340.30	344.40	348.50	352.60	356.70	360.80	364.90	369.00
	8"	525.16	532.07	538.98	545.89	552.80	559.71	566.62	573.53	580.44	587.35	594.26	601.17	608.08	614.99	621.90
	10"	836.00	847.00	858.00	869.00	880.00	891.00	902.00	913.00	924.00	935.00	946.00	957.00	968.00	979.00	990.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	1140.00	1155.00	1170.00	1185.00	1200.00	1215.00	1230.00	1245.00	1260.00	1275.00	1290.00	1305.00	1320.00	1335.00	1350.00
	4"	174.19	176.48	178.78	181.07	183.36	185.65	187.94	190.24	192.53	194.82	197.11	199.40	201.70	203.99	206.28
	4.5"	208.24	210.98	213.72	216.46	219.20	221.94	224.68	227.42	230.16	232.90	235.64	238.38	241.12	243.86	246.60
	5"	266.00	269.50	273.00	276.50	280.00	283.50	287.00	290.50	294.00	297.50	301.00	304.50	308.00	311.50	315.00
	6"	380.76	385.77	390.78	395.79	400.80	405.81	410.82	415.83	420.84	425.85	430.86	435.87	440.88	445.89	450.90
	8"	638.40	646.80	655.20	663.60	672.00	680.40	688.80	697.20	705.60	714.00	722.40	730.80	739.20	747.60	756.00
	10"	1026.00	1039.50	1053.00	1066.50	1080.00	1093.50	1107.00	1120.50	1134.00	1147.50	1161.00	1174.50	1188.00	1201.50	1215.00
Well Casing CL-250 ASTM F480 ASTM D2241	12"	1406.00	1424.50	1443.00	1461.50	1480.00	1498.50	1517.00	1535.50	1554.00	1572.50	1591.00	1609.50	1628.00	1646.50	1665.00
	4.5"	255.36	258.72	262.08	265.44	268.80	272.16	275.52	278.88	282.24	285.60	288.96	292.32	295.68	299.04	302.40
	5"	326.80	331.10	335.40	339.70	344.00	348.30	352.60	356.90	361.20	365.50	369.80	374.10	378.40	382.70	387.00
Drop Pipe SCH 80 Threaded ASTM D1785	6"	459.04	465.08	471.12	477.16	483.20	489.24	495.28	501.32	507.36	513.40	519.44	525.48	531.52	537.56	543.60
	1"	53.20	53.90	54.60	55.30	56.00	56.70	57.40	58.10	58.80	59.50	60.20	60.90	61.60	62.30	63.00
	1.25"	68.40	69.30	70.20	71.10	72.00	72.90	73.80	74.70	75.60	76.50	77.40	78.30	79.20	80.10	81.00
	1.5"	102.60	103.95	105.30	106.65	108.00	109.35	110.70	112.05	113.40	114.75	116.10	117.45	118.80	120.15	121.50
Drop Pipe SCH 120 Threaded ASTM D1785	2"	141.49	143.35	145.21	147.07	148.94	150.80	152.66	154.52	156.38	158.24	160.11	161.97	163.83	165.69	167.55
	1"	72.99	73.95	74.91	75.87	76.83	77.79	78.75	79.71	80.67	81.63	82.59	83.55	84.52	85.48	86.44
	1.25"	104.79	106.17	107.55	108.93	110.30	111.68	113.06	114.44	115.82	117.20	118.58	119.96	121.33	122.71	124.09
	1.5"	121.60	123.20	124.80	126.40	128.00	129.60	131.20	132.80	134.40	136.00	137.60	139.20	140.80	142.40	144.00



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
SCH 40 ASTM D1785  DWV ASTM D2665  10/20 FT BE / PE White	0.5"	17.47	17.66	17.86	18.05	18.24	18.43	18.62	18.82	19.01	19.20	19.39	19.58	19.78	19.97	20.16
	0.75"	23.39	23.64	23.90	24.16	24.42	24.67	24.93	25.19	25.44	25.70	25.96	26.21	26.47	26.73	26.99
	1"	34.85	35.24	35.62	36.00	36.39	36.77	37.15	37.53	37.92	38.30	38.68	39.07	39.45	39.83	40.22
	1.25"	47.05	47.56	48.08	48.60	49.12	49.63	50.15	50.67	51.18	51.70	52.22	52.73	53.25	53.77	54.29
	1.5"	56.24	56.86	57.47	58.09	58.71	59.33	59.95	60.56	61.18	61.80	62.42	63.04	63.65	64.27	64.89
	2"	75.99	76.82	77.66	78.49	79.33	80.16	81.00	81.83	82.67	83.50	84.34	85.17	86.01	86.84	87.68
	2.5"	119.48	120.80	122.11	123.42	124.74	126.05	127.36	128.67	129.99	131.30	132.61	133.93	135.24	136.55	137.87
	3"	156.34	158.06	159.77	161.49	163.21	164.93	166.65	168.36	170.08	171.80	173.52	175.24	176.95	178.67	180.39
	4"	229.32	231.84	234.36	236.88	239.40	241.92	244.44	246.96	249.48	252.00	254.52	257.04	259.56	262.08	264.60
	6"	405.86	410.32	414.78	419.24	423.70	428.16	432.62	437.08	441.54	446.00	450.46	454.92	459.38	463.84	468.30
	8"	628.81	635.72	642.63	649.54	656.45	663.36	670.27	677.18	684.09	691.00	697.91	704.82	711.73	718.64	725.55
	10"	870.87	880.44	890.01	899.58	909.15	918.72	928.29	937.86	947.43	957.00	966.57	976.14	985.71	995.28	1004.85
	12"	1163.89	1176.68	1189.47	1202.26	1215.05	1227.84	1240.63	1253.42	1266.21	1279.00	1291.79	1304.58	1317.37	1330.16	1342.95
	14"	1779.21	1798.77	1818.32	1837.87	1857.42	1876.97	1896.52	1916.08	1935.63	1955.18	1974.73	1994.28	2013.84	2033.39	2052.94
16"	2356.97	2382.87	2408.77	2434.68	2460.58	2486.48	2512.38	2538.28	2564.18	2590.08	2615.98	2641.88	2667.78	2693.68	2719.58	
SCH 80 ASTM D1785 20 FT PE Dark Gray	0.5"	26.75	27.05	27.34	27.64	27.93	28.22	28.52	28.81	29.11	29.40	29.69	29.99	30.28	30.58	30.87
	0.75"	36.80	37.20	37.61	38.01	38.42	38.82	39.23	39.63	40.04	40.44	40.84	41.25	41.65	42.06	42.46
	1"	53.84	54.43	55.02	55.61	56.20	56.79	57.39	57.98	58.57	59.16	59.75	60.34	60.93	61.53	62.12
	1.25"	80.54	81.43	82.31	83.20	84.08	84.97	85.85	86.74	87.62	88.51	89.40	90.28	91.17	92.05	92.94
	1.5"	97.85	98.93	100.00	101.08	102.15	103.23	104.30	105.38	106.45	107.53	108.61	109.68	110.76	111.83	112.91
	2"	132.34	133.80	135.25	136.70	138.16	139.61	141.07	142.52	143.98	145.43	146.88	148.34	149.79	151.25	152.70
	2.5"	202.41	204.64	206.86	209.08	211.31	213.53	215.76	217.98	220.21	222.43	224.65	226.88	229.10	231.33	233.55
	3"	270.88	273.86	276.83	279.81	282.79	285.76	288.74	291.72	294.69	297.67	300.65	303.62	306.60	309.58	312.55
	4"	397.44	401.81	406.18	410.55	414.91	419.28	423.65	428.02	432.38	436.75	441.12	445.49	449.85	454.22	458.59
	6"	762.94	771.33	779.71	788.10	796.48	804.86	813.25	821.63	830.02	838.40	846.78	855.17	863.55	871.94	880.32
	8"	1168.09	1180.93	1193.77	1206.60	1219.44	1232.28	1245.11	1257.95	1270.78	1283.62	1296.46	1309.29	1322.13	1334.96	1347.80
	10"	1800.54	1820.32	1840.11	1859.89	1879.68	1899.47	1919.25	1939.04	1958.82	1978.61	1998.40	2018.18	2037.97	2057.75	2077.54
12"	2477.38	2504.61	2531.83	2559.06	2586.28	2613.50	2640.73	2667.95	2695.18	2722.40	2749.62	2776.85	2804.07	2831.30	2858.52	
PVC Form Core SCH 40/DWV ASTM F891 10/20 FT PE White	1.5"	45.50	46.00	46.50	47.00	47.50	48.00	48.50	49.00	49.50	50.00	50.50	51.00	51.50	52.00	52.50
	2"	56.88	57.50	58.13	58.75	59.38	60.00	60.63	61.25	61.88	62.50	63.13	63.75	64.38	65.00	65.63
	3"	113.75	115.00	116.25	117.50	118.75	120.00	121.25	122.50	123.75	125.00	126.25	127.50	128.75	130.00	131.25
	4"	159.25	161.00	162.75	164.50	166.25	168.00	169.75	171.50	173.25	175.00	176.75	178.50	180.25	182.00	183.75
	6"	295.75	299.00	302.25	305.50	308.75	312.00	315.25	318.50	321.75	325.00	328.25	331.50	334.75	338.00	341.25



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
ABS Foam Core SCH 40/DWV ASTM F628 10/20 FT PE Black	1.5"	60.75	61.42	62.09	62.75	63.42	64.09	64.76	65.42	66.09	66.76	67.43	68.10	68.76	69.43	70.10
	2"	81.26	82.16	83.05	83.94	84.84	85.73	86.62	87.51	88.41	89.30	90.19	91.09	91.98	92.87	93.77
	3"	159.66	161.41	163.17	164.92	166.68	168.43	170.19	171.94	173.70	175.45	177.20	178.96	180.71	182.47	184.22
	4"	232.51	235.06	237.62	240.17	242.73	245.28	247.84	250.39	252.95	255.50	258.06	260.61	263.17	265.72	268.28
	6"	868.80	878.34	887.89	897.44	906.98	916.53	926.08	935.63	945.17	954.72	964.27	973.81	983.36	992.91	1002.46
SCH 30/DWV	3"	92.82	93.84	94.86	95.88	96.90	97.92	98.94	99.96	100.98	102.00	103.02	104.04	105.06	106.08	107.10
ASTM D2729 10 FT BE White	3"	52.87	53.45	54.03	54.61	55.20	55.78	56.36	56.94	57.52	58.10	58.68	59.26	59.84	60.42	61.01
	4"	73.16	73.97	74.77	75.58	76.38	77.18	77.99	78.79	79.60	80.40	81.20	82.01	82.81	83.62	84.42
	6"	145.78	147.38	148.99	150.59	152.19	153.79	155.39	157.00	158.60	160.20	161.80	163.40	165.01	166.61	168.21
ASTM D3034 10/20 FT BE Green	3"	96.46	97.52	98.58	99.64	100.70	101.76	102.82	103.88	104.94	106.00	107.06	108.12	109.18	110.24	111.30
	4"	109.20	110.40	111.60	112.80	114.00	115.20	116.40	117.60	118.80	120.00	121.20	122.40	123.60	124.80	126.00
	6"	247.88	250.61	253.33	256.06	258.78	261.50	264.23	266.95	269.68	272.40	275.12	277.85	280.57	283.30	286.02
CL-63 ASTM D2241 20 FT BE	6"	157.43	159.16	160.89	162.62	164.35	166.08	167.81	169.54	171.27	173.00	174.73	176.46	178.19	179.92	181.65
	8"	264.99	267.90	270.82	273.73	276.64	279.55	282.46	285.38	288.29	291.20	294.11	297.02	299.94	302.85	305.76
	10"	411.32	415.84	420.36	424.88	429.40	433.92	438.44	442.96	447.48	452.00	456.52	461.04	465.56	470.08	474.60
CL-100 ASTM D2241 20 FT BE White	3"	67.16	67.90	68.63	69.37	70.11	70.85	71.59	72.32	73.06	73.80	74.54	75.28	76.01	76.75	77.49
	4"	109.84	111.04	112.25	113.46	114.67	115.87	117.08	118.29	119.49	120.70	121.91	123.11	124.32	125.53	126.74
	5"	166.62	168.45	170.28	172.11	173.95	175.78	177.61	179.44	181.27	183.10	184.93	186.76	188.59	190.42	192.26
	6"	242.06	244.72	247.38	250.04	252.70	255.36	258.02	260.68	263.34	266.00	268.66	271.32	273.98	276.64	279.30
	8"	409.50	414.00	418.50	423.00	427.50	432.00	436.50	441.00	445.50	450.00	454.50	459.00	463.50	468.00	472.50
	10"	609.70	616.40	623.10	629.80	636.50	643.20	649.90	656.60	663.30	670.00	676.70	683.40	690.10	696.80	703.50
	12"	854.49	863.88	873.27	882.66	892.05	901.44	910.83	920.22	929.61	939.00	948.39	957.78	967.17	976.56	985.95
CL-125 ASTM D2241 20 FT BE White	1.25"	21.57	21.80	22.04	22.28	22.52	22.75	22.99	23.23	23.46	23.70	23.94	24.17	24.41	24.65	24.89
	1.5"	24.84	25.12	25.39	25.66	25.94	26.21	26.48	26.75	27.03	27.30	27.57	27.85	28.12	28.39	28.67
	2"	37.67	38.09	38.50	38.92	39.33	39.74	40.16	40.57	40.99	41.40	41.81	42.23	42.64	43.06	43.47
	2.5"	54.60	55.20	55.80	56.40	57.00	57.60	58.20	58.80	59.40	60.00	60.60	61.20	61.80	62.40	63.00
	3"	82.90	83.81	84.72	85.63	86.55	87.46	88.37	89.28	90.19	91.10	92.01	92.92	93.83	94.74	95.66
	4"	140.41	141.96	143.50	145.04	146.59	148.13	149.67	151.21	152.76	154.30	155.84	157.39	158.93	160.47	162.02
	5"	205.84	208.10	210.37	212.63	214.89	217.15	219.41	221.68	223.94	226.20	228.46	230.72	232.99	235.25	237.51
	6"	305.76	309.12	312.48	315.84	319.20	322.56	325.92	329.28	332.64	336.00	339.36	342.72	346.08	349.44	352.80
	8"	490.49	495.88	501.27	506.66	512.05	517.44	522.83	528.22	533.61	539.00	544.39	549.78	555.17	560.56	565.95
	10"	766.22	774.64	783.06	791.48	799.90	808.32	816.74	825.16	833.58	842.00	850.42	858.84	867.26	875.68	884.10
12"	1019.20	1030.40	1041.60	1052.80	1064.00	1075.20	1086.40	1097.60	1108.80	1120.00	1131.20	1142.40	1153.60	1164.80	1176.00	



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
CL-160 ASTM D2241 20 FT BE White	1.25"	23.21	23.46	23.72	23.97	24.23	24.48	24.74	24.99	25.25	25.50	25.76	26.01	26.27	26.52	26.78
	1.5"	30.39	30.73	31.06	31.40	31.73	32.06	32.40	32.73	33.07	33.40	33.73	34.07	34.40	34.74	35.07
	2"	47.32	47.84	48.36	48.88	49.40	49.92	50.44	50.96	51.48	52.00	52.52	53.04	53.56	54.08	54.60
	2.5"	68.07	68.82	69.56	70.31	71.06	71.81	72.56	73.30	74.05	74.80	75.55	76.30	77.04	77.79	78.54
	3"	103.38	104.51	105.65	106.78	107.92	109.06	110.19	111.33	112.46	113.60	114.74	115.87	117.01	118.14	119.28
	4"	172.90	174.80	176.70	178.60	180.50	182.40	184.30	186.20	188.10	190.00	191.90	193.80	195.70	197.60	199.50
	6"	373.10	377.20	381.30	385.40	389.50	393.60	397.70	401.80	405.90	410.00	414.10	418.20	422.30	426.40	430.50
	8"	627.90	634.80	641.70	648.60	655.50	662.40	669.30	676.20	683.10	690.00	696.90	703.80	710.70	717.60	724.50
CL-200 ASTM D2241 20 FT BE White	0.75"	13.56	13.71	13.86	14.01	14.16	14.30	14.45	14.60	14.75	14.90	15.05	15.20	15.35	15.50	15.65
	1"	18.02	18.22	18.41	18.61	18.81	19.01	19.21	19.40	19.60	19.80	20.00	20.20	20.39	20.59	20.79
	1.25"	28.21	28.52	28.83	29.14	29.45	29.76	30.07	30.38	30.69	31.00	31.31	31.62	31.93	32.24	32.55
	1.5"	36.86	37.26	37.67	38.07	38.48	38.88	39.29	39.69	40.10	40.50	40.91	41.31	41.72	42.12	42.53
	2"	55.78	56.40	57.01	57.62	58.24	58.85	59.46	60.07	60.69	61.30	61.91	62.53	63.14	63.75	64.37
	2.5"	83.63	84.55	85.47	86.39	87.31	88.22	89.14	90.06	90.98	91.90	92.82	93.74	94.66	95.58	96.50
	3"	124.94	126.32	127.69	129.06	130.44	131.81	133.18	134.55	135.93	137.30	138.67	140.05	141.42	142.79	144.17
	4"	208.57	210.86	213.16	215.45	217.74	220.03	222.32	224.62	226.91	229.20	231.49	233.78	236.08	238.37	240.66
	6"	450.45	455.40	460.35	465.30	470.25	475.20	480.15	485.10	490.05	495.00	499.95	504.90	509.85	514.80	519.75
8"	781.69	790.28	798.87	807.46	816.05	824.64	833.23	841.82	850.41	859.00	867.59	876.18	884.77	893.36	901.95	
CL-315 ASTM D2241 20 FT BE White	0.5"	10.83	10.95	11.07	11.19	11.31	11.42	11.54	11.66	11.78	11.90	12.02	12.14	12.26	12.38	12.50
	1.5"	57.15	57.78	58.40	59.03	59.66	60.29	60.92	61.54	62.17	62.80	63.43	64.06	64.68	65.31	65.94
	2"	87.36	88.32	89.28	90.24	91.20	92.16	93.12	94.08	95.04	96.00	96.96	97.92	98.88	99.84	100.80
	2.5"	124.03	125.40	126.76	128.12	129.49	130.85	132.21	133.57	134.94	136.30	137.66	139.03	140.39	141.75	143.12
	3"	186.00	188.05	190.09	192.14	194.18	196.22	198.27	200.31	202.36	204.40	206.44	208.49	210.53	212.58	214.62
	4"	309.86	313.26	316.67	320.07	323.48	326.88	330.29	333.69	337.10	340.50	343.91	347.31	350.72	354.12	357.53
Eagle-Loc SCH 40 ASTM F480	4"	319.64	323.15	326.66	330.18	333.69	337.20	340.71	344.23	347.74	351.25	354.76	358.28	361.79	365.30	368.81
	4.5"	371.11	375.19	379.26	383.34	387.42	391.50	395.58	399.65	403.73	407.81	411.89	415.97	420.04	424.12	428.20
	6"	568.76	575.01	581.26	587.51	593.76	600.01	606.26	612.51	618.76	625.01	631.26	637.51	643.76	650.01	656.26
Eagle-Loc SDR21 ASTM F480	5"	446.82	451.73	456.64	461.55	466.46	471.37	476.28	481.19	486.10	491.01	495.92	500.83	505.74	510.65	515.56
	6"	638.25	645.26	652.27	659.29	666.30	673.32	680.33	687.34	694.36	701.37	708.38	715.40	722.41	729.42	736.44
Eagle-Loc SDR17 ASTM F480	4.5"	428.92	433.63	438.35	443.06	447.77	452.49	457.20	461.91	466.63	471.34	476.05	480.77	485.48	490.19	494.91
	5"	544.91	550.90	556.88	562.87	568.86	574.85	580.84	586.82	592.81	598.80	604.79	610.78	616.76	622.75	628.74
	6"	773.88	782.39	790.89	799.39	807.90	816.40	824.91	833.41	841.92	850.42	858.92	867.43	875.93	884.44	892.94



# Solvent Weld Block Pricing

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
Well Casing SCH 40 ASTM F480 ASTM D1785 20 FT White	4"	229.32	231.84	234.36	236.88	239.40	241.92	244.44	246.96	249.48	252.00	254.52	257.04	259.56	262.08	264.60
	4.5"	265.72	268.64	271.56	274.48	277.40	280.32	283.24	286.16	289.08	292.00	294.92	297.84	300.76	303.68	306.60
	5"	309.40	312.80	316.20	319.60	323.00	326.40	329.80	333.20	336.60	340.00	343.40	346.80	350.20	353.60	357.00
	6"	405.86	410.32	414.78	419.24	423.70	428.16	432.62	437.08	441.54	446.00	450.46	454.92	459.38	463.84	468.30
	8"	628.81	635.72	642.63	649.54	656.45	663.36	670.27	677.18	684.09	691.00	697.91	704.82	711.73	718.64	725.55
	10"	870.87	880.44	890.01	899.58	909.15	918.72	928.29	937.86	947.43	957.00	966.57	976.14	985.71	995.28	1004.85
Well Casing CL-125	4"	140.41	141.96	143.50	145.04	146.59	148.13	149.67	151.21	152.76	154.30	155.84	157.39	158.93	160.47	162.02
	6"	303.58	306.91	310.25	313.58	316.92	320.26	323.59	326.93	330.26	333.60	336.94	340.27	343.61	346.94	350.28
Well Casing CL-160 ASTM F480 ASTM D2241 20 FT White	4"	172.90	174.80	176.70	178.60	180.50	182.40	184.30	186.20	188.10	190.00	191.90	193.80	195.70	197.60	199.50
	4.5"	205.66	207.92	210.18	212.44	214.70	216.96	219.22	221.48	223.74	226.00	228.26	230.52	232.78	235.04	237.30
	5"	263.17	266.06	268.96	271.85	274.74	277.63	280.52	283.42	286.31	289.20	292.09	294.98	297.88	300.77	303.66
	6"	373.10	377.20	381.30	385.40	389.50	393.60	397.70	401.80	405.90	410.00	414.10	418.20	422.30	426.40	430.50
	8"	628.81	635.72	642.63	649.54	656.45	663.36	670.27	677.18	684.09	691.00	697.91	704.82	711.73	718.64	725.55
	10"	1001.00	1012.00	1023.00	1034.00	1045.00	1056.00	1067.00	1078.00	1089.00	1100.00	1111.00	1122.00	1133.00	1144.00	1155.00
Well Casing CL-200 ASTM F480 ASTM D2241 20 FT White	12"	1365.00	1380.00	1395.00	1410.00	1425.00	1440.00	1455.00	1470.00	1485.00	1500.00	1515.00	1530.00	1545.00	1560.00	1575.00
	4"	208.57	210.86	213.16	215.45	217.74	220.03	222.32	224.62	226.91	229.20	231.49	233.78	236.08	238.37	240.66
	4.5"	249.34	252.08	254.82	257.56	260.30	263.04	265.78	268.52	271.26	274.00	276.74	279.48	282.22	284.96	287.70
	5"	318.50	322.00	325.50	329.00	332.50	336.00	339.50	343.00	346.50	350.00	353.50	357.00	360.50	364.00	367.50
	6"	455.91	460.92	465.93	470.94	475.95	480.96	485.97	490.98	495.99	501.00	506.01	511.02	516.03	521.04	526.05
	8"	764.40	772.80	781.20	789.60	798.00	806.40	814.80	823.20	831.60	840.00	848.40	856.80	865.20	873.60	882.00
	10"	1228.50	1242.00	1255.50	1269.00	1282.50	1296.00	1309.50	1323.00	1336.50	1350.00	1363.50	1377.00	1390.50	1404.00	1417.50
Well Casing CL-250 ASTM F480 ASTM D2241	12"	1683.50	1702.00	1720.50	1739.00	1757.50	1776.00	1794.50	1813.00	1831.50	1850.00	1868.50	1887.00	1905.50	1924.00	1942.50
	4.5"	305.76	309.12	312.48	315.84	319.20	322.56	325.92	329.28	332.64	336.00	339.36	342.72	346.08	349.44	352.80
	5"	391.30	395.60	399.90	404.20	408.50	412.80	417.10	421.40	425.70	430.00	434.30	438.60	442.90	447.20	451.50
Drop Pipe SCH 80 Threaded ASTM D1785	6"	549.64	555.68	561.72	567.76	573.80	579.84	585.88	591.92	597.96	604.00	610.04	616.08	622.12	628.16	634.20
	1"	63.70	64.40	65.10	65.80	66.50	67.20	67.90	68.60	69.30	70.00	70.70	71.40	72.10	72.80	73.50
	1.25"	81.90	82.80	83.70	84.60	85.50	86.40	87.30	88.20	89.10	90.00	90.90	91.80	92.70	93.60	94.50
	1.5"	122.85	124.20	125.55	126.90	128.25	129.60	130.95	132.30	133.65	135.00	136.35	137.70	139.05	140.40	141.75
Drop Pipe SCH 120 Threaded ASTM D1785	2"	169.41	171.28	173.14	175.00	176.86	178.72	180.58	182.45	184.31	186.17	188.03	189.89	191.76	193.62	195.48
	1"	87.40	88.36	89.32	90.28	91.24	92.20	93.16	94.12	95.08	96.04	97.00	97.96	98.92	99.88	100.84
	1.25"	125.47	126.85	128.23	129.61	130.99	132.36	133.74	135.12	136.50	137.88	139.26	140.64	142.02	143.40	144.77
	1.5"	145.60	147.20	148.80	150.40	152.00	153.60	155.20	156.80	158.40	160.00	161.60	163.20	164.80	166.40	168.00