



JM Eagle™

*Building essentials
for a better tomorrow™*

ELECTRICAL CONDUIT

PRICE INDEX



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	2.93	3.11	3.30	3.48	3.66	3.85	4.03	4.21	4.40	4.58	4.76	4.95	5.13	5.31	5.50
	0.75"	3.63	3.86	4.09	4.31	4.54	4.77	4.99	5.22	5.45	5.68	5.90	6.13	6.36	6.58	6.81
	1"	5.30	5.63	5.96	6.29	6.62	6.96	7.29	7.62	7.95	8.28	8.61	8.94	9.27	9.60	9.94
	1.25"	7.65	8.13	8.60	9.08	9.56	10.04	10.52	10.99	11.47	11.95	12.43	12.91	13.38	13.86	14.34
	1.5"	8.88	9.43	9.99	10.54	11.10	11.65	12.21	12.76	13.32	13.87	14.42	14.98	15.53	16.09	16.64
	2"	11.25	11.95	12.65	13.36	14.06	14.76	15.47	16.17	16.87	17.58	18.28	18.98	19.68	20.39	21.09
	2.5"	19.09	20.28	21.48	22.67	23.86	25.06	26.25	27.44	28.64	29.83	31.02	32.22	33.41	34.60	35.80
	3"	23.00	24.44	25.88	27.31	28.75	30.19	31.63	33.06	34.50	35.94	37.38	38.82	40.25	41.69	43.13
	3.5"	29.70	31.55	33.41	35.26	37.12	38.98	40.83	42.69	44.54	46.40	48.26	50.11	51.97	53.82	55.68
	4"	32.45	34.48	36.50	38.53	40.56	42.59	44.62	46.64	48.67	50.70	52.73	54.76	56.78	58.81	60.84
	5"	44.99	47.80	50.62	53.43	56.24	59.05	61.86	64.68	67.49	70.30	73.11	75.92	78.74	81.55	84.36
6"	59.75	63.48	67.22	70.95	74.68	78.42	82.15	85.89	89.62	93.36	97.09	100.82	104.56	108.29	112.03	
8"	129.49	137.58	145.68	153.77	161.86	169.96	178.05	186.14	194.24	202.33	210.42	218.52	226.61	234.70	242.80	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	4.60	4.89	5.17	5.46	5.75	6.04	6.32	6.61	6.90	7.19	7.47	7.76	8.05	8.33	8.62
	0.75"	6.17	6.55	6.94	7.32	7.71	8.09	8.48	8.86	9.25	9.64	10.02	10.41	10.79	11.18	11.56
	1"	8.67	9.21	9.75	10.29	10.84	11.38	11.92	12.46	13.00	13.55	14.09	14.63	15.17	15.71	16.25
	1.25"	11.29	12.00	12.70	13.41	14.11	14.82	15.52	16.23	16.93	17.64	18.35	19.05	19.76	20.46	21.17
	1.5"	13.39	14.22	15.06	15.90	16.73	17.57	18.41	19.24	20.08	20.92	21.75	22.59	23.42	24.26	25.10
	2"	17.62	18.72	19.83	20.93	22.03	23.13	24.23	25.33	26.43	27.54	28.64	29.74	30.84	31.94	33.04
	2.5"	28.24	30.00	31.77	33.53	35.30	37.06	38.83	40.59	42.36	44.12	45.88	47.65	49.41	51.18	52.94
	3"	34.20	36.33	38.47	40.61	42.74	44.88	47.02	49.16	51.29	53.43	55.57	57.70	59.84	61.98	64.12
	4"	51.87	55.11	58.36	61.60	64.84	68.08	71.32	74.57	77.81	81.05	84.29	87.53	90.78	94.02	97.26
	5"	75.83	80.57	85.31	90.05	94.79	99.53	104.27	109.01	113.75	118.49	123.23	127.97	132.71	137.45	142.19
6"	107.51	114.23	120.95	127.67	134.39	141.11	147.83	154.55	161.27	167.99	174.71	181.43	188.15	194.87	201.59	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	5.51	5.86	6.20	6.55	6.89	7.24	7.58	7.93	8.27	8.62	8.96	9.30	9.65	9.99	10.34
	3"	11.18	11.88	12.58	13.28	13.98	14.67	15.37	16.07	16.77	17.47	18.17	18.87	19.57	20.27	20.96
	4"	18.21	19.35	20.48	21.62	22.76	23.90	25.04	26.17	27.31	28.45	29.59	30.73	31.86	33.00	34.14
	5"	28.04	29.80	31.55	33.30	35.06	36.81	38.56	40.31	42.07	43.82	45.57	47.33	49.08	50.83	52.58
	6"	38.29	40.68	43.07	45.47	47.86	50.25	52.65	55.04	57.43	59.83	62.22	64.61	67.00	69.40	71.79
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	13.09	13.91	14.72	15.54	16.36	17.18	18.00	18.81	19.63	20.45	21.27	22.09	22.90	23.72	24.54
	4"	21.04	22.35	23.67	24.98	26.30	27.61	28.93	30.24	31.56	32.87	34.18	35.50	36.81	38.13	39.44
	5"	32.91	34.96	37.02	39.08	41.13	43.19	45.25	47.30	49.36	51.42	53.47	55.53	57.58	59.64	61.70
	6"	48.15	51.16	54.17	57.18	60.19	63.20	66.21	69.22	72.23	75.24	78.25	81.26	84.27	87.28	90.29

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	3.28	3.49	3.69	3.90	4.10	4.31	4.51	4.72	4.92	5.13	5.34	5.54	5.75	5.95	6.16
	1.5"	5.04	5.35	5.67	5.98	6.30	6.61	6.93	7.24	7.56	7.87	8.18	8.50	8.81	9.13	9.44
	2"	6.61	7.03	7.44	7.85	8.27	8.68	9.09	9.51	9.92	10.34	10.75	11.16	11.58	11.99	12.40
	3"	14.12	15.00	15.88	16.76	17.64	18.53	19.41	20.29	21.17	22.06	22.94	23.82	24.70	25.58	26.47
	4"	23.01	24.45	25.89	27.33	28.77	30.21	31.64	33.08	34.52	35.96	37.40	38.84	40.28	41.71	43.15
	5"	36.12	38.38	40.64	42.89	45.15	47.41	49.67	51.92	54.18	56.44	58.70	60.96	63.21	65.47	67.73
EB35 ASTM F512 20 FT BE	4"	15.53	16.50	17.47	18.44	19.41	20.38	21.35	22.32	23.29	24.26	25.23	26.20	27.17	28.14	29.11
	5"	22.95	24.38	25.82	27.25	28.69	30.12	31.56	32.99	34.43	35.86	37.29	38.73	40.16	41.60	43.03
	6"	33.32	35.40	37.48	39.57	41.65	43.73	45.81	47.90	49.98	52.06	54.14	56.22	58.31	60.39	62.47
TYPE C	4"	21.16	22.48	23.81	25.13	26.45	27.77	29.10	30.42	31.74	33.07	34.39	35.71	37.03	38.36	39.68
GTS-8342 20 FT BE	2"	6.60	7.01	7.42	7.83	8.24	8.66	9.07	9.48	9.89	10.31	10.72	11.13	11.54	11.95	12.37
	4"	21.64	22.99	24.35	25.70	27.05	28.40	29.76	31.11	32.46	33.82	35.17	36.52	37.87	39.23	40.58
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	5.21	5.54	5.86	6.19	6.52	6.84	7.17	7.49	7.82	8.15	8.47	8.80	9.12	9.45	9.77
	1.5"	9.31	9.89	10.48	11.06	11.64	12.22	12.80	13.39	13.97	14.55	15.13	15.71	16.30	16.88	17.46
	2"	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28	18.00	18.71	19.43	20.15	20.87	21.59
	3"	23.02	24.46	25.90	27.34	28.78	30.21	31.65	33.09	34.53	35.97	37.41	38.85	40.29	41.73	43.16
	4"	32.07	34.07	36.08	38.08	40.09	42.09	44.10	46.10	48.11	50.11	52.11	54.12	56.12	58.13	60.13
	6"	57.31	60.89	64.48	68.06	71.64	75.22	78.80	82.39	85.97	89.55	93.13	96.71	100.30	103.88	107.46
	8"	88.79	94.34	99.89	105.43	110.98	116.53	122.08	127.63	133.18	138.73	144.28	149.83	155.38	160.93	166.48
	10"	127.92	135.91	143.91	151.90	159.90	167.89	175.89	183.88	191.88	199.87	207.86	215.86	223.85	231.85	239.84
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	20.79	22.09	23.39	24.68	25.98	27.28	28.58	29.88	31.18	32.48	33.78	35.08	36.38	37.68	38.98
	5"	32.52	34.55	36.59	38.62	40.65	42.68	44.72	46.75	48.78	50.82	52.85	54.88	56.91	58.95	60.98
	6"	47.61	50.58	53.56	56.53	59.51	62.48	65.46	68.43	71.41	74.39	77.36	80.34	83.31	86.29	89.26
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	3.02	3.21	3.40	3.59	3.78	3.97	4.16	4.35	4.54	4.73	4.91	5.10	5.29	5.48	5.67
	1.5"	4.64	4.93	5.22	5.51	5.80	6.09	6.38	6.67	6.96	7.25	7.53	7.82	8.11	8.40	8.69
	2"	6.18	6.56	6.95	7.33	7.72	8.11	8.49	8.88	9.26	9.65	10.04	10.42	10.81	11.19	11.58
	2.5"	9.37	9.95	10.54	11.12	11.71	12.29	12.88	13.46	14.05	14.64	15.22	15.81	16.39	16.98	17.56
	3"	13.78	14.64	15.51	16.37	17.23	18.09	18.95	19.81	20.67	21.54	22.40	23.26	24.12	24.98	25.84
	4"	22.52	23.92	25.33	26.74	28.14	29.55	30.96	32.37	33.77	35.18	36.59	37.99	39.40	40.81	42.22
EB35 (AZ)	5"	34.35	36.50	38.64	40.79	42.94	45.08	47.23	49.38	51.52	53.67	55.82	57.96	60.11	62.26	64.40
	5"	21.13	22.45	23.77	25.10	26.42	27.74	29.06	30.38	31.70	33.02	34.34	35.66	36.98	38.30	39.62

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	5.68	5.86	6.05	6.23	6.41	6.60	6.78	6.96	7.14	7.33	7.51	7.69	7.88	8.06	8.24
	0.75"	7.04	7.26	7.49	7.72	7.95	8.17	8.40	8.63	8.85	9.08	9.31	9.53	9.76	9.99	10.22
	1"	10.27	10.60	10.93	11.26	11.59	11.92	12.25	12.59	12.92	13.25	13.58	13.91	14.24	14.57	14.90
	1.25"	14.82	15.30	15.77	16.25	16.73	17.21	17.69	18.16	18.64	19.12	19.60	20.08	20.55	21.03	21.51
	1.5"	17.20	17.75	18.31	18.86	19.42	19.97	20.53	21.08	21.64	22.19	22.75	23.30	23.86	24.41	24.97
	2"	21.79	22.50	23.20	23.90	24.61	25.31	26.01	26.71	27.42	28.12	28.82	29.53	30.23	30.93	31.64
	2.5"	36.99	38.18	39.38	40.57	41.76	42.96	44.15	45.34	46.53	47.73	48.92	50.11	51.31	52.50	53.69
	3"	44.57	46.00	47.44	48.88	50.32	51.75	53.19	54.63	56.07	57.50	58.94	60.38	61.82	63.25	64.69
	3.5"	57.54	59.39	61.25	63.10	64.96	66.82	68.67	70.53	72.38	74.24	76.10	77.95	79.81	81.66	83.52
	4"	62.87	64.90	66.92	68.95	70.98	73.01	75.04	77.06	79.09	81.12	83.15	85.18	87.20	89.23	91.26
	5"	87.17	89.98	92.80	95.61	98.42	101.23	104.04	106.86	109.67	112.48	115.29	118.10	120.92	123.73	126.54
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	8.91	9.20	9.48	9.77	10.06	10.35	10.63	10.92	11.21	11.50	11.78	12.07	12.36	12.65	12.93
	0.75"	11.95	12.33	12.72	13.10	13.49	13.87	14.26	14.65	15.03	15.42	15.80	16.19	16.57	16.96	17.34
	1"	16.80	17.34	17.88	18.42	18.96	19.50	20.05	20.59	21.13	21.67	22.21	22.76	23.30	23.84	24.38
	1.25"	21.87	22.58	23.28	23.99	24.70	25.40	26.11	26.81	27.52	28.22	28.93	29.64	30.34	31.05	31.75
	1.5"	25.93	26.77	27.61	28.44	29.28	30.12	30.95	31.79	32.63	33.46	34.30	35.14	35.97	36.81	37.65
	2"	34.14	35.24	36.35	37.45	38.55	39.65	40.75	41.85	42.95	44.06	45.16	46.26	47.36	48.46	49.56
	2.5"	54.71	56.47	58.24	60.00	61.77	63.53	65.30	67.06	68.83	70.59	72.36	74.12	75.89	77.65	79.42
	3"	66.25	68.39	70.53	72.66	74.80	76.94	79.08	81.21	83.35	85.49	87.63	89.76	91.90	94.04	96.17
	4"	100.50	103.74	106.99	110.23	113.47	116.71	119.95	123.20	126.44	129.68	132.92	136.16	139.41	142.65	145.89
	5"	146.93	151.67	156.41	161.15	165.89	170.63	175.37	180.10	184.84	189.58	194.32	199.06	203.80	208.54	213.28
	6"	208.31	215.03	221.75	228.47	235.19	241.91	248.63	255.34	262.06	268.78	275.50	282.22	288.94	295.66	302.38
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	10.68	11.03	11.37	11.72	12.06	12.41	12.75	13.09	13.44	13.78	14.13	14.47	14.82	15.16	15.51
	3"	21.66	22.36	23.06	23.76	24.46	25.16	25.86	26.55	27.25	27.95	28.65	29.35	30.05	30.75	31.45
	4"	35.28	36.42	37.55	38.69	39.83	40.97	42.11	43.24	44.38	45.52	46.66	47.80	48.93	50.07	51.21
	5"	54.34	56.09	57.84	59.60	61.35	63.10	64.85	66.61	68.36	70.11	71.86	73.62	75.37	77.12	78.88
	6"	74.18	76.58	78.97	81.36	83.76	86.15	88.54	90.93	93.33	95.72	98.11	100.51	102.90	105.29	107.69
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	25.36	26.18	26.99	27.81	28.63	29.45	30.27	31.08	31.90	32.72	33.54	34.36	35.17	35.99	36.81
	4"	40.76	42.07	43.39	44.70	46.02	47.33	48.65	49.96	51.28	52.59	53.91	55.22	56.54	57.85	59.17
	5"	63.75	65.81	67.87	69.92	71.98	74.04	76.09	78.15	80.21	82.26	84.32	86.38	88.43	90.49	92.55
	6"	93.30	96.31	99.32	102.33	105.34	108.35	111.36	114.36	117.37	120.38	123.39	126.40	129.41	132.42	135.43

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	6.36	6.57	6.77	6.98	7.18	7.39	7.59	7.80	8.00	8.21	8.41	8.62	8.82	9.03	9.23
	1.5"	9.76	10.07	10.39	10.70	11.02	11.33	11.65	11.96	12.28	12.59	12.91	13.22	13.54	13.85	14.17
	2"	12.82	13.23	13.64	14.06	14.47	14.88	15.30	15.71	16.12	16.54	16.95	17.36	17.78	18.19	18.60
	3"	27.35	28.23	29.11	29.99	30.88	31.76	32.64	33.52	34.41	35.29	36.17	37.05	37.93	38.82	39.70
	4"	44.59	46.03	47.47	48.91	50.34	51.78	53.22	54.66	56.10	57.54	58.97	60.41	61.85	63.29	64.73
	5"	69.99	72.24	74.50	76.76	79.02	81.27	83.53	85.79	88.05	90.30	92.56	94.82	97.08	99.33	101.59
EB35 ASTM F512 20 FT BE	4"	30.08	31.05	32.02	32.99	33.96	34.93	35.90	36.88	37.85	38.82	39.79	40.76	41.73	42.70	43.67
	5"	44.47	45.90	47.34	48.77	50.20	51.64	53.07	54.51	55.94	57.38	58.81	60.24	61.68	63.11	64.55
	6"	64.55	66.64	68.72	70.80	72.88	74.97	77.05	79.13	81.21	83.30	85.38	87.46	89.54	91.63	93.71
TYPE C	4"	41.00	42.32	43.65	44.97	46.29	47.61	48.94	50.26	51.58	52.90	54.23	55.55	56.87	58.19	59.52
GTS-8342 20 FT BE	2"	12.78	13.19	13.60	14.01	14.43	14.84	15.25	15.66	16.08	16.49	16.90	17.31	17.72	18.14	18.55
	4"	41.93	43.28	44.64	45.99	47.34	48.69	50.05	51.40	52.75	54.10	55.46	56.81	58.16	59.51	60.87
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	10.10	10.43	10.75	11.08	11.40	11.73	12.05	12.38	12.71	13.03	13.36	13.68	14.01	14.34	14.66
	1.5"	18.04	18.62	19.21	19.79	20.37	20.95	21.53	22.12	22.70	23.28	23.86	24.44	25.03	25.61	26.19
	2"	22.31	23.03	23.75	24.47	25.19	25.91	26.63	27.35	28.07	28.79	29.51	30.23	30.95	31.67	32.39
	3"	44.60	46.04	47.48	48.92	50.36	51.80	53.24	54.67	56.11	57.55	58.99	60.43	61.87	63.31	64.75
	4"	62.14	64.14	66.15	68.15	70.15	72.16	74.16	76.17	78.17	80.18	82.18	84.18	86.19	88.19	90.20
	6"	111.04	114.62	118.21	121.79	125.37	128.95	132.53	136.12	139.70	143.28	146.86	150.44	154.03	157.61	161.19
	8"	172.03	177.57	183.12	188.67	194.22	199.77	205.32	210.87	216.42	221.97	227.52	233.07	238.62	244.16	249.71
	10"	247.84	255.83	263.83	271.82	279.82	287.81	295.81	303.80	311.80	319.79	327.79	335.78	343.78	351.77	359.77
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	40.28	41.57	42.87	44.17	45.47	46.77	48.07	49.37	50.67	51.97	53.27	54.57	55.87	57.16	58.46
	5"	63.01	65.04	67.08	69.11	71.14	73.17	75.21	77.24	79.27	81.30	83.34	85.37	87.40	89.43	91.47
	6"	92.24	95.21	98.19	101.16	104.14	107.11	110.09	113.07	116.04	119.02	121.99	124.97	127.94	130.92	133.89
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	5.86	6.05	6.24	6.43	6.62	6.80	6.99	7.18	7.37	7.56	7.75	7.94	8.13	8.32	8.51
	1.5"	8.98	9.27	9.56	9.85	10.14	10.43	10.72	11.01	11.30	11.59	11.88	12.17	12.46	12.75	13.04
	2"	11.97	12.35	12.74	13.12	13.51	13.90	14.28	14.67	15.05	15.44	15.83	16.21	16.60	16.98	17.37
	2.5"	18.15	18.73	19.32	19.90	20.49	21.07	21.66	22.25	22.83	23.42	24.00	24.59	25.17	25.76	26.34
	3"	26.70	27.56	28.43	29.29	30.15	31.01	31.87	32.73	33.59	34.46	35.32	36.18	37.04	37.90	38.76
	4"	43.62	45.03	46.44	47.84	49.25	50.66	52.07	53.47	54.88	56.29	57.70	59.10	60.51	61.92	63.32
EB35 (AZ)	5"	66.55	68.70	70.84	72.99	75.14	77.28	79.43	81.58	83.73	85.87	88.02	90.17	92.31	94.46	96.61
	5"	40.94	42.27	43.59	44.91	46.23	47.55	48.87	50.19	51.51	52.83	54.15	55.47	56.79	58.12	59.44

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	8.43	8.61	8.79	8.98	9.16	9.34	9.53	9.71	9.89	10.08	10.26	10.44	10.63	10.81	10.99
	0.75"	10.44	10.67	10.90	11.12	11.35	11.58	11.80	12.03	12.26	12.49	12.71	12.94	13.17	13.39	13.62
	1"	15.24	15.57	15.90	16.23	16.56	16.89	17.22	17.55	17.88	18.22	18.55	18.88	19.21	19.54	19.87
	1.25"	21.99	22.47	22.94	23.42	23.90	24.38	24.86	25.33	25.81	26.29	26.77	27.25	27.72	28.20	28.68
	1.5"	25.52	26.08	26.63	27.19	27.74	28.29	28.85	29.40	29.96	30.51	31.07	31.62	32.18	32.73	33.29
	2"	32.34	33.04	33.74	34.45	35.15	35.85	36.56	37.26	37.96	38.67	39.37	40.07	40.77	41.48	42.18
	2.5"	54.89	56.08	57.27	58.47	59.66	60.85	62.05	63.24	64.43	65.63	66.82	68.01	69.21	70.40	71.59
	3"	66.13	67.57	69.00	70.44	71.88	73.32	74.76	76.19	77.63	79.07	80.51	81.94	83.38	84.82	86.26
	3.5"	85.38	87.23	89.09	90.94	92.80	94.66	96.51	98.37	100.22	102.08	103.94	105.79	107.65	109.50	111.36
	4"	93.29	95.32	97.34	99.37	101.40	103.43	105.46	107.48	109.51	111.54	113.57	115.60	117.62	119.65	121.68
	5"	129.35	132.16	134.98	137.79	140.60	143.41	146.22	149.04	151.85	154.66	157.47	160.28	163.10	165.91	168.72
6"	171.77	175.51	179.24	182.98	186.71	190.44	194.18	197.91	201.65	205.38	209.12	212.85	216.58	220.32	224.05	
8"	372.29	380.38	388.47	396.57	404.66	412.75	420.85	428.94	437.03	445.13	453.22	461.31	469.41	477.50	485.59	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	13.22	13.51	13.80	14.08	14.37	14.66	14.94	15.23	15.52	15.81	16.09	16.38	16.67	16.96	17.24
	0.75"	17.73	18.11	18.50	18.88	19.27	19.66	20.04	20.43	20.81	21.20	21.58	21.97	22.35	22.74	23.12
	1"	24.92	25.46	26.01	26.55	27.09	27.63	28.17	28.72	29.26	29.80	30.34	30.88	31.42	31.97	32.51
	1.25"	32.46	33.16	33.87	34.57	35.28	35.99	36.69	37.40	38.10	38.81	39.51	40.22	40.92	41.63	42.34
	1.5"	38.48	39.32	40.16	40.99	41.83	42.67	43.50	44.34	45.18	46.01	46.85	47.69	48.52	49.36	50.20
	2"	50.66	51.77	52.87	53.97	55.07	56.17	57.27	58.37	59.48	60.58	61.68	62.78	63.88	64.98	66.08
	2.5"	81.18	82.95	84.71	86.48	88.24	90.00	91.77	93.53	95.30	97.06	98.83	100.59	102.36	104.12	105.89
	3"	98.31	100.45	102.59	104.72	106.86	109.00	111.13	113.27	115.41	117.55	119.68	121.82	123.96	126.09	128.23
	4"	149.13	152.37	155.62	158.86	162.10	165.34	168.58	171.83	175.07	178.31	181.55	184.79	188.04	191.28	194.52
	5"	218.02	222.76	227.50	232.24	236.98	241.72	246.46	251.20	255.94	260.68	265.42	270.16	274.90	279.64	284.38
6"	309.10	315.82	322.54	329.26	335.98	342.70	349.42	356.14	362.86	369.58	376.30	383.02	389.74	396.46	403.18	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	15.85	16.20	16.54	16.89	17.23	17.57	17.92	18.26	18.61	18.95	19.30	19.64	19.99	20.33	20.68
	3"	32.14	32.84	33.54	34.24	34.94	35.64	36.34	37.04	37.74	38.43	39.13	39.83	40.53	41.23	41.93
	4"	52.35	53.49	54.62	55.76	56.90	58.04	59.18	60.31	61.45	62.59	63.73	64.87	66.00	67.14	68.28
	5"	80.63	82.38	84.13	85.89	87.64	89.39	91.15	92.90	94.65	96.40	98.16	99.91	101.66	103.42	105.17
	6"	110.08	112.47	114.86	117.26	119.65	122.04	124.44	126.83	129.22	131.62	134.01	136.40	138.79	141.19	143.58
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	37.63	38.45	39.26	40.08	40.90	41.72	42.54	43.35	44.17	44.99	45.81	46.63	47.44	48.26	49.08
	4"	60.48	61.80	63.11	64.43	65.74	67.05	68.37	69.68	71.00	72.31	73.63	74.94	76.26	77.57	78.89
	5"	94.60	96.66	98.72	100.77	102.83	104.89	106.94	109.00	111.06	113.11	115.17	117.23	119.28	121.34	123.40
	6"	138.44	141.45	144.46	147.47	150.48	153.49	156.50	159.51	162.52	165.53	168.54	171.55	174.56	177.57	180.58

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	9.44	9.64	9.85	10.05	10.26	10.47	10.67	10.88	11.08	11.29	11.49	11.70	11.90	12.11	12.31
	1.5"	14.48	14.80	15.11	15.43	15.74	16.05	16.37	16.68	17.00	17.31	17.63	17.94	18.26	18.57	18.89
	2"	19.02	19.43	19.84	20.26	20.67	21.08	21.50	21.91	22.32	22.74	23.15	23.56	23.98	24.39	24.80
	3"	40.58	41.46	42.35	43.23	44.11	44.99	45.87	46.76	47.64	48.52	49.40	50.29	51.17	52.05	52.93
	4"	66.17	67.60	69.04	70.48	71.92	73.36	74.80	76.24	77.67	79.11	80.55	81.99	83.43	84.87	86.30
	5"	103.85	106.11	108.36	110.62	112.88	115.14	117.40	119.65	121.91	124.17	126.43	128.68	130.94	133.20	135.46
EB35 ASTM F512 20 FT BE	4"	44.64	45.61	46.58	47.55	48.52	49.49	50.46	51.43	52.40	53.37	54.34	55.31	56.28	57.25	58.22
	5"	65.98	67.42	68.85	70.29	71.72	73.15	74.59	76.02	77.46	78.89	80.33	81.76	83.20	84.63	86.06
	6"	95.79	97.87	99.96	102.04	104.12	106.20	108.28	110.37	112.45	114.53	116.61	118.70	120.78	122.86	124.94
TYPE C	4"	60.84	62.16	63.48	64.81	66.13	67.45	68.78	70.10	71.42	72.74	74.07	75.39	76.71	78.03	79.36
GTS-8342 20 FT BE	2"	18.96	19.37	19.79	20.20	20.61	21.02	21.43	21.85	22.26	22.67	23.08	23.50	23.91	24.32	24.73
	4"	62.22	63.57	64.92	66.28	67.63	68.98	70.34	71.69	73.04	74.39	75.75	77.10	78.45	79.80	81.16
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	14.99	15.31	15.64	15.96	16.29	16.62	16.94	17.27	17.59	17.92	18.24	18.57	18.90	19.22	19.55
	1.5"	26.77	27.35	27.94	28.52	29.10	29.68	30.26	30.85	31.43	32.01	32.59	33.17	33.76	34.34	34.92
	2"	33.11	33.83	34.55	35.27	35.99	36.71	37.43	38.15	38.87	39.59	40.31	41.03	41.75	42.47	43.19
	3"	66.18	67.62	69.06	70.50	71.94	73.38	74.82	76.26	77.70	79.13	80.57	82.01	83.45	84.89	86.33
	4"	92.20	94.21	96.21	98.22	100.22	102.22	104.23	106.23	108.24	110.24	112.25	114.25	116.26	118.26	120.26
	6"	164.77	168.35	171.94	175.52	179.10	182.68	186.26	189.85	193.43	197.01	200.59	204.17	207.76	211.34	214.92
	8"	255.26	260.81	266.36	271.91	277.46	283.01	288.56	294.11	299.66	305.21	310.76	316.30	321.85	327.40	332.95
	10"	367.76	375.76	383.75	391.75	399.74	407.73	415.73	423.72	431.72	439.71	447.71	455.70	463.70	471.69	479.69
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	59.76	61.06	62.36	63.66	64.96	66.26	67.56	68.86	70.16	71.46	72.76	74.05	75.35	76.65	77.95
	5"	93.50	95.53	97.56	99.60	101.63	103.66	105.70	107.73	109.76	111.79	113.83	115.86	117.89	119.92	121.96
	6"	136.87	139.84	142.82	145.79	148.77	151.75	154.72	157.70	160.67	163.65	166.62	169.60	172.57	175.55	178.52
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	8.69	8.88	9.07	9.26	9.45	9.64	9.83	10.02	10.21	10.40	10.58	10.77	10.96	11.15	11.34
	1.5"	13.33	13.62	13.91	14.20	14.49	14.78	15.07	15.36	15.65	15.94	16.23	16.52	16.81	17.10	17.39
	2"	17.76	18.14	18.53	18.91	19.30	19.69	20.07	20.46	20.84	21.23	21.62	22.00	22.39	22.77	23.16
	2.5"	26.93	27.51	28.10	28.68	29.27	29.86	30.44	31.03	31.61	32.20	32.78	33.37	33.95	34.54	35.12
	3"	39.62	40.49	41.35	42.21	43.07	43.93	44.79	45.65	46.52	47.38	48.24	49.10	49.96	50.82	51.68
	4"	64.73	66.14	67.55	68.95	70.36	71.77	73.17	74.58	75.99	77.40	78.80	80.21	81.62	83.02	84.43
EB35 (AZ)	5"	98.75	100.90	103.05	105.19	107.34	109.49	111.63	113.78	115.93	118.07	120.22	122.37	124.51	126.66	128.81
	5"	60.76	62.08	63.40	64.72	66.04	67.36	68.68	70.00	71.32	72.64	73.96	75.29	76.61	77.93	79.25

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	11.18	11.36	11.54	11.72	11.91	12.09	12.27	12.46	12.64	12.82	13.01	13.19	13.37	13.56	13.74
	0.75"	13.85	14.07	14.30	14.53	14.76	14.98	15.21	15.44	15.66	15.89	16.12	16.34	16.57	16.80	17.03
	1"	20.20	20.53	20.87	21.20	21.53	21.86	22.19	22.52	22.85	23.18	23.52	23.85	24.18	24.51	24.84
	1.25"	29.16	29.64	30.11	30.59	31.07	31.55	32.03	32.50	32.98	33.46	33.94	34.42	34.89	35.37	35.85
	1.5"	33.84	34.40	34.95	35.51	36.06	36.62	37.17	37.73	38.28	38.84	39.39	39.95	40.50	41.06	41.61
	2"	42.88	43.59	44.29	44.99	45.70	46.40	47.10	47.80	48.51	49.21	49.91	50.62	51.32	52.02	52.73
	2.5"	72.79	73.98	75.17	76.36	77.56	78.75	79.94	81.14	82.33	83.52	84.72	85.91	87.10	88.30	89.49
	3"	87.69	89.13	90.57	92.01	93.44	94.88	96.32	97.76	99.19	100.63	102.07	103.51	104.94	106.38	107.82
	3.5"	113.22	115.07	116.93	118.78	120.64	122.50	124.35	126.21	128.06	129.92	131.78	133.63	135.49	137.34	139.20
	4"	123.71	125.74	127.76	129.79	131.82	133.85	135.88	137.90	139.93	141.96	143.99	146.02	148.04	150.07	152.10
	5"	171.53	174.34	177.16	179.97	182.78	185.59	188.40	191.22	194.03	196.84	199.65	202.46	205.28	208.09	210.90
6"	227.79	231.52	235.25	238.99	242.72	246.46	250.19	253.93	257.66	261.39	265.13	268.86	272.60	276.33	280.07	
8"	493.69	501.78	509.87	517.96	526.06	534.15	542.24	550.34	558.43	566.52	574.62	582.71	590.80	598.90	606.99	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	17.53	17.82	18.11	18.39	18.68	18.97	19.26	19.54	19.83	20.12	20.41	20.69	20.98	21.27	21.56
	0.75"	23.51	23.89	24.28	24.67	25.05	25.44	25.82	26.21	26.59	26.98	27.36	27.75	28.13	28.52	28.91
	1"	33.05	33.59	34.13	34.68	35.22	35.76	36.30	36.84	37.38	37.93	38.47	39.01	39.55	40.09	40.64
	1.25"	43.04	43.75	44.45	45.16	45.86	46.57	47.28	47.98	48.69	49.39	50.10	50.80	51.51	52.21	52.92
	1.5"	51.03	51.87	52.71	53.54	54.38	55.22	56.05	56.89	57.73	58.56	59.40	60.24	61.07	61.91	62.75
	2"	67.19	68.29	69.39	70.49	71.59	72.69	73.79	74.90	76.00	77.10	78.20	79.30	80.40	81.50	82.61
	2.5"	107.65	109.42	111.18	112.95	114.71	116.48	118.24	120.01	121.77	123.54	125.30	127.07	128.83	130.60	132.36
	3"	130.37	132.51	134.64	136.78	138.92	141.06	143.19	145.33	147.47	149.60	151.74	153.88	156.02	158.15	160.29
	4"	197.76	201.00	204.25	207.49	210.73	213.97	217.21	220.46	223.70	226.94	230.18	233.42	236.67	239.91	243.15
	5"	289.12	293.86	298.59	303.33	308.07	312.81	317.55	322.29	327.03	331.77	336.51	341.25	345.99	350.73	355.47
6"	409.90	416.62	423.33	430.05	436.77	443.49	450.21	456.93	463.65	470.37	477.09	483.81	490.53	497.25	503.97	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	21.02	21.37	21.71	22.05	22.40	22.74	23.09	23.43	23.78	24.12	24.47	24.81	25.16	25.50	25.85
	3"	42.63	43.33	44.02	44.72	45.42	46.12	46.82	47.52	48.22	48.92	49.61	50.31	51.01	51.71	52.41
	4"	69.42	70.56	71.69	72.83	73.97	75.11	76.25	77.38	78.52	79.66	80.80	81.94	83.07	84.21	85.35
	5"	106.92	108.67	110.43	112.18	113.93	115.68	117.44	119.19	120.94	122.70	124.45	126.20	127.95	129.71	131.46
	6"	145.97	148.37	150.76	153.15	155.55	157.94	160.33	162.72	165.12	167.51	169.90	172.30	174.69	177.08	179.48
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	49.90	50.72	51.53	52.35	53.17	53.99	54.81	55.62	56.44	57.26	58.08	58.90	59.71	60.53	61.35
	4"	80.20	81.52	82.83	84.15	85.46	86.78	88.09	89.41	90.72	92.04	93.35	94.67	95.98	97.30	98.61
	5"	125.45	127.51	129.57	131.62	133.68	135.74	137.79	139.85	141.91	143.96	146.02	148.08	150.13	152.19	154.25
	6"	183.59	186.60	189.60	192.61	195.62	198.63	201.64	204.65	207.66	210.67	213.68	216.69	219.70	222.71	225.72

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	12.52	12.72	12.93	13.13	13.34	13.54	13.75	13.95	14.16	14.36	14.57	14.77	14.98	15.18	15.39
	1.5"	19.20	19.52	19.83	20.15	20.46	20.78	21.09	21.41	21.72	22.04	22.35	22.67	22.98	23.30	23.61
	2"	25.22	25.63	26.04	26.46	26.87	27.28	27.70	28.11	28.52	28.94	29.35	29.76	30.18	30.59	31.01
	3"	53.81	54.70	55.58	56.46	57.34	58.23	59.11	59.99	60.87	61.75	62.64	63.52	64.40	65.28	66.17
	4"	87.74	89.18	90.62	92.06	93.50	94.93	96.37	97.81	99.25	100.69	102.13	103.56	105.00	106.44	107.88
	5"	137.71	139.97	142.23	144.49	146.74	149.00	151.26	153.52	155.77	158.03	160.29	162.55	164.80	167.06	169.32
EB35 ASTM F512 20 FT BE	4"	59.19	60.16	61.14	62.11	63.08	64.05	65.02	65.99	66.96	67.93	68.90	69.87	70.84	71.81	72.78
	5"	87.50	88.93	90.37	91.80	93.24	94.67	96.10	97.54	98.97	100.41	101.84	103.28	104.71	106.15	107.58
	6"	127.03	129.11	131.19	133.27	135.36	137.44	139.52	141.60	143.69	145.77	147.85	149.93	152.02	154.10	156.18
TYPE C	4"	80.68	82.00	83.32	84.65	85.97	87.29	88.61	89.94	91.26	92.58	93.90	95.23	96.55	97.87	99.20
GTS-8342 20 FT BE	2"	25.14	25.56	25.97	26.38	26.79	27.21	27.62	28.03	28.44	28.85	29.27	29.68	30.09	30.50	30.92
	4"	82.51	83.86	85.21	86.57	87.92	89.27	90.62	91.98	93.33	94.68	96.03	97.39	98.74	100.09	101.45
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	19.87	20.20	20.53	20.85	21.18	21.50	21.83	22.15	22.48	22.81	23.13	23.46	23.78	24.11	24.44
	1.5"	35.50	36.08	36.67	37.25	37.83	38.41	38.99	39.58	40.16	40.74	41.32	41.90	42.49	43.07	43.65
	2"	43.91	44.63	45.35	46.07	46.79	47.51	48.23	48.95	49.67	50.39	51.11	51.83	52.55	53.27	53.99
	3"	87.77	89.21	90.64	92.08	93.52	94.96	96.40	97.84	99.28	100.72	102.15	103.59	105.03	106.47	107.91
	4"	122.27	124.27	126.28	128.28	130.29	132.29	134.29	136.30	138.30	140.31	142.31	144.32	146.32	148.33	150.33
	6"	218.50	222.08	225.67	229.25	232.83	236.41	239.99	243.58	247.16	250.74	254.32	257.90	261.49	265.07	268.65
	8"	338.50	344.05	349.60	355.15	360.70	366.25	371.80	377.35	382.89	388.44	393.99	399.54	405.09	410.64	416.19
	10"	487.68	495.68	503.67	511.67	519.66	527.66	535.65	543.65	551.64	559.64	567.63	575.63	583.62	591.62	599.61
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	79.25	80.55	81.85	83.15	84.45	85.75	87.05	88.35	89.64	90.94	92.24	93.54	94.84	96.14	97.44
	5"	123.99	126.02	128.05	130.09	132.12	134.15	136.18	138.22	140.25	142.28	144.31	146.35	148.38	150.41	152.45
	6"	181.50	184.47	187.45	190.43	193.40	196.38	199.35	202.33	205.30	208.28	211.25	214.23	217.20	220.18	223.16
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	11.53	11.72	11.91	12.10	12.29	12.47	12.66	12.85	13.04	13.23	13.42	13.61	13.80	13.99	14.18
	1.5"	17.68	17.97	18.26	18.55	18.84	19.13	19.42	19.71	20.00	20.29	20.58	20.87	21.16	21.45	21.74
	2"	23.55	23.93	24.32	24.70	25.09	25.48	25.86	26.25	26.63	27.02	27.41	27.79	28.18	28.56	28.95
	2.5"	35.71	36.29	36.88	37.47	38.05	38.64	39.22	39.81	40.39	40.98	41.56	42.15	42.73	43.32	43.91
	3"	52.55	53.41	54.27	55.13	55.99	56.85	57.71	58.58	59.44	60.30	61.16	62.02	62.88	63.74	64.61
	4"	85.84	87.25	88.65	90.06	91.47	92.88	94.28	95.69	97.10	98.50	99.91	101.32	102.73	104.13	105.54
EB35 (AZ)	5"	130.95	133.10	135.25	137.40	139.54	141.69	143.84	145.98	148.13	150.28	152.42	154.57	156.72	158.86	161.01
	5"	80.57	81.89	83.21	84.53	85.85	87.17	88.49	89.81	91.14	92.46	93.78	95.10	96.42	97.74	99.06

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	13.92	14.11	14.29	14.47	14.66	14.84	15.02	15.21	15.39	15.57	15.76	15.94	16.12	16.30	16.49
	0.75"	17.25	17.48	17.71	17.93	18.16	18.39	18.61	18.84	19.07	19.30	19.52	19.75	19.98	20.20	20.43
	1"	25.17	25.50	25.83	26.16	26.50	26.83	27.16	27.49	27.82	28.15	28.48	28.81	29.15	29.48	29.81
	1.25"	36.33	36.81	37.28	37.76	38.24	38.72	39.20	39.67	40.15	40.63	41.11	41.59	42.06	42.54	43.02
	1.5"	42.16	42.72	43.27	43.83	44.38	44.94	45.49	46.05	46.60	47.16	47.71	48.27	48.82	49.38	49.93
	2"	53.43	54.13	54.83	55.54	56.24	56.94	57.65	58.35	59.05	59.76	60.46	61.16	61.86	62.57	63.27
	2.5"	90.68	91.88	93.07	94.26	95.46	96.65	97.84	99.04	100.23	101.42	102.62	103.81	105.00	106.19	107.39
	3"	109.26	110.70	112.13	113.57	115.01	116.45	117.88	119.32	120.76	122.20	123.63	125.07	126.51	127.95	129.38
	3.5"	141.06	142.91	144.77	146.62	148.48	150.34	152.19	154.05	155.90	157.76	159.62	161.47	163.33	165.18	167.04
	4"	154.13	156.16	158.18	160.21	162.24	164.27	166.30	168.32	170.35	172.38	174.41	176.44	178.46	180.49	182.52
	5"	213.71	216.52	219.34	222.15	224.96	227.77	230.58	233.40	236.21	239.02	241.83	244.64	247.46	250.27	253.08
	6"	283.80	287.53	291.27	295.00	298.74	302.47	306.20	309.94	313.67	317.41	321.14	324.88	328.61	332.34	336.08
8"	615.08	623.18	631.27	639.36	647.46	655.55	663.64	671.74	679.83	687.92	696.02	704.11	712.20	720.29	728.39	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	21.84	22.13	22.42	22.70	22.99	23.28	23.57	23.85	24.14	24.43	24.72	25.00	25.29	25.58	25.87
	0.75"	29.29	29.68	30.06	30.45	30.83	31.22	31.60	31.99	32.37	32.76	33.14	33.53	33.92	34.30	34.69
	1"	41.18	41.72	42.26	42.80	43.34	43.89	44.43	44.97	45.51	46.05	46.59	47.14	47.68	48.22	48.76
	1.25"	53.63	54.33	55.04	55.74	56.45	57.15	57.86	58.56	59.27	59.98	60.68	61.39	62.09	62.80	63.50
	1.5"	63.58	64.42	65.25	66.09	66.93	67.76	68.60	69.44	70.27	71.11	71.95	72.78	73.62	74.46	75.29
	2"	83.71	84.81	85.91	87.01	88.11	89.21	90.31	91.42	92.52	93.62	94.72	95.82	96.92	98.02	99.13
	2.5"	134.12	135.89	137.65	139.42	141.18	142.95	144.71	146.48	148.24	150.01	151.77	153.54	155.30	157.07	158.83
	3"	162.43	164.56	166.70	168.84	170.98	173.11	175.25	177.39	179.52	181.66	183.80	185.94	188.07	190.21	192.35
	4"	246.39	249.63	252.88	256.12	259.36	262.60	265.84	269.09	272.33	275.57	278.81	282.05	285.30	288.54	291.78
	5"	360.21	364.95	369.69	374.43	379.17	383.91	388.65	393.39	398.13	402.87	407.61	412.35	417.08	421.82	426.56
6"	510.69	517.41	524.13	530.85	537.57	544.29	551.01	557.73	564.45	571.17	577.89	584.61	591.32	598.04	604.76	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	26.19	26.53	26.88	27.22	27.57	27.91	28.26	28.60	28.95	29.29	29.64	29.98	30.32	30.67	31.01
	3"	53.11	53.81	54.51	55.21	55.90	56.60	57.30	58.00	58.70	59.40	60.10	60.80	61.49	62.19	62.89
	4"	86.49	87.63	88.76	89.90	91.04	92.18	93.32	94.45	95.59	96.73	97.87	99.01	100.14	101.28	102.42
	5"	133.21	134.97	136.72	138.47	140.22	141.98	143.73	145.48	147.24	148.99	150.74	152.49	154.25	156.00	157.75
	6"	181.87	184.26	186.65	189.05	191.44	193.83	196.23	198.62	201.01	203.41	205.80	208.19	210.58	212.98	215.37
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	62.17	62.99	63.80	64.62	65.44	66.26	67.08	67.89	68.71	69.53	70.35	71.17	71.98	72.80	73.62
	4"	99.92	101.24	102.55	103.87	105.18	106.50	107.81	109.13	110.44	111.76	113.07	114.39	115.70	117.02	118.33
	5"	156.30	158.36	160.41	162.47	164.53	166.58	168.64	170.70	172.75	174.81	176.87	178.92	180.98	183.04	185.09
	6"	228.73	231.74	234.75	237.76	240.77	243.78	246.79	249.80	252.81	255.82	258.83	261.84	264.84	267.85	270.86

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	15.60	15.80	16.01	16.21	16.42	16.62	16.83	17.03	17.24	17.44	17.65	17.85	18.06	18.26	18.47
	1.5"	23.92	24.24	24.55	24.87	25.18	25.50	25.81	26.13	26.44	26.76	27.07	27.39	27.70	28.02	28.33
	2"	31.42	31.83	32.25	32.66	33.07	33.49	33.90	34.31	34.73	35.14	35.55	35.97	36.38	36.79	37.21
	3"	67.05	67.93	68.81	69.69	70.58	71.46	72.34	73.22	74.10	74.99	75.87	76.75	77.63	78.52	79.40
	4"	109.32	110.76	112.20	113.63	115.07	116.51	117.95	119.39	120.83	122.26	123.70	125.14	126.58	128.02	129.46
	5"	171.58	173.84	176.09	178.35	180.61	182.87	185.12	187.38	189.64	191.90	194.15	196.41	198.67	200.93	203.18
EB35 ASTM F512 20 FT BE	4"	73.75	74.72	75.69	76.66	77.63	78.60	79.57	80.54	81.51	82.48	83.45	84.42	85.40	86.37	87.34
	5"	109.01	110.45	111.88	113.32	114.75	116.19	117.62	119.06	120.49	121.92	123.36	124.79	126.23	127.66	129.10
	6"	158.26	160.34	162.43	164.51	166.59	168.67	170.76	172.84	174.92	177.00	179.09	181.17	183.25	185.33	187.42
TYPE C	4"	100.52	101.84	103.16	104.49	105.81	107.13	108.45	109.78	111.10	112.42	113.74	115.07	116.39	117.71	119.03
GTS-8342 20 FT BE	2"	31.33	31.74	32.15	32.56	32.98	33.39	33.80	34.21	34.62	35.04	35.45	35.86	36.27	36.69	37.10
	4"	102.80	104.15	105.50	106.86	108.21	109.56	110.91	112.27	113.62	114.97	116.32	117.68	119.03	120.38	121.73
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	24.76	25.09	25.41	25.74	26.06	26.39	26.72	27.04	27.37	27.69	28.02	28.34	28.67	29.00	29.32
	1.5"	44.23	44.81	45.40	45.98	46.56	47.14	47.72	48.31	48.89	49.47	50.05	50.63	51.22	51.80	52.38
	2"	54.70	55.42	56.14	56.86	57.58	58.30	59.02	59.74	60.46	61.18	61.90	62.62	63.34	64.06	64.78
	3"	109.35	110.79	112.23	113.67	115.10	116.54	117.98	119.42	120.86	122.30	123.74	125.18	126.61	128.05	129.49
	4"	152.33	154.34	156.34	158.35	160.35	162.36	164.36	166.37	168.37	170.37	172.38	174.38	176.39	178.39	180.40
	6"	272.23	275.81	279.40	282.98	286.56	290.14	293.72	297.31	300.89	304.47	308.05	311.63	315.22	318.80	322.38
	8"	421.74	427.29	432.84	438.39	443.94	449.49	455.03	460.58	466.13	471.68	477.23	482.78	488.33	493.88	499.43
	10"	607.60	615.60	623.59	631.59	639.58	647.58	655.57	663.57	671.56	679.56	687.55	695.55	703.54	711.54	719.53
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	98.74	100.04	101.34	102.64	103.94	105.24	106.53	107.83	109.13	110.43	111.73	113.03	114.33	115.63	116.93
	5"	154.48	156.51	158.54	160.58	162.61	164.64	166.67	168.71	170.74	172.77	174.80	176.84	178.87	180.90	182.93
	6"	226.13	229.11	232.08	235.06	238.03	241.01	243.98	246.96	249.93	252.91	255.88	258.86	261.84	264.81	267.79
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	14.36	14.55	14.74	14.93	15.12	15.31	15.50	15.69	15.88	16.07	16.25	16.44	16.63	16.82	17.01
	1.5"	22.02	22.31	22.60	22.89	23.18	23.47	23.76	24.05	24.34	24.63	24.92	25.21	25.50	25.79	26.08
	2"	29.34	29.72	30.11	30.49	30.88	31.27	31.65	32.04	32.42	32.81	33.20	33.58	33.97	34.35	34.74
	2.5"	44.49	45.08	45.66	46.25	46.83	47.42	48.00	48.59	49.17	49.76	50.34	50.93	51.52	52.10	52.69
	3"	65.47	66.33	67.19	68.05	68.91	69.77	70.63	71.50	72.36	73.22	74.08	74.94	75.80	76.66	77.53
	4"	106.95	108.35	109.76	111.17	112.58	113.98	115.39	116.80	118.20	119.61	121.02	122.43	123.83	125.24	126.65
EB35 (AZ)	5"	163.16	165.30	167.45	169.60	171.74	173.89	176.04	178.18	180.33	182.48	184.62	186.77	188.92	191.07	193.21
	5"	100.38	101.70	103.02	104.34	105.66	106.98	108.31	109.63	110.95	112.27	113.59	114.91	116.23	117.55	118.87

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
SCH 40 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray (8" Non-UL)	0.5"	16.67	16.85	17.04	17.22	17.40	17.59	17.77	17.95	18.14	18.32	18.50	18.69	18.87	19.05	19.24
	0.75"	20.66	20.88	21.11	21.34	21.57	21.79	22.02	22.25	22.47	22.70	22.93	23.15	23.38	23.61	23.84
	1"	30.14	30.47	30.80	31.13	31.46	31.80	32.13	32.46	32.79	33.12	33.45	33.78	34.11	34.44	34.78
	1.25"	43.50	43.98	44.45	44.93	45.41	45.89	46.37	46.84	47.32	47.80	48.28	48.76	49.23	49.71	50.19
	1.5"	50.49	51.04	51.60	52.15	52.71	53.26	53.82	54.37	54.93	55.48	56.03	56.59	57.14	57.70	58.25
	2"	63.97	64.68	65.38	66.08	66.79	67.49	68.19	68.89	69.60	70.30	71.00	71.71	72.41	73.11	73.82
	2.5"	108.58	109.77	110.97	112.16	113.35	114.55	115.74	116.93	118.13	119.32	120.51	121.71	122.90	124.09	125.29
	3"	130.82	132.26	133.70	135.13	136.57	138.01	139.45	140.88	142.32	143.76	145.20	146.64	148.07	149.51	150.95
	3.5"	168.90	170.75	172.61	174.46	176.32	178.18	180.03	181.89	183.74	185.60	187.46	189.31	191.17	193.02	194.88
	4"	184.55	186.58	188.60	190.63	192.66	194.69	196.72	198.74	200.77	202.80	204.83	206.86	208.88	210.91	212.94
	5"	255.89	258.70	261.52	264.33	267.14	269.95	272.76	275.58	278.39	281.20	284.01	286.82	289.64	292.45	295.26
6"	339.81	343.55	347.28	351.01	354.75	358.48	362.22	365.95	369.69	373.42	377.15	380.89	384.62	388.36	392.09	
8"	736.48	744.57	752.67	760.76	768.85	776.95	785.04	793.13	801.23	809.32	817.41	825.51	833.60	841.69	849.79	
SCH 80 CONDUIT NEMA TC-2 ANSI UL651 10/20 FT BE Gray	0.5"	26.15	26.44	26.73	27.02	27.30	27.59	27.88	28.17	28.45	28.74	29.03	29.31	29.60	29.89	30.18
	0.75"	35.07	35.46	35.84	36.23	36.61	37.00	37.38	37.77	38.15	38.54	38.93	39.31	39.70	40.08	40.47
	1"	49.30	49.85	50.39	50.93	51.47	52.01	52.55	53.10	53.64	54.18	54.72	55.26	55.81	56.35	56.89
	1.25"	64.21	64.92	65.62	66.33	67.03	67.74	68.44	69.15	69.85	70.56	71.27	71.97	72.68	73.38	74.09
	1.5"	76.13	76.97	77.80	78.64	79.48	80.31	81.15	81.99	82.82	83.66	84.50	85.33	86.17	87.01	87.84
	2"	100.23	101.33	102.43	103.53	104.63	105.73	106.84	107.94	109.04	110.14	111.24	112.34	113.44	114.55	115.65
	2.5"	160.60	162.36	164.13	165.89	167.66	169.42	171.19	172.95	174.72	176.48	178.24	180.01	181.77	183.54	185.30
	3"	194.49	196.62	198.76	200.90	203.03	205.17	207.31	209.45	211.58	213.72	215.86	217.99	220.13	222.27	224.41
	4"	295.02	298.26	301.51	304.75	307.99	311.23	314.47	317.72	320.96	324.20	327.44	330.68	333.93	337.17	340.41
	5"	431.30	436.04	440.78	445.52	450.26	455.00	459.74	464.48	469.22	473.96	478.70	483.44	488.18	492.92	497.66
6"	611.48	618.20	624.92	631.64	638.36	645.08	651.80	658.52	665.24	671.96	678.68	685.40	692.12	698.84	705.56	
DB60 ASTM F512 NEMA TC-6&8 20 FT BE (High Module)	2"	31.36	31.70	32.05	32.39	32.74	33.08	33.43	33.77	34.12	34.46	34.80	35.15	35.49	35.84	36.18
	3"	63.59	64.29	64.99	65.69	66.39	67.08	67.78	68.48	69.18	69.88	70.58	71.28	71.98	72.68	73.37
	4"	103.56	104.70	105.83	106.97	108.11	109.25	110.39	111.52	112.66	113.80	114.94	116.08	117.21	118.35	119.49
	5"	159.50	161.26	163.01	164.76	166.52	168.27	170.02	171.77	173.53	175.28	177.03	178.79	180.54	182.29	184.04
	6"	217.76	220.16	222.55	224.94	227.34	229.73	232.12	234.51	236.91	239.30	241.69	244.09	246.48	248.87	251.27
DB100 ASTM F512 NEMA TC-6&8 (High Module)	3"	74.44	75.26	76.07	76.89	77.71	78.53	79.35	80.16	80.98	81.80	82.62	83.44	84.25	85.07	85.89
	4"	119.65	120.96	122.28	123.59	124.91	126.22	127.54	128.85	130.17	131.48	132.79	134.11	135.42	136.74	138.05
	5"	187.15	189.21	191.26	193.32	195.38	197.43	199.49	201.55	203.60	205.66	207.72	209.77	211.83	213.89	215.94
	6"	273.87	276.88	279.89	282.90	285.91	288.92	291.93	294.94	297.95	300.96	303.97	306.98	309.99	313.00	316.01

These are net prices. There is no need for a multiplier.



Electrical Conduit Price Index

UNIT: \$/CF (CF=100 FT)

All JM Eagle Standard Terms and Conditions of Sales apply.

PRODUCT	SIZE	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105
DB120 ASTM F512 NEMA TC-6&8 20 FT BE Gray (High Module)	1"	18.67	18.88	19.08	19.29	19.49	19.70	19.90	20.11	20.31	20.52	20.73	20.93	21.14	21.34	21.55
	1.5"	28.65	28.96	29.28	29.59	29.91	30.22	30.54	30.85	31.17	31.48	31.79	32.11	32.42	32.74	33.05
	2"	37.62	38.03	38.45	38.86	39.27	39.69	40.10	40.51	40.93	41.34	41.75	42.17	42.58	42.99	43.41
	3"	80.28	81.16	82.04	82.93	83.81	84.69	85.57	86.46	87.34	88.22	89.10	89.98	90.87	91.75	92.63
	4"	130.89	132.33	133.77	135.21	136.65	138.09	139.52	140.96	142.40	143.84	145.28	146.72	148.16	149.59	151.03
	5"	205.44	207.70	209.96	212.21	214.47	216.73	218.99	221.24	223.50	225.76	228.02	230.28	232.53	234.79	237.05
EB35 ASTM F512 20 FT BE	4"	88.31	89.28	90.25	91.22	92.19	93.16	94.13	95.10	96.07	97.04	98.01	98.98	99.95	100.92	101.89
	5"	130.53	131.96	133.40	134.83	136.27	137.70	139.14	140.57	142.01	143.44	144.87	146.31	147.74	149.18	150.61
	6"	189.50	191.58	193.66	195.75	197.83	199.91	201.99	204.08	206.16	208.24	210.32	212.40	214.49	216.57	218.65
TYPE C	4"	120.36	121.68	123.00	124.32	125.65	126.97	128.29	129.61	130.94	132.26	133.58	134.91	136.23	137.55	138.87
GTS-8342 20 FT BE	2"	37.51	37.92	38.33	38.75	39.16	39.57	39.98	40.40	40.81	41.22	41.63	42.04	42.46	42.87	43.28
	4"	123.09	124.44	125.79	127.14	128.50	129.85	131.20	132.55	133.91	135.26	136.61	137.97	139.32	140.67	142.02
GAS SLEEVE PIPE SCH 40 20 FT BE Yellow	1"	29.65	29.97	30.30	30.63	30.95	31.28	31.60	31.93	32.25	32.58	32.91	33.23	33.56	33.88	34.21
	1.5"	52.96	53.54	54.13	54.71	55.29	55.87	56.45	57.04	57.62	58.20	58.78	59.36	59.95	60.53	61.11
	2"	65.50	66.22	66.94	67.66	68.38	69.10	69.82	70.54	71.26	71.98	72.70	73.42	74.14	74.86	75.58
	3"	130.93	132.37	133.81	135.25	136.69	138.12	139.56	141.00	142.44	143.88	145.32	146.76	148.20	149.64	151.07
	4"	182.40	184.40	186.41	188.41	190.42	192.42	194.43	196.43	198.44	200.44	202.44	204.45	206.45	208.46	210.46
	6"	325.96	329.54	333.13	336.71	340.29	343.87	347.45	351.04	354.62	358.20	361.78	365.36	368.95	372.53	376.11
	8"	504.98	510.53	516.08	521.62	527.17	532.72	538.27	543.82	549.37	554.92	560.47	566.02	571.57	577.12	582.67
	10"	727.53	735.52	743.52	751.51	759.51	767.50	775.50	783.49	791.49	799.48	807.47	815.47	823.46	831.46	839.45
DB100 (AZ) ASTM F512 NEMA TC-6&8	4"	118.23	119.53	120.83	122.12	123.42	124.72	126.02	127.32	128.62	129.92	131.22	132.52	133.82	135.12	136.42
	5"	184.97	187.00	189.03	191.06	193.10	195.13	197.16	199.19	201.23	203.26	205.29	207.33	209.36	211.39	213.42
	6"	270.76	273.74	276.71	279.69	282.66	285.64	288.61	291.59	294.56	297.54	300.52	303.49	306.47	309.44	312.42
DB120 (AZ) ASTM F512 NEMA TC-6&8 20 FT BE Gray (Low Module)	1"	17.20	17.39	17.58	17.77	17.96	18.14	18.33	18.52	18.71	18.90	19.09	19.28	19.47	19.66	19.85
	1.5"	26.37	26.66	26.95	27.24	27.53	27.82	28.11	28.40	28.69	28.98	29.27	29.56	29.85	30.14	30.43
	2"	35.13	35.51	35.90	36.28	36.67	37.06	37.44	37.83	38.21	38.60	38.99	39.37	39.76	40.14	40.53
	2.5"	53.27	53.86	54.44	55.03	55.61	56.20	56.78	57.37	57.95	58.54	59.13	59.71	60.30	60.88	61.47
	3"	78.39	79.25	80.11	80.97	81.83	82.69	83.56	84.42	85.28	86.14	87.00	87.86	88.72	89.59	90.45
	4"	128.06	129.46	130.87	132.28	133.68	135.09	136.50	137.91	139.31	140.72	142.13	143.53	144.94	146.35	147.76
EB35 (AZ)	5"	195.36	197.51	199.65	201.80	203.95	206.09	208.24	210.39	212.53	214.68	216.83	218.97	221.12	223.27	225.41
	5"	120.19	121.51	122.83	124.16	125.48	126.80	128.12	129.44	130.76	132.08	133.40	134.72	136.04	137.36	138.68

These are net prices. There is no need for a multiplier.